Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

THE UTILIZATION OF LACTOSE

BY THE

GROWING PIG

A thesis presented in partial fulfilment of
the requirements for the degree of
Master of Agricultural Science
in Animal Science.

IAN JOHN SHEARER

MASSEY UNIVERSITY

NEW ZEALAND

1967

ACKNOWLEDGEMENTS

It is a pleasure to acknowledge the guidance and encouragement of Mr A.C. Dunkin who supervised the work undertaken for this thesis.

Sincere thanks are also due to Dr R.E. Munford for advice on chemical and statistical analyses, and to all members of the Dairy Husbandry, Biochemistry and Animal Health Departments at Massey University, from whom aid was sought for various reasons.

I would like to record my sincere thanks to the late Mr A.C. Glenday, D.S.I.R. for his advice on statistical procedures.

Acknowledgement is also due to Dr $F_{\bullet}R_{\bullet}$ Cockrem supervisor of the Animal Physiology Unit for making facilities available, and to Mr L. Hawthorne and Mr D.R. Daines for the feeding and care of the experimental animals.

The assistance given by the Art and Photography Departments, Ruakura Agricultural Research Centre, and by Miss D. Scott and Miss C. Mitchell, Central Photographic Unit, Massey University, in the preparation of text figures, is greatly appreciated.

Thanks are also due to Miss M.G. Campbell and the library staff (past and present) for their invaluable assistance in obtaining reference material, and to Mrs J. Fisher of the Department of Agriculture, Palmerston North, for the care taken in typing this thesis.

The author wishes to acknowledge the receipt of a N.Z. Pig Producers' Council Scholarship and to thank the Council for their interest and support.

During the course of this study the author was assisted by the tenure of a Public Service Study Award from the N.Z. Department of Agriculture.

CONTENTS

PART I

PHYSIOLOGICAL AND ANATOMICAL ASPECTS

CHAPTER 1

REVIEW OF LITERATURE

		PAGI
1.1	Lactose Utilization by the Growing Pig	1
1.2	Additional Factors Affecting the Performance of	
	Growing Pigs Fed Whey	10
1.3	Lactose Effect on Carcass Quality	11
1.4	Adaptation to High Levels of Lactose	12
1.5	Lactose Induced Caecum Development, and Bacterial	
	Lactose Activity	14
	CHAPTER 2	
	FIRST PRELIMINARY INVESTIGATION	
2.1	Introduction	17
2.2	Experimental	17
2.3	Results	21
2.4	Discussion and Conclusions	27

CHAPTER 3

SECOND PRELIMINARY INVESTIGATION

		PAGE
3.1	Introduction	29
3.2	Experimental	29
3.3	Results	31
3.4	Discussion	38
3.5	Conclusions	40
	CHAPTER 4	
	MAIN INVESTIGATION, AND THE COLLECTION STUDY	
4.1	Introduction	41
4.2	Experimental	41
4.3	Results	47
4.4	Discussion	65
4.5	Conclusions	77

PART II

BIOCHEMICAL ASPECTS

CHAPTER 1

THE ABSORPTION AND UTILIZATION OF LACTOSE

	AND ITS MONOSACCHARIDE DERIVATIVES - A REVIEW	
		PAGE
1.1	Absorption of Lactose by the Intestinal Mucosa	7 9
1.2	Enzyme Hydrolysis of Lactose	79
1.3	Absorption and Metabolism of the Monosaccharide Components	
	of Lactose	82
	CHAPTER 2	
	COLLECTION PROCEDURES	
2.1	Introduction	89
2.2	Adopted Procedure	89
2.3	Materials and Methods	89
2.4	Preliminary Studies	94
	CHAPTER 3	
	SAMPLE ANALYSIS	
3.1	Total Reducing Sugar Analysis of Urinary and Faecal	
	Protein Free Filtrates	
3.1/1	Review of Literature	96
3.1/2	Methods of Analysis	97
3.1/3	Preliminary Determinations	98

		PAGE
7 1/4	Comple Applyois for Motel Deducing Cuses	102
3.1/4	Sample Analysis for Total Reducing Sugar	
3.1/5	Discussion and Conclusions	105
3.2	Apparent Digestibility and Retention of Nitrogen	
3.2/1		106
3.2/2	Method of Analysis	108
3.2/3	Results	108
3.2/4	Discussion and Conclusions	111
3.3	Apparent Digestible Energy Determinations	
3.3/1	Review of Literature	114
3.3/2	Method of Analysis	115
3.3/3	Results and Discussion	115
3.4	Apparent Digestibility of Ether Extracts	
3.4/1	Review of Literature	117
3.4/2	Method of Analysis	117
3.4/3	Results	117
3.4/4	Discussion and Conclusion	119
3.5	Lactic Acid Analysis	
3.5/1	Review of Literature	120
3.5/2	Method of Analysis	121
3.5/3	Discussion and Conclusions	122
	CHAPTER 4	
	CHROMATOGRAPHIC SUGAR ANALYSIS	
4.1	Faecal and Urinary Analysis	
4.1/1	Introduction	123
4.1/2	Review of Literature	123
4.1/3	Method of Analysis	124
4.1/4	Results and Discussion	127

4.2	Identification of the Faecal Pentose	132
4.2/1	Method Result and Discussion	132
	PART III	
	GENERAL DISCUSSION, POSSIBLE TOPICS	
	FOR FUTURE RESEARCH, AND	
	SUMMARY OF RESULTS.	
	^	
	CHAPTER 1	
	GENERAL DISCUSSION	136
	CHAPTER 2	
	POSSIBLE TOPICS FOR FUTURE RESEARCH	139
	CHAPTER 3	
	SUMMARY OF RESULTS	143

PAGE

LIST OF TABLES

PART I

PHYSIOLOGICAL AND ANATOMICAL ASPECTS

TABLE		PAGE
1.1	Summary of Lactose, and Whey, Feeding Data	7
2.2/1	Feeding Scale	19
2.3/1	Observations of Dung Consistency for the First 28 Days	
	After Reaching 45 lb Liveweight	22
2.3/2	Growth Rate, Food Consumption, and Food Conversion	
	Efficiency	24
2.3/3	Food Refusals	26
3.3/1	Records of Dung Consistency Over the First 56 Days	32
3.3/2	Mean Growth Rate, Food Intake and Food Conversion	
	Efficiency for a 70 lb Liveweight Gain in Treatments	
	1 and 2, for a 70-day Investigation Period in	
	Treatments 3 and 4, and for a 60-day Period for	
	All 4 Treatments	34
3.3/3	(a) Lactose Intake (lb) at the Liveweight at which	
	Daily Food Refusals Exceeded 0.5 lb Dry Matter	37
	(b) Daily Lactose Intake (1b) at 50 lb and 120 lb	
	Liveweight and Mean Total Food Refusal for	
	Treatments 2, 3 and 4	38
4.3/1	Number of faecal voidings classified as 'porridge' (P) or	
	'watery' (W) in each treatment group, over 2 four-week	
	periods for the collection study	50
4.3/2	Liveweight Gain, Food Consumption and Food Conversion	
	Efficiency for Animals in the Main Investigation	51

TABLE		PAGE
4.3/3	Liveweight Gain, Food Consumption, and Food Conversion	
	Efficiency, for Animals in the Collection Study	56
4.3/4	Lactose Intake per day (1b) at the Liveweight at which	
	Daily Food Refusals Exceeded 0.5 lb D.M Main Investigation	58
4.3/5	Liveweight and Daily Intake of Lactose (1b) at which Food	
	Refusals Commenced and Ceased - Collection Study	60
4.3/6	Liveweight at Slaughter, Cold Carcass Weight, 'Killing-Out'	
	Percentage, Specific Gravity (S.G.) and its Reciprocal	
	(R.G.) and Eye Muscle Area	61
4.3/7	Linear Fat Measurements (mm) for the Carcasses from the	
	Collection Study	63
4.3/8	Mean Caecum Measurements for 3 Treatment Groups:	
	Wet Weight, Dry Weight, Tissue Volume, and Length -	
	Combined Data from Both Investigations	65
4.4/1	Summary of Data from the Main Investigation and the Second	
	Preliminary Investigation Illustrating the Relationship	
	between the Amount of food Refused (as a percentage of	
	the total food offered) and the Liveweight of the Animals	
	after 60 days on the Lactose Diets	69

PART II

BIOCHEMICAL ASPECTS

	PAGE
Sugar Repeatability Determination: Results of 18	
Analyses of two Protein Free Filtrates	100
Means and their Standard Errors, of Sugar	
Concentrations of Urine Samples stored for	
Four Periods of Time	101
Variability in Total Reducing Sugar Output	
(milligrams) on two days of a five-day	
Collection period	103
Mean + S.E. of Total Urinary Sugar Loss (gms) for	
two 5-day Collection periods (at 60 and 110 lb	
liveweight) and for four Treatment groups	104
Mean daily D.E. and Nitrogen Intake, Apparent Nitrogen	
Digestibility, and Nitrogen Retention	110
Summary of means and their standard errors for a	
Treatment x Age Interraction, in the Apparent	
digestibility of Crude Protein Nitrogen	111
Gross, and Apparent Digestible Energy Values of the	
four Treatment Diets (Kcal/Kg)	115
Block, Treatment and Collection Means of the Coefficients	
of Energy Digestibility (%) for the four Treatment Diets	116
Gross Energy, Apparent Digestible Energy, Percent	
Ether Extract and Apparent Digestibility of the	
Ether Extract, of four Treatment Diets	118
Means and Standard Errors for a Litter x Age Interraction	
in Apparent Ether Extract Digestibility	118
	Analyses of two Protein Free Filtrates Means and their Standard Errors, of Sugar Concentrations of Urine Samples stored for Four Periods of Time Variability in Total Reducing Sugar Output (milligrams) on two days of a five-day Collection period Mean ± S.E. of Total Urinary Sugar Loss (gms) for two 5-day Collection periods (at 60 and 110 lb liveweight) and for four Treatment groups Mean daily D.E. and Nitrogen Intake, Apparent Nitrogen Digestibility, and Nitrogen Retention Summary of means and their standard errors for a Treatment x Age Interraction, in the Apparent digestibility of Crude Protein Nitrogen Gross, and Apparent Digestible Energy Values of the four Treatment and Collection Means of the Coefficients of Energy Digestibility (%) for the four Treatment Diets Gross Energy, Apparent Digestible Energy, Percent Ether Extract and Apparent Digestibility of the Ether Extract, of four Treatment Diets Means and Standard Errors for a Litter x Age Interraction

TABLE		PAGE
4.1/1	Quantities of Glucose, Galactose, and Lactose (µg)	
	present in Urine Samples, Identified by Thin-Layer	
	Chromatography	129
4.1/2	Quantities (µg) of Pentose from Faeces Filtrates	
	Identified by Thin-Layer Chromatography	130

LIST OF TEXT FIGURES

PHYSIOLOGICAL AND ANATOMICAL ASPECTS

FIGURE		PAGE
2.3/1	Individual Growth Rates and Levels of Lactose Intake	23
2.3/2	Growth Rates of the Four Experimental Animals	25
3.3/1	Individual Growth Rates of the 12 Treatment Animals	33
3.3/2	Mean Liveweight Gains of 3 Animals in Each Treatment Group	36
4.3/1	Results of Daily Observations of Dung Consistency for the	
	First, Second, Third and Sixth Weeks of Treatments	
	Three and Four in the Main Investigation	48
4.3/2	Mean Treatment Growth Rates and Their Standard Errors	
	for Animals in the Main Investigation	53
4.3/3	Mean Liveweight Gains for the Four Treatment Groups in	
	the Collection Study	55
4.3/4	Representative caecae from Treatment Three (1) and	
	Treatment One (2)	64
	·	
	PART II	
	BIOCHEMICAL ASPECTS	
1.3/1	Pathways of Galactose Metabolism	85
2.3/1	The Metabolism Crate and Collection Equipment	90
3.2/1	Nitrogen Digestibility (%) and Nitrogen Retention (%)	
	(A) at 85 lb Liveweight, and (B) at 110 lb Liveweight,	
	for Diets Containing O, 15, 30 and 45 % Lactose	112
4.1/1	Thin-Layer Chromatographic Separation of Glucose,	
	Galactose and Lactose	125

4.1/2	Thin-Layer Chromatoplates of Urinary Filtrates	128
4.1/3	Thin-Layer Chromatoplates of Filtrates Prepared from	
	'Normal' and Diarrhoeal Faeces	131
4.2/1	Faecal Pentose Identification Using Paper Chromatography	133
	PART III	
	DISCUSSION AND SUMMARY	
1.1	Summary of the Biochemical, Physiological, and Anatomical	
	Effects of High Dietary Levels of Lactose, and their	
	Influence on Liveweight Gain	135

PAGE

FIGURE