

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

**AN INVESTIGATION INTO THE ADVANCED
TIME DIVISION MULTIPLE ACCESS(ATDMA)
PROTOCOL FOR A PERSONAL
COMMUNICATION NETWORK**

This thesis is presented in partial fulfilment of the requirements for
the degree of Master of Technology in Information Engineering at
Massey University.

YIFAN LI

1997

CONTENTS

Abstract	V
Acknowledgments.....	VI

CHAPTER I INTRODUCTION

1.0 General Introduction	1
1.1 Thesis Structure	3

CHAPTER II OVERVIEW OF MULTIPLE ACCESS PROTOCOLS FOR CELLULAR WIRELESS NETWORKS

2.0 Introduction.....	5
2.1 Cellular wireless networks.....	6
2.1.1 Cellular concept and frequency reuse.....	6
2.1.2 Interference and system capacity.....	11
2.1.3 Development of wireless networks.....	14
2.1.4 Wireless LANs	16
2.2 Classification of multiple access protocols.....	20
2.3 Multiple access protocols for mobile radio.....	22
2.3.1 Pure ALOHA.....	22
2.3.2 Slotted ALOHA.....	23
2.3.3 TM-BCMA/CD	24
2.3.4 The Frequency Division Multiple Access (FDMA).....	26
2.3.5 Time Division Multiple Access (TDMA)	26

2.3.6	Code Division Multiple Access (CDMA)	28
2.3.7	R-ALOHA	31
2.3.8	Packet Reservation Multiple Access (PRMA)	32
2.3.9	Advanced Time Division Multiple Access (ATDMA)	34
2.4	Discussion and comparison.....	35
2.5	Conclusion	37

CHAPTER III ATDMA AIR INTERFERENCE IN A MICROCELL ENVIRONMENT

3.0	Introduction.....	38
3.1	ATDMA protocol structure and system requirements.....	39
3.1.1	ATDMA protocol structures.....	39
3.1.2	ATDMA operating environments.....	43
3.1.3	Service supported by an ATDMA system.....	43
3.1.4	Duplexing choice.....	45
3.1.5	Adaptive air interface	45
3.1.5.1	Adaptive to cell type.....	46
3.1.5.2	Adaptive to user/traffic	46
3.1.5.3	Adaptive to interference.....	47
3.1.5.4	Adaptive to source activity	48
3.2	ATDMA functional model.....	49
3.3	Advantage of the ATDMA protocol	52
3.4	Microcells in personal communication systems	53
3.4.1	Radio propagation	55

3.4.2	Multiple fading	56
3.4.3	Local movement and Doppler spread	58
3.4.4	Shadowing and path loss	60
3.4.5	Time dispersion	62
3.4.6	Channel modelling technique	65
3.5	Conclusion	67

CHAPTER IV PERFORMANCE OF THE ATDMA PROTOCOL IN A CELLULAR RADIO ENVIRONMENT

4.0	Introduction	69
4.1	The microcell channel model	70
4.1.1	An area-to-area path loss prediction model	70
4.1.2	The microcell prediction model	74
4.1.3	Carrier-to-interference analysis of the microcell prediction model	77
4.2	Simulation of the ATDMA protocol	81
4.3	Validation of simulation mode	91
4.4	Simulation results	92
4.5	Conclusion	106

CHAPTER V OVERALL CONCLUSION AND SUGGESTION FOR FUTURE WORK

5.0	Overall conclusion and suggestion for future work	108
-----	---	-----

REFERENCES.....113

APPENDIX

A SIMULATION PROGRAM FOR THE ADVANCED TIME
DIVISION MULTIPLE ACCESS (ATDMA) PROTOCOL IN A
MICROCELL ENVIRONMENT120

ABSTRACT

The performance of the Advanced Time Division Multiple Access (ATDMA) protocol in a microcell environment has been investigated in this thesis. The ATDMA protocol is a new generation protocol which can support both circuit switched and packet switched transmission modes. The protocol can also adapt in a varying propagation environment. This thesis examines the efficiency of the protocol in a microcell environment and also examines different access techniques for voice and data traffic to improve the efficiency of the protocol. To study the performance of the protocol a discrete event based simulation model has been developed which includes a microcell channel model of a city area.

A data block reservation scheme has been developed in this work, which increase the traffic efficiency of the protocol. By combining the data block reservation scheme and capture effect, the ATDMA protocol's performance in transmitting mixed voice and data traffic in an urban microcell environment was investigated by means of computer simulation. The simulation model was used to find out the appropriate parameters for the optimum performance of the protocol and then to investigate the performance of the protocol. With consideration of the capture ratio, the effect of capture has also been evaluated in a more practical manner.

ACKNOWLEDGMENTS

I would like to express my appreciation to my supervisor Dr. Jamil Y. Khan, for his continuous guidance, advice and encouragement throughout this research work.

I am also grateful to Professor R.M. Hodgson for his interest and encouragement during this study.

I wish to thank my great friend Noel Harris who has in the last weeks proofread the thesis.

My sincere thanks also goes to all those who helped me directly or indirectly in the completion of this research work.

Finally, I thank my wife, Lin, and my son, Mochi, for their understanding and encouragement.