

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

**Characterisation and Functionalisation
of Mechanically Fractured Graphene
Nanoribbons**

A thesis presented in partial fulfilment of the requirements for

the degree of

Master of Science

in

Nanoscience

at Massey University, Manawatū

New Zealand

Samuel James Brooke

2017

Abstract

Graphene has been heralded as the supermaterial of the future, boasting incredibly high electron mobility, thermal conductivity, and physical strength – all contained within the world’s first true 2D material, only a single atom thick. Graphene nanoribbons (GNRs) broaden this potential further by demonstrating width-dependent band gaps due to confinement effects. In addition, the ability to define the edge geometry and dimensions of GNRs allows control over self-assembly of these novel carbon nanostructures. GNR synthesis has been broadly explored in literature, demonstrating both relatively high yields and atomic-scale precision. Rarely, however, are these two criteria achieved in the same technique. Longitudinal unzipping of carbon nanotubes (CNTs) generates large quantities of nanoribbon material at the expense of quality, while techniques such as chemical vapor deposition (CVD) and bottom up synthesis achieve truly astounding quality, but lack scalability.

Recently, the synthesis of highly ordered GNRs with tunable dimensions and unique geometries has been demonstrated using mechanical fracturing of a block of graphite via simple microtomy techniques. This method offers a top-down approach to GNR synthesis providing highly ordered structure on a much larger scale than efforts to date. In this work, this technique has been altered to use a dry-cut method, and the structural and chemical properties of the material obtained therein have been extensively characterised, demonstrating increased quality, structural order, and quantities obtainable. Further, this work has demonstrated the functionalisation of these dry-cut materials both chemically via simple organic chemistries, and non-covalently utilising filamentous bacteriophage as a route towards biofunctionalisation.

Acknowledgements

Firstly, I would like to formally thank my supervisors, Mark Waterland and Jasna Rakonjac, for their support and guidance throughout the many twists and turns of this research. I would also like to thank all my fellow groupmates, for their assistance and advice throughout this project.

I would like to acknowledge the expertise provided by Jordan Taylor, in understanding and adapting the microtomy-based techniques discussed herein, and the patience and effort spent analysing countless TEM samples.

I would like to acknowledge Ashley Way, for providing me with computational data, Ewan Fisher for running SEIRAS on all my samples, and Haidee Dykstra for her contributions from, and complex analysis of, the Raman data obtained from these mechanical fracturing techniques. Additionally, I would like to thank Callum Hill and Harry Deare for their efforts in refining the SLIPSERS protocols, which were invaluable during my final data collections.

Lastly, I would like to thank my friends and family for supporting me throughout the project, particularly in the last months. I would not have come this far without them.

Table of Contents

Chapter 1: Introduction.....	1
1.1 Graphene	1
1.2 Graphene Nanoribbons.....	1
1.3 Technological Significance	2
1.4 Physical, Thermal, and Electronic Properties.....	3
1.4.1 Physical Properties.....	3
1.4.1 Electronic Properties	5
1.4.2 Thermal Properties	7
1.5 Functionalisation	8
1.6 Graphene Nanoribbons.....	9
1.7 GNR Synthesis	10
1.7.1 Carbon Nanotube Unzipping	10
1.7.2 Chemical Exfoliation	11
1.7.3 Lithographic Synthesis.....	12
1.7.4 Chemical Vapour Deposition (CVD).....	13
1.7.5 Thermal Decomposition.....	15
1.7.6 Bottom-Up Chemical Synthesis.....	15
1.7.7 Mechanical Fracturing	16
1.8 Summary	16
1.9 Research Aims.....	17
1.10 Thesis Outline.....	17

1.10.1	Chapter 2	17
1.10.2	Chapter 3	18
1.10.3	Chapter 4	18
1.10.4	Chapter 5	19
Chapter 2: Methods and Materials		20
2.1	Mechanical Fracturing Setup.....	20
2.2	Cutting Parameters	20
2.3	Instruments and Equipment.....	23
2.4	Processing.....	24
2.5	Exfoliation.....	24
2.6	Centrifugation.....	24
2.7	Reaction Workup.....	25
2.8	Functionalisation Reactions	26
2.9	Reduction of GNRs	27
2.9.1	Sodium Borohydride Reduction.....	27
2.9.2	Lithium Aluminium Hydride Reduction.....	27
2.10	Oxidation of GNRs.....	28
2.10.1	Pyridinium Dichromate Oxidation.....	28
2.10.2	Hummer's Improved Oxidation.....	28
2.11	Thiol Functionalisation.....	29
2.11.1	EDC Catalysed Reactions	29
2.11.2	DCC Catalysed Reactions	30

2.11.3	Oxalyl Chloride Catalysed Reactions	30
2.12	GONR-CA AuNp Functionalisation	31
2.13	AuNp Synthesis	31
2.14	Filamentous Bacteriophage Functionalisation	32
Chapter 3: Mechanically Fractured GNRs		33
3.1	Mechanical Fracturing.....	33
3.2	Mechanical Fracturing in Water.....	37
3.3	Mechanical Fracturing in Air	39
3.4	Discussion of Mechanical Fracturing.....	41
3.5	Summary	44
Chapter 4: Characterisation		45
4.1	Physical Characteristics – AFM and TEM.....	45
4.2	Raman Spectroscopy	55
4.3	Infrared Spectroscopy.....	57
4.4	UV-vis Spectroscopy.....	63
4.4.1	Liquid-Phase Exfoliation of GNRs	66
4.5	Scission.....	69
4.6	Summary	73
Chapter 5: Functionalisation.....		74
5.1	Covalent Functionalisation.....	74
5.2	Functional Standard – Graphene Oxide	76
5.3	GNR Functionalisation.....	82

5.3.1	Graphene Oxide Nanoribbon Functionalisation	86
5.4	Filamentous Bacteriophage Functionalisation	91
5.5	Summary	97
Chapter 6:	Conclusion and Future Directions	98
Appendix 1	100
Appendix 2	105
Bibliography	108

Table of Figures

Figure 1. 1 - 3D models of graphene and a graphene nanoribbon	1
Figure 1. 2 - Schematic representation of fracturing types	6
Figure 1. 3 - Diagrams of graphene and GNR edge types	10
Figure 2. 1 - Microtome setup for mechanical fracturing in air	21
Figure 3. 1 - 3D representation of GNR synthesis via mechanical fracturing in air	35
Figure 3. 2 - Microtome setup for mechanical fracturing in air	36
Figure 3. 3 - 3D representation of how GQD "nanosquares" can be synthesised using mechanical fracturing.....	37
Figure 3. 4 - Strip of dry-cut GNBs collected on brush and at the knife edge ...	40
Figure 3. 5 - TEM images of GNRs generated via incorrect alignment.....	44
Figure 4. 1 - AFM images of a partially exfoliated GNB on mica	47
Figure 4. 2 - TEM images of GNRs with respect to exfoliation extent.....	49
Figure 4. 3 - TEM images of GNR stack as viewed perpendicularly and tilted .	49
Figure 4. 4 - GNR stack height determination using contact mode AFM.	50
Figure 4. 5 - TEM images of tapered GNR stacks.....	52
Figure 4. 6 - High-resolution TEM image of GNR (stack) edge.....	53
Figure 4. 7 - TEM images of GNR stacks exhibiting diminished scattering at ends	54
Figure 4. 8 - Raman spectrum of graphene.....	56
Figure 4. 9 - SEIRS spectra of GNRs	58

Figure 4. 10 - IR spectral comparisons between GNRs (dry-cut 1) and SDBS spectra	60
Figure 4. 11 - IR spectral comparisons between GNRs (dry-cut 2) and SDBS spectra	61
Figure 4. 12 - IR spectral comparisons between GNRs (dry-cut 2) and SDBS spectra	62
Figure 4. 13 - UV-vis absorption spectra of varying concentrations of GNR dispersed in IPA.....	64
Figure 4. 14 - UV-vis quantification study on the dispersibility of GNRs in various common solvents	67
Figure 4. 15 - UV-vis spectra of DCM and CHCl ₃ dispersed GNRs after extended sonication.....	67
Figure 4. 16 - TEM images illustrating sonication-induced scission of large width GNRs	70
Figure 4. 17 - Raman spectra of stock GNRs and sonicated GNRs	72
Figure 5. 1 - Unit cell of graphene.....	76
Figure 5. 2 - Reaction schemes of GO-CA modifications.....	78
Figure 5. 3 - AFM and TEM images of thiolated GO (GO-CA) and AuNps.....	79
Figure 5. 4 - GNR functionalisation with CA and AuNps	83
Figure 5. 5 - DFT calculations of modified GNR analogue	84
Figure 5. 6 - IR spectra comparisons of various GNR thiol modifications	85
Figure 5. 7 - TEM images of AuNp functionalised GONR-CA.....	88
Figure 5. 8 - TEM of GNRs demonstrating oxidation-dependent functionalisation	89

Figure 5. 9 - Raman spectra of GONR and GONR-CA	90
Figure 5. 10 - Schematic representations of filamentous bacteriophage	93
Figure 5. 11 - Filamentous bacteriophage-functionalised GNRs	94
Figure A1. 1 - Additional AFM images of the GNB depicting full size and morphology	100
Figure A1. 2 - Zoom of TEM image showing coiling of tapered GNR stacks.	101
Figure A1. 3 - SDBS spectral comparisons between GNR samples and benzoic acid derivatives	102
Figure A1. 4 - Structure of catalysts used in esterification and amidation reactions.	103
Figure A1. 5 - GONR-CA stacks and AuNps showing no specific binding	103
Figure A1. 6 - Raman spectra of stock GNRs and GNRs sonicated in CHCl ₃ .	104
Figure A1. 7 - TEM images showing solvent trapped between graphene layers forming bubbles of gas upon electron beam-excitation.....	104
Figure A2. 1 - Schematic diagrams of unit cell of graphene and bond distances	105

Abbreviations

2D	Two-dimensional
3D	Three-dimensional
AFM	Atomic force microscopy
CA	Cysteamine
CHCl ₃	Chloroform
CNT(s)	Carbon nanotube(s)
CTAB	Cetyltrimethylammonium bromide
CVD	Chemical Vapor Deposition
DCC	N,N'-dicyclohexylcarbodiimide (catalyst)
DCM	Dichloromethane
DMAP	4-dimethylaminopyridine (catalyst)
DMF	Dimethylformamide
EDC	1-ethyl-3-(3-dimethylaminopropyl)carbodiimide (catalyst)
EtOH	Ethanol
FET	Field effect transistor
GNB(s)	Graphene nanoblock(s)
GNR(s)	Graphene nanoribbon(s)
GNR-CA	Graphene nanoribbons, cysteamine modified
GNR-MPA	Graphene nanoribbons, 3-mercaptopropionic acid modified
GO	Graphene oxide
GO-CA	Graphene oxide, cysteamine modified
GONR(s)	Graphene oxide nanoribbon(s)
GONR-CA	Graphene oxide nanoribbons, cysteamine modified
GQD(s)	Graphene quantum dot(s)

H ₂ O	Water
H ₂ O ₂	Hydrogen peroxide
H ₂ SO ₄	Sulfuric acid
H ₃ PO ₄	Phosphoric acid
HEPES	4-(2-hydroxyethyl)-1-piperazineethanesulfonic acid (buffer)
HOPG	Highly oriented pyrolytic graphite
I _D :I _G	Ratio of intensities of D band to G band
IPA	Isopropyl alcohol
IR	Infrared spectroscopy
KMnO ₄	Potassium permanganate
LiAlH ₄	Lithium aluminium hydride
LPE	Liquid-phase exfoliation
MD	Molecular dynamics
MeCN	Acetonitrile
MPA	3-mercaptopropionic acid
MQ	Milli-Q® > 18 MΩ grade H ₂ O
MWNT(s)	Multi-walled carbon nanotube(s)
NaBH ₄	Sodium borohydride
NHS	N-hydroxysuccinimide (catalyst)
PDC	Pyridinium dichromate
Phage	Filamentous bacteriophage
PMMA	Poly(methyl methacrylate)
Raman	Raman spectroscopy/microscopy
rpm	Revolutions per minute
SDBS	Structural Database for Organic Compounds

SEIRS	Surface enhanced infrared spectroscopy
SLIPSERS	Slippery liquid-infused porous surface-enhanced Raman scattering
TEM	Transmission electron microscopy
THF	Tetrahydrofuran
UV-vis	Ultraviolet/visible spectroscopy
ZYA	High-grade HOPG with mosaic spread of $0.4^\circ \pm 0.1^\circ$
ZYB	Medium-grade HOPG with mosaic spread of $0.8^\circ \pm 0.2^\circ$
ΔG	Change in Gibbs energy
ΔH	Change in enthalpy
ΔS	Change in entropy
κ	Thermal conductivity in $\text{Wm}^{-1} \text{K}^{-1}$