

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A STUDY OF THE EFFECTS OF UNDERNUTRITION
AND RE-ALIMENTATION ON THE ROMNEY ISHE
(In Three Parts)

A Thesis presented at Massey Agricultural College
in partial fulfilment of the requirements for the
degree of Master of Agricultural Science in the
University of New Zealand.

by

G. K. HIGHT

- 1961 -

2308/41
B 111
12681



MASSEY AGRICULTURAL COLLEGE
LIBRARY
PALMERSTON NORTH, N.Z.

Number	Class	Location
18961	686.3085	Hig

TABLE OF CONTENTS

P A R T I

THE EFFECT OF UNDERNUTRITION AND RE-ALIMENTATION ON THE
BODY COMPOSITION OF THE MATURE ROMNEY EWE

<u>Chapter</u>		<u>Page</u>
I	Introduction	1
II	Review of Literature	
	(A) Some Physiological Aspects of Undernutrition and Obesity	3
	(1) Mobilization and deposition	4
	(2) Endocrinology	6
	(3) Intake regulation	9
	(4) Metabolic rate	10
	(5) Disease	11
	(6) Genetic	11
	(B) The Effect of Nutrition on Body Composition	12
	(1) Carcass	12
	(2) Internal organs	18
	(3) Gastrointestinal tract and contents	19
	(4) Food utilization	21
III	Materials and Methods	
	(1) Selection of animals and pre-experimental management	23
	(2) The design of the experiment	24
	(3) Management during the experimental period	25
	(4) Level of nutrition	26
	(5) Slaughter techniques and records	28
	(6) Post-slaughter techniques	29
	(a) Treatment of the carcass and its right side	30
	(b) Left side	30
	(c) Chemical analysis	31
	(7) Statistical methods	33

Table of Contents (Contd.)

<u>Chapter</u>		<u>Page</u>
IV	Results	
	(1) Liveweight and animal health	35
	(a) Liveweight	35
	(b) Animal health	36
	Discussion	38
	(2) Linear measurements on the carcass and half-loin	40
	(3) Carcass weight and composition	44
	(4) Dissectible components of the leg	46
	(5) Dissectible components of the half-loin	48
	(6) Dissectible components of the 9-10-11 rib-cut	52
	(7) Changes in chemical components	54
	(8) Some non-carcass components of liveweight	70
	(9) Internal organs as indices of composition	77
	Discussion	78
	Summary	87

PART II

HÆMATOLOGICAL STUDIES

I	Introduction and review of literature	90
II	Materials and methods	94
III	Results	95
	Discussion	99
	Summary	101

PART III

MUSCLE-FIBRE DIAMETER

I	Review of literature	102
II	Materials and methods	107

Table of Contents (Contd.)

<u>Chapter</u>		<u>Page</u>
III	Results	108
	Discussion	112
	Summary	113
	Bibliography	114
	Appendix	125

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. Treatment groups	24
2. Mean liveweight loss and gain of the treatment groups (lb.)	35
3. Liveweight loss of sheep that died during the experiment (lb.)	37
4. Linear carcass measurements (cm.)	40
5. Linear half-loin measurements (mm.)	41
6. Carcass weight and chemical composition	42
7. Percentage and weight (lb.) of carcass water and protein	44
8. Weight of the leg and some of its dissectible components (g.)	47
9. Weight of the half-loin and some dissectible components (g.)	49
10. Weight of dissectible fat components of the half-loin (g.)	51
11. Weight of the 9-10-11 rib-cut and its dissectible muscle components (g.)	53
12. Total dissectible fat and its two components of the 9-10-11 rib-cut (g.)	54
13. Weight of dissectible <u>longissimus dorsi</u> muscle (g.) from the half-loin and some chemical percentage and weight components	55
14. Some chemical percentage and weight components (g.) of the muscle of the leg	57
15. Some chemical percentage and weight components (g.) of the muscle of the half-loin	59
16. Some chemical percentage and weight components (g.) of the muscle of the 9-10-11 rib-cut	61
17. Percentage and weight (g.) of chemical fat in the subcutaneous fat of the leg, half-loin, and 9-10-11 rib-cut	63
18. Percentage and weight (g.) of water in the subcutaneous fat of the leg, half-loin, and 9-10-11 rib-cut	64
19. Percentage and weight (g.) of protein in the subcutaneous fat of the leg, half-loin, and 9-10-11 rib-cut	66
20. Percentage and weight of chemical fat in the intermuscular fat of the leg, half-loin, and rib-cut	67
21. Percentage and weight (g.) of water in the intermuscular fat of the leg, half-loin, and rib-cut	68
22. Percentage and weight (g.) of chemical components of perirenal fat	70
23. Weight of the gastrointestinal contents, gastric contents, intestinal contents, and of the empty gastrointestinal tract and its two segments (g.)	71

List of Tables (Contd.)

<u>Table</u>		<u>Page</u>
24.	Treatment effects on the dissected weight (g.) percentage and weight of chemical components of the heart	73
25.	Weight of the thyroid gland, liver, kidneys, pancreas, and skin plus wool (g.)	74
26.	Weight of omental and mesenteric fat depots, spleen, genital tract plus urinary bladder (g.)	76
27.	Correlations between the weight and chemical composition of the heart, and the carcass	77
28.	Correlations between some internal organ weights and the weight of the fat-free carcass, weight of carcass protein, and carcass chemical fat	77
29.	Summary of the effects of undernutrition and re-alimentation on carcass composition and non-carcass components	79
30.	"Normal" values and ranges of blood cellular elements for the sheep	90
31.	Some haematological components of blood	96
32.	Analysis of variance of muscle-fibre diameter for five sheep, and three positions	108
33.	Average muscle-fibre diameter. Group means, standard deviations, and ranges (u.)	109
34.	Analysis of variance of muscle-fibre diameter measurements (u.)	109
35.	Relationships between average muscle-fibre diameter and some components of carcass composition and carcass measurements	110

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1.	Group mean liveweight (lb.) of all animals	34a
2.	Group mean liveweight (lb.) as slaughtered	34a
3.	Individual liveweight (lb.) of the ewes in the LPS group	34a
4.	Individual liveweight (lb.) of the ewes in the LFL group	34a
5.	Individual liveweight (lb.) of the ewes in the LPS:HF group	36a
6.	Individual liveweight (lb.) of the ewes in the LPS:HPS and LFL:HPL groups	36a
7.	Liveweight (lb.) of sheep that died	37a
8.	Haematological observations	97a
9.	Haematological indices	96a
10.	Isolated striated muscle fibre from the <u>longissimus dorsi</u>	107a

ACKNOWLEDGEMENTS

Grateful acknowledgement is made to Mr R. A. Barton for his continued interest, assistance, and guidance in this project. The advice and guidance of Professor A. L. Rae, particularly in statistical matters is also gratefully acknowledged.

The author is also indebted to Mr B. A. Reynolds, Massey Agricultural College for post-mortem examinations, and advice on haematological studies; Dr F. R. Cockrem for constructive advice and criticism; Messrs A.J.F. Russel, and M.J. Ulyatt for helpful discussion; and Dr K.F.M. Uttley, Clinical Laboratories, Palmerston North, for blood analyses. The workers in the slaughter team helped to make this project possible.

Miss M. G. Campbell and her library staff were of great assistance in obtaining literature, much of which had to be obtained on interloan.

Special acknowledgement is due to Mrs C. K. Pickett for typing this thesis.

The author was assisted by a New Zealand Wool Board Scholarship.
