

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

DEVELOPMENTAL PATTERNS OF PLASMA
INSULIN-LIKE GROWTH FACTOR-I IN SHEEP

A thesis presented in partial fulfillment
of the requirements for the degree of
Master of Agricultural Science
In Animal Science
at Massey University

CHRISTINE A ROBERTS

1989

ACKNOWLEDGEMENTS

With gratitude I thank my supervisors, Drs S.N. McCutcheon and H.T. Blair, for their valuable advice and assistance throughout the experimental work and writing up of this study.

To Professor P.D. Gluckman and Dr. B.H. Breier, Developmental Physiology Laboratory, Department of Paediatrics, University of Auckland Medical School, I am grateful for their extended source of knowledge as well as for the analyses of plasma IGF-I.

I thank Mr M.L. Carter, Mrs J.A. Rumbal and Miss M.F. Scott of the Physiology Laboratory, Department of Animal Science, Massey University, for their technical expertise and assistance both in collecting and analyzing samples.

I further acknowledge the technical assistance of Miss R.A. Watson and Mr D.A. Hamilton of the Nutrition Laboratory, Department of Animal Science and Mr. W.E. Pomroy, Department of Parasitology Laboratory in the Veterinary Pathology and Public Health, for their instruction in analysis of pasture digestibility and faecal egg counts, respectively.

Appreciation is expressed to Mr L. Williams for his watchful eye and tender care of my experimental animals, without which there would have been nothing to analyse, and to my fellow graduate students, Mark Carter, Peter Morgan, Leon Pijls, Peter Walsh, Machteld van Maanen and Zhen Zhong Xu for their many hours of voluntary help collecting samples.

I thank Rotary International and the many people involved with Rotary, both in the United States and New Zealand, for their financial and moral support. I am grateful for the opportunity they gave me to come to New Zealand, not only for the academic studies but also for the many experiences and friendships which have developed. The Johannes August Anderson and G.O. Anstiss Scholarships are also remembered for assistance of personal finances. The C. Alma Baker Trust, Massey University Research Fund and the Medical Research Council of New Zealand are acknowledged for their financial support of this research experiment.

A special thanks to Stuart McCutcheon for going beyond the call of duty; visits to the hospital (no matter what the time), scraping me off the pavement, being a friend at all times with ready and willing ears to listen and always willing to lend a hand (or mind). Thanks.

I thank the many friends, flatmates, fellow students and staff members who have encouraged me during my studies.

Finally, I especially thank my parents and family for their love and support, Andrew Spence for his encouragement, faith and love, and my Lord for his many blessings.

TABLE OF CONTENTS

	<u>Page</u>
ACKNOWLEDGEMENTS.....	ii
LIST OF TABLES.....	viii
LIST OF FIGURES.....	ix
LIST OF ABBREVIATIONS.....	x

CHAPTER I: INTRODUCTION

LIVESTOCK BREEDING PROGRAMMES AND THE ROLE OF GENETIC MARKERS.....	1
(a) Lean meat production.....	1
(b) Wool production.....	2
(c) Milk production.....	2
Limitations of Current Breeding Programmes.....	3
Genetic Markers.....	3
(a) Enzyme polymorphisms and enzyme activity in tissues....	4
(b) Restriction fragment length polymorphisms (RFLPs).....	5
(c) Metabolic parameters.....	6
COMPONENTS OF THE SOMATOTROPIC AXIS AS GENETIC MARKERS.....	6
DISCOVERY AND STRUCTURE OF INSULIN-LIKE GROWTH FACTORS (IGFs)....	10
PRODUCTION OF IGF-I.....	12
IGF BINDING PROTEINS.....	14
IGF RECEPTORS.....	16
ACTIONS OF IGF-I.....	17

	<u>Page</u>
FACTORS AFFECTING IGF-I LEVELS IN CIRCULATION.....	19
Ontogenetic Development.....	19
Sex of Animal and Gonadal Steroids.....	21
Diurnal Variation.....	23
Nutrition.....	23
Parasites.....	24
EVIDENCE FOR A GENETIC ASSOCIATION BETWEEN IGF-I AND PRODUCTION TRAITS.....	25
Growth.....	25
Reproduction.....	29
Lactation.....	29
PURPOSE AND SCOPE OF THE INVESTIGATION.....	30

CHAPTER II: EXPERIMENTAL

	<u>Page</u>
ABSTRACT.....	32
INTRODUCTION.....	33
MATERIALS AND METHODS.....	35
Animals and Experimental Design.....	35
Live Weights and Blood Sampling.....	36
Chemical Analyses.....	36
Faecal Egg Counts.....	36
Puberty in Females.....	37
Testis Diameter.....	37
Fleece Weight.....	37
Pasture Analyses.....	37
Statistical Analyses.....	38
RESULTS.....	38
Live Weight.....	38
Plasma IGF-I Concentrations.....	39
Puberty in Females.....	39
Testis Diameter.....	47
Fleece Weight.....	47
Pasture Analyses.....	51
DISCUSSION.....	51

CHAPTER III: GENERAL DISCUSSION

	<u>Page</u>
GENERAL DISCUSSION.....	55
REFERENCES.....	63

LIST OF TABLES

	<u>Page</u>
Table 1. Effects of sex, rearing rank, faecal egg counts plasma non-esterified fatty acid concentrations plasma IGF-I concentrations on live weight.....	41
Table 2. Effects of sex, rearing rank, faecal egg counts and plasma non-esterified fatty acid concentrations on plasma IGF-I.....	43
Table 3. Pearson intraclass correlations for plasma IGF-I at nominal 115 to 490 days of age.....	44
Table 4. Effects of rearing rank, live weight and puberty on plasma IGF-I concentrations in female hoggets at nominal 252 days of age.....	47
Table 5. Effects of sex, rearing rank, mean plasma IGF-I concentrations and mean live weights on total greasy greasy fleece weight.....	51

LIST OF FIGURES

	<u>Page</u>
Figure 1. Live weight of female and male, single and twin sheep over time.....	40
Figure 2. Plasma IGF-I concentrations in female and male, single and twin sheep over time.....	42
Figure 3. Proportion of females which had shown first oestrus by nominal 238, 252, 265 and 294 days of age.....	45
Figure 4. Plasma IGF-I concentrations in females which had attained first oestrus compared to those which had not at nominal 252 days of age.....	46
Figure 5. Average testis diameter measurements in single and twin males over time.....	48
Figure 6. Testis diameter to live weight ratio in single and twin males over time.....	49
Figure 7. Predicted <u>in vivo</u> organic matter digestibility of samples of pasture grazed by experimental animals throughout the experiment.....	50

LIST OF ABBREVIATIONS

ANCOVA	analysis of covariance
CV	coefficient of variation
°C	degrees Celsius
FEC	faecal egg counts
g	gravitational force
hr	hour
IGF	insulin-like growth factor
kDa	kilo Dalton
kg	kilogram
MANOVA	multivariate analysis of variance
ml	millilitre
NEFA	non-esterified fatty acid(s)
ng	nanogram
OMD	organic matter digestibility
RFLP	restriction fragment length polymorphism
S.E.M.	standard error about the mean
ST	somatotropin