

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A STUDY OF SOME EFFECTS OF INCREASED POPULATION DENSITY
ON REPRODUCTION IN TWO INBRED LINES OF MICE

A thesis presented in partial fulfilment of the requirements
for the Degree of Master of Agricultural Science

by

M.J. IMBER

Massey University of Manawatu,
New Zealand.

March, 1965.

ACKNOWLEDGEMENTS

The author is indebted to his supervisors, Dr. M.F. McDonald and Dr. R.E. Munford, for their guidance, advice and criticism in the presentation of this thesis; and to Dr. D.S. Flux for his advice and comments.

Special thanks are due to Miss M.G. Campbell and the staff of the library for their promptness in obtaining literature; to Messrs. C. Fairless and E. Ormsby, staff of the small animal house; to Mr. C. Muir for preparing figures reproduced in this thesis; and to the typist, Miss M. Marriott.

Finally, the author wishes to thank persons, not mentioned above, who have contributed in any way to this work.

TABLE OF CONTENTS

Chapter		Page
I	INTRODUCTION	1
	The Theory of Regulation of Reproductive Rate within Populations	1
	Studies on Innate Control of the Reproductive Rate of Populations	2
	(a) Laboratory populations of fixed size	2
	(b) Freely growing confined laboratory populations	6
	(c) Natural populations	9
	(d) Effects on later generations	11
	(e) Disease resistance	12
	Purpose and Scope of the Study	13
II	MATERIALS and METHODS	14
	Mice	14
	Design of the Experiments	14
	Housing and Feeding	15
	Breeding Methods	16
	(a) Stock mice	16
	(b) Experimental mice	17
	Control of Disease and Parasites	17
	Detection of Vaginal Opening	18
	Detection of First Oestrus	18
	Detection of Mating	18
	Observations at Birth of Litters	19
	Records	19
	Slaughter of Mice for Autopsy	20
	Examination of the Reproductive Tract	20
	(a) Observations at $3\frac{1}{2}$ days <u>post coitum</u>	20
	(b) Observations at $18\frac{1}{2}$ days <u>post coitum</u>	21
	Statistical Analysis and Presentation of Results	22

Chapter		Page
III	REPRODUCTIVE PERFORMANCE OF MICE IN EXPERIMENTS A and B	23
	Age and Weight at Weaning	23
	Age and Weight at Vaginal Opening	24
	Age and Weight at First Oestrus	25
	Interval from First Oestrus to First Mating	26
	Conception Rate following First Mating	27
	Incidence of Pseudopregnancy	29
	Age and Weight at First Conception	30
	Gestation Period	32
	Size of First Litter	32
	Weight of Live Pups of First Litters at Birth	34
	Weight of Live Pups at One Day <u>post partum</u>	35
	Mortality of Pups between Birth and Weaning	36
	Survival of Litters	37
	Number of Pups Weaned	38
	Weight of Pups at 21 Days <u>post partum</u>	39
	Reproductive Performance of Males	39
	Incidence of Disease	42
IV	STUDIES ON PRE-NATAL MORTALITY	43
	Introduction	43
	Number of Ovulations	43
	Viable Ova	44
	Pre-implantation Loss	45
	Post-implantation Loss	46
	Live Foetuses	47
V	DISCUSSION	48
	Variability of Results	50
	Weaning	51
	Puberty	53

Chapter	Page
Mating and Conception	55
Gestation Period	57
Size of First Litter	58
Weights of Pups	59
Mortality of Pups between Birth and Weaning	60
Pre-natal Mortality	61
Incidence of Disease	63
VI . SUMMARY and CONCLUSIONS	65
REFERENCES	70
APPENDIX	75

LIST OF TABLES

Table		Page
1	Some details of lines of C57BL, 101 and CBA strains of mice held in stock, as at March, 1963.	14 *
2	Age (days) at weaning of all C57BL and 101 females studied in experiments A and B.	23
3	Weight (gms) at weaning of C57BL and 101 females weaned at 28 days of age.	23 *
4	Age (days) at puberty as shown by vaginal opening in C57BL and 101 lines of mice.	24 *
5	Weight (gms) at puberty, as shown by vaginal opening, in C57BL and 101 lines of mice.	24a
6	Age (days) at first oestrus in C57BL and 101 lines of mice at two levels of population density.	25 *
6a	Age (days) at first oestrus in C57BL and 101 lines of mice at two levels of population density. (Data transformed by taking logarithms.)	25a
7	Interval (days) between first oestrus and first mating in C57BL and 101 lines of mice at two levels of population density.	26 *
8	Conception rate of C57BL and 101 lines of mice at two levels of population density as shown by the number of first matings resulting in a full-term pregnancy.	27 *
9	Weight (gms) at first mating of C57BL and 101 female mice.	28
10	Rate of pseudopregnancy in C57BL and 101 lines of mice at two levels of population density.	29 *
11	Age (days) at first conception, where pregnancy had been confirmed before completion of the experiment, in C57BL and 101 lines of mice at two levels of population density.	30 *
12	Conception rate, as shown by the number of females pregnant (pregnancy being full-term) by <u>130 days</u> of age, for C57BL and 101 lines of mice at two levels of population density.	31 *
13	Weight (gms), adjusted weight (gms) and corresponding age (days) of C57BL and 101 lines of mice at first conception resulting in a full-term pregnancy.	31a
14	Number of pups born in first litters of C57BL and 101 lines of mice at two levels of population density.	32 *

* Denotes facing page.

15	Mean weight (gms) and adjusted mean weight (gms) of live pups at birth, and corresponding litter size, for first litters of C57BL and 101 lines of mice at two levels of population density.	34 *
16	Mean weight (gms) of live one-day-old pups, and corresponding number of live pups per litter, for first litters of C57BL and 101 lines of mice at two levels of population density.	35 *
17	Survival rate of first litters, as shown by the number of original litters extant at 21 days <u>post partum</u> , in C57BL and 101 lines of mice at two levels of population density.	37 *
18	Number of pups per first litter at weaning (28 days <u>post partum</u>), for litters extant, in C57BL and 101 lines of mice at two levels of population density.	38 *
19	Mean weight (gms), adjusted for litter size, of first litter pups at 21 days <u>post partum</u> , in line 101 at two levels of population density.	39 *
20	Reproductive performance of 101 males in three groups of 101 females previously barren at completion of experiment B.	41
21	Number of corpora lutea in C57BL and 101 lines of mice at three ages and at two levels of population density.	43 *
22	Number and percentage of ova recovered, and number and percentage of viable ova, from C57BL and 101 lines of mice at three ages and at two levels of population density.	44 *
23	Pre-implantation losses of ova in C57BL and 101 lines of mice at three ages and at two levels of population density.	45 *
24	Number of intra-uterine resorption sites, at 18½ days <u>post coitum</u> , in C57BL and 101 lines of mice at three ages.	46 *
25	Number of live fetuses <u>in utero</u> , at 18½ days <u>post coitum</u> , in C57BL and 101 lines of mice at three ages.	47 *

LIST OF FIGURES

Figure		Page
1	Number of pups surviving per original litter, between birth and weaning (at 28 days of age), in C57BL and 101 lines of mice at two levels of population density - Experiment A.	36a
2	Number of pups surviving per original litter, between birth and weaning (at 28 days of age), in C57BL and 101 lines of mice at two levels of population density - Experiment B.	36b