

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.



MASSEY UNIVERSITY

**Review of Armed Offenders Squad and Special Tactics Group
fitness policy for the New Zealand Police**

A thesis presented in partial fulfilment of the requirements for the degree of

Master of Science
in
Exercise and Sport Science

at Massey University, Wellington, New Zealand.

James Alexander Dickie

2015

Dr. Sally Lark

Dr. James Faulkner

Dr. Matthew Barnes

ABSTRACT**Phase One: Web based survey questionnaire.**

Recruitment into the New Zealand Police's Armed Offenders Squad [AOS] and Special Tactics Group [STG] depends on successful completion of selection courses, as detailed in their respective physical fitness policies. Importantly, these physical assessments must be justified as being relevant and representative of the necessities of job duties. Therefore, as part of a review of the physical fitness policies of the AOS and STG of the New Zealand Police, Phase One of this research sought to objectively determine similarities and relationships between the AOS and STG, and the relevance of physical selection tasks utilised. A web-based survey questionnaire was developed to: 1) provide a demographic profile of the AOS and STG; 2) identify why candidates chose to participate in selection; 3) identify potential barriers for gaining entrance into the AOS and STG; 4) identify physical preparation methods for selection tests; 5) identify troublesome tests; and 6) establish the validity between fitness assessments and the perceived relevance of job demands. A total of 179 AOS ($N = 298$) and 35 ($N = 38$) STG members volunteered to participate in the on-line survey document. The main findings revealed that the 12 minute bridge test had the lowest perceived relevance of all selection tests, while the rope pull-up had moderate perceived relevance but was coupled with a high failure rate. This provided evidence to further research the aforementioned assessments in Phase Two of this project.

Phase Two: Analysis of the rope pull-up and twelve minute rotational bridge.

The rope pull-up and 12 minute bridge test are physical assessments utilised to identify whether STG members possess appropriate levels of physical fitness required to perform their role. Due to a lack of empirical research, and Phase One findings, this study sought to: 1) determine whether the rope pull-up is a suitable assessment tool to assess operational climbing ability; and 2) determine whether the 12 minute rotational bridge test is a safe and suitable assessment of core endurance. Nineteen STG members (mean \pm SD; 40 \pm 5 y, 184 \pm 5 cm, 93.6 \pm 7.4 kg, 25.4 \pm 1.9 kg·m²) volunteered to participate in this research. Surface electromyography was utilised to measure peak muscle activity of the brachioradialis, biceps brachii, mid-deltoid, upper pectoralis major, mid-trapezius, lower trapezius, latissimus dorsi and infraspinatus during rope pull-up, ladder climb and rope climb tasks. Average muscle activity and signal frequency of the rectus abdominis, external oblique, internal oblique, multifidus, lumbar erector spinae, thoracic erector spinae, latissimus dorsi and mid-deltoid were measured during the 12 minute bridge test. Results revealed significantly higher activation of the pectoralis major during the ladder climb when compared to the rope pull-up (81.2 vs. 47.1 %MVIC), and of the pectoralis major (102.6 vs. 47.1 %MVIC) and infraspinatus (81.9 vs. 57.4 %MVIC) during the rope climb, when compared to the rope pull-up (all, $P < .01$). Rotation between prone and side positions in the bridge test suitably assessed muscular endurance of all major muscles involved in core stability. No significant differences in signal frequency across each stage, for all muscles ($P > .05$), indicated that muscular fatigue was minimal. Based on the present study, the rope pull-up was deemed non-appropriate to assess operational climbing ability; while the rotational bridge served as a practical endurance assessment of all major muscles involved in core stability, with the 12 minute duration not likely to cause fatigue related injury.

ACKNOWLEDGEMENTS

First and foremost, I would like to acknowledge the invaluable help and guidance provided by my supervisors, Drs. Sally Lark, James Faulkner and Matthew Barnes, who offered up their time and assistance over the past two years. Without their assistance this study would not have been possible. I am also extremely grateful to the New Zealand Police who dedicated their time, resource, and patience into the running of this project. Their trust in my ability not only facilitated this research, but also saw me grow as an individual. I also wish to thank Maria for her love and continued support which provided a stable environment outside of University. I am grateful for the constant encouragement from my parents Angela and Maurice, who inspire me to set high standards. Lastly, I am thankful to all participants who volunteered to participate in this research, without their interest this study would not have been possible.

TABLE OF CONTENTS

ABSTRACT.....	1
ACKNOWLEDGEMENTS.....	3
LIST OF ABBREVIATIONS	8
LIST OF TABLES.....	9
LIST OF FIGURES.....	10
1. POLICE CONSULTATION	12
Phase One: Web-based survey questionnaire.....	14
2. INTRODUCTION	14
2.1. Developing the research question	14
3. LITERATURE REVIEW	16
3.1. Surveys for task analysis	16
3.2. Developing the questionnaire.....	18
3.2.1. Demographic and behavioural questions	19
3.2.2. Likert scales.....	20
3.2.3. Ranking scales	20
3.2.4. Open-ended questions.....	21
3.3. Response rates.....	21
3.4. Validity	21
3.5. Data analysis	22
3.6. Focus of the present study.....	22
4. METHODOLOGY	23
4.1. Participants	23
4.2. Survey procedures	23
4.3. Questionnaire design	24
4.4. Data analysis	26
5. RESULTS.....	28
5.1. Response rate	28
5.2. Demographics	28
5.3. AOS specific sample	30
5.3.1. Aspiration to progress onto the STG.....	30
5.3.2. Training tendencies and behaviours.....	30
5.3.3. Relevance of selection tests to AOS role	33
5.3.4. American College of Sports Medicine [ACSM] fitness components	33

5.3.5. Failed STG selection	33
5.3.6. Failed AOS selection.....	35
5.4. STG specific sample.....	36
5.4.1. Training tendencies and behaviours.....	36
5.4.2. Demands of the STG role	37
5.4.3. The requirement to perform job specific tasks	37
5.4.4. Relevance of selection tests to STG role.....	37
5.4.5. ACSM fitness components	38
6. DISCUSSION.....	40
6.1. Demographics	40
6.2. AOS selection tests.....	43
6.2.1. Training tendencies.....	43
6.2.2. Physical competencies	44
6.2.3. Relevance of physical fitness components	46
6.2.4. Training regime	48
6.2.5. Value of testing protocols	49
6.3. STG selection tests	50
6.3.1. Training tendencies.....	50
6.3.2. Training injuries.....	51
6.3.3. Physical competencies	52
6.3.4. Frequency of performing operational tasks	58
6.3.5. Relevance of physical fitness components	59
6.3.6. Value of testing	60
6.4. Strengths and limitations.....	60
7. CONCLUSION.....	62
Phase Two: Analysis of rope pull-up and twelve minute rotational bridge.....	65
8. INTRODUCTION	65
9. LITERATURE REVIEW	67
9.1. Electromyographic analysis during pull-up exercises	67
9.2. Electromyographic analysis during front and side bridge exercises.....	74
9.2.1. Introduction	74
9.2.2. Core stability	76
9.2.3. Muscle activity	78
9.2.4. Manual muscle testing.....	87

9.2.5. Reporting EMG data.....	88
9.2.6. Summary	90
10. METHODOLOGY	91
10.1. Participants	91
10.2. Instrumentation	91
10.3. Procedures	91
10.3.1. Rope pull-up.....	93
10.3.2. Bridge test	94
10.4. Data analysis	96
10.4.1. Rope pull-up.....	96
10.4.2. Bridge test	97
10.5. Statistical analysis	99
10.5.1. Rope pull-up.....	99
10.5.2. Bridge test.....	99
11. RESULTS.....	102
11.1. Rope pull-up.....	102
11.1.1. Rope pull-up correlations.....	102
11.1.2. Comparing ladder climb and rope pull-up	103
11.1.3. Comparing rope climb and rope pull-up.....	103
11.1.4. Comparing ladder climb and rope climb.....	105
11.2. Bridge test	105
11.2.1. Twelve minute bridge correlations	105
11.2.2. Muscle activity during the twelve minute bridge	105
11.2.3. Muscle activity during prone position	107
11.2.4. Muscle activity during dominant side position.....	109
11.2.5. Muscle activity during non-dominant side position	110
11.2.6. Signal frequency during twelve minute bridge.....	110
12. DISCUSSION.....	113
12.1. Rope pull-ups	113
12.1.1. Anthropometric variables	113
12.1.2. Muscle activation.....	113
12.2. Bridge test.....	117
12.2.1. Muscle activation.....	117
12.2.2. Signal frequency.....	122

12.3. Strengths and limitations	124
12.4. Practical applications	125
13. CONCLUSION.....	128
14. FUTURE RESEARCH.....	129
15. REFERENCES	130
16. APPENDICES	147
Appendix A. Letter of low risk ethical approval - Phase One.....	148
Appendix B. Information sheet - Phase One.....	149
Appendix C. Web-based survey questionnaire for AOS and STG members	151
Appendix D. Web-based survey questionnaire for unsuccessful AOS selection	167
Appendix E. Letter of invitation - Phase Two.....	170
Appendix F. Information sheet - Phase Two.....	171
Appendix G. Health history questionnaire.....	174
Appendix H. Physical activity readiness questionnaire.....	175
Appendix I. Participant consent form	177
Appendix J. Letter of ethical approval - Phase Two	178
Appendix K. Procedures for upper body electrode placements.....	179
Appendix L. Procedures for core electrode placements.....	180
Appendix M. Procedures for MVIC testing of upper body muscles.....	181
Appendix N. Procedures for MVIC testing of core muscles	182
Appendix O. Warm up protocol	183

LIST OF ABBREVIATIONS

ACSM – American College of Sports Medicine	PCT – Physical competency test
ADL – Activities of daily living	PM – Pectoralis major
ANOVA – Analysis of variance	PCr – Phosphocreatine
AOS – Armed offenders squad	RA – Rectus abdominis
ARV – Average rectified variable	RMS – Root mean square
BB – Biceps brachii	STG – Special tactics group
Blue role – Open water operations	SWAT – Suburban weapons and tactics
BR – Brachioradialis	T ES – Thoracic erector spinae
BMI – Body mass index	U.S. – United States
EMG – Electromyography	VO _{2max} – Maximal oxygen uptake
EO – External oblique	WP – Wide pronated
FI – Fatigue index	WS – Wide supinated
G. Maximus – Gluteus maximus	
G. Medius – Gluteus medius	
IO – Internal oblique	
IS – Infraspinatus	
LD – Latissimus dorsi	
L ES – Lumbar erector spinae	
LT – Lower trapezius	
MD – Mid-deltoid	
MT – Middle trapezius	
Mul – Multifidus	
MVIC – Maximal voluntary isometric contraction	
NZ – New Zealand	
O ₂ - Oxygen	

LIST OF TABLES

Table 5.1. Perceived relevance of the AOS selection tests to the role of an AOS member, as well as the tests most or least trained for and the tests found easiest or most difficult.....	34
Table 5.2. Perceived relevance of the STG selection tests to the role of an STG operator, the tests most or least trained for and the tests found easiest or most difficult.....	39
Table 6.1. Required Coopers run distances for NZ Police AOS and corresponding VO_{2max}	45
Table 6.2. Cardiorespiratory fitness classifications (VO_{2max} [ml.kg.min ⁻¹]).....	46
Table 9.1. Muscle activation presented as %MVIC during pull up, chin up and rotational pull up exercises.....	72
Table 9.2. Placement of core electrodes for prone and side bridge studies.....	80
Table 9.3. A summary of mean hold times and EMG recordings (%MVIC) during the prone bridge exercise.....	81
Table 9.4. Relative activation of core musculature between prone and side bridge positions.....	84
Table 9.5. A summary of mean hold times and EMG recordings (%MVIC) during the side bridge exercise.....	85
Table 10.1. Technique of each climbing cycle.....	100
Table 11.1. Normalised ARV EMG obtained during the side bridge performed on the dominant [electrode] side (%MVIC).....	109
Table 11.2. Normalised ARV EMG obtained during the side bridge position performed on the non-dominant [non-electrode] side (%MVIC).....	110
Table 11.3. Median frequency during each stage of the prone bridge (Hz).....	111
Table 11.4. Median frequency during each stage of the side bridge performed on the dominant [electrode] side (Hz).....	112

LIST OF FIGURES

<i>Figure 3.1.</i> Bona fide occupational requirement test development overview. Retrieved from: Anderson & Plecas (2008). <i>Physical abilities requirement evaluation (PARE), phase 2: discrete item analysis</i> , p.5. Abbotsford, BC: University College of the Fraser Valley.....	17
<i>Figure 5.1.</i> Age distribution of the AOS and STG populations.....	29
<i>Figure 5.2.</i> Frequency of major considerations about moving from current residence to one of the STG locations.....	30
<i>Figure 5.3a.</i> Average weekly training hours prior to nomination for the AOS selection.....	31
<i>Figure 5.3b.</i> Average weekly training hours whilst training specifically for AOS selection course.....	31
<i>Figure 5.3c.</i> Average weekly training hours once an AOS member.....	32
<i>Figure 5.4.</i> Weekly training hours before joining STG, whilst training specifically for STG selection course and after becoming an STG operator.....	36
<i>Figure 5.5.</i> How often specific occupational activities have been completed whilst on deployment, one represents not often, five represents very often.....	37
<i>Figure 5.6.</i> Perceived relevance of STG selection tests to the role of an STG operator.....	38
<i>Figure 9.1a.</i> Example of the bottom position in a pull-up exercise.....	67
<i>Figure 9.1b.</i> Example of the top position in a pull-up exercise.....	67
<i>Figure 9.2a.</i> Anterior view of muscles to be assessed in upper body tasks. Marieb. (2013). <i>Essentials of human anatomy and physiology</i> [image]. Retrieved from: http://web.uaccb.edu	68
<i>Figure 9.2b.</i> Posterior view of muscles to be assessed in upper body tasks. Marieb. (2013). <i>Essentials of human anatomy and physiology</i> [image]. Retrieved from: http://web.uaccb.edu	68
<i>Figure 9.3a.</i> Correct position during the prone bridge exercise maintaining neutral spine alignment. Brian Reddy. (2013). <i>Arm positioning during the plank exercise</i> [Photograph]. Retrieved from b-reddy website: http://b-reddy.org/2012/11/15/arm-positioning-during-the-plank-exercise/	75
<i>Figure 9.3b.</i> Correct body position maintaining neutral spine alignment during the side bridge exercise. Ride On. (2013). <i>Side bridge</i> [Photograph]. Retrieved from Ride On website: http://rideons.wordpress.com/2012/12/18/strong-lean-riding-machine/side-bridge/	75
<i>Figure 9.4a.</i> Anterior view of core muscles to be assessed in 12 minute bridge. Anatomy N' Physiology for you. (2013). <i>Important skeletal muscles</i> [Image]. Retrieved from anatomy n'	

physiology for you website: http:// http://anatomynphysiologyforyou.weebly.com/important-skeletal-muscles	77
<i>Figure 9.4b.</i> Posterior view of core muscles to be assessed in 12 minute bridge. Marieb. (2013). Essentials of human anatomy and physiology [image]. Retrieved from: http://web.uaccb.edu	77
<i>Figure 10.1a.</i> Bottom position of the rope pull-up.....	94
<i>Figure 10.1b.</i> Top position of the rope pull-up.....	94
<i>Figure 10.2a.</i> Prone position during the 12 minute bridge.....	95
<i>Figure 10.2b.</i> Hand-dominant side position during the 12 minute bridge.....	95
<i>Figure 10.3.</i> Example of muscle activity associated with the pull-up exercise, and the identification of peak muscle activation.....	97
<i>Figure 10.4.</i> Example of muscle activity associated with the 12 minute bridge, and the identification of ARV muscle activation.....	98
<i>Figure 10.5.</i> A schematic showing how to calculate a fatigue index (FI). Adapted from: Konrad, (2006). The ABC of EMG (Konrad, 2006).....	101
<i>Figure 11.1</i> Correlation between body mass and rope pull-up repetitions completed.....	102
<i>Figure 11.2.</i> Correlation between BMI and rope pull-up repetitions completed.....	103
<i>Figure 11.3.</i> Level of peak muscle activity (expressed as %MVIC) during the ladder climb, rope climb and rope pull-up.....	104
<i>Figure 11.4.</i> Level of ARV muscle activity (expressed as %MVIC) during the 12 minute bridge test performed in prone, dominant-hand side and non-dominant hand side bridge positions.....	106
<i>Figure 11.5.</i> Level of ARV muscle activity (expressed as %MVIC) during each stage of the 12 minute bridge test performed in the prone position.....	108