Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Eating Habits and Nutrition Attitudes among Pregnant Chinese Women in New Zealand

A thesis presented in partial fulfilment of the requirements for the degree of

Master of Science
in
Nutritional Science

at Massey University, Palmerston North,
New Zealand

Jingjing Ma 2014

Abstract

Immigration to a Western country can lead to dietary changes among Chinese immigrants, which can cause poor diets and health problems. Chinese immigrants' eating habits might be influenced by both Western and traditional Chinese Medicine (TCM) nutrition recommendations. These two nutrition recommendations point out eating and nutrition during pregnancy is crucial for both maternal and fetal health, and they provide suggestions on eating habits during pregnancy. The population of Chinese women of reproductive age in New Zealand has increased dramatically. Since there is a lack of evidence about the eating habits and nutrition attitudes of pregnant Chinese women in New Zealand, the current study investigates pregnant Chinese women's eating habits, attitudes towards both Western and TCM nutrition, and possible relations to acculturation.

Pregnant Chinese women in New Zealand were recruited mainly via a Chinese website, communities, churches, and the "snow-ball" model. The immigrants' eating habits, attitudes towards Western and TCM nutrition recommendations, and acculturation were measured by an online questionnaire. The questionnaire was completed by 84 pregnant Chinese women, with a median age of 30.0 (95% CI 29.0 - 30.6). The participants' acculturation score was comparatively low (1.98 ± 0.592) compared with the theoretical score range (1.0 to 5.0).

Regarding New Zealand nutrition recommendations, some of the findings cause concerns: (1) most of the participants did not meet the recommended intake of vegetables, cereals, and dairy food during pregnancy; (2) although a large proportion of the participants had positive attitudes towards recommended supplements and food for pregnancy, they did not follow the recommendations in practice, especially for the iodine supplements and food rich in iodine (e.g., bread and breakfast cereals). However, it is positive to find that: (1) most of the participants always consumed folic acid supplements during the first trimester of pregnancy; (2) a majority of the participants thought it was important for them to limit fat, salt, and sugar intake and most of them seldom or never eat food high in fat, sugar, and salt.

i

A majority of the participants had positive attitudes towards TCM, including: (1) balancing cold and hot (or yin and yang) foods and adjusting their diets according to seasons or body constitutions; (2) eating less greasy food, eating more light food, and eating more spleen and stomach strengthening food. However, only a small proportion of participants had positive attitudes towards foods with specific TCM features and did not consume these foods no matter whether they are recommended by TCM nutrition for pregnancy or not. Meanwhile, a considerable proportion of the participants reported neutral attitudes towards caring and learning about nutrition and most of the TCM nutrition recommendations.

Acculturation was positively associated with meeting the New Zealand recommended intake from food groups, but was not positively associated with other eating habits. Acculturation was not related to most nutrition attitudes. It was only positively associated with attitudes towards Western nutrition recommendations for pregnant women and their attitudes towards TCM nutrition recommendation for healthy eating for adults. In addition, there was a positive correlation between attitudes towards Western nutrition and TCM nutrition (p < 0.05).

The above findings of the current study provide useful information for health professionals who work with Chinese immigrants in New Zealand. In particular, health professionals should help immigrants to consume sufficient servings of foods and understand the importance of consuming iodine supplements during pregnancy. Additionally, it might be helpful for health professionals to be familiar with overall TCM nutrition recommendations.

Acknowledgements

First of all, I would like to thank my supervisors, Janet Weber and Associate Professor Jane Coad. I wish to thank them for their help, patience, and encouragement in my study.

I also wish to thank Professor Patrick Morel and Miss Ting Wang for their help and suggestions in statistical analysis.

Many thanks to all the Chinese women participating in the current study, and all the websites, Chinese communities, Chinese churches, and people who disseminated the questionnaire. I would not complete the present study without their enthusiasm and cooperation.

I appreciate my friends Bojian Zhong, Xuejing Men, Fisher Yu, Yi Wei, Qiong Zhang, Si Chen, Phoebe Jia, Maggie Cao, Zhongling Cao, Xiaoning Yan, and Lily Jia, who brought me a new family in New Zealand.

Finally, many thanks to my parents, grandparents and other family members, for their warm support, understanding, encouragement, and love accompanying me throughout my life.

Table of Contents

Abstract	i
Acknowledgements	iii
List of Abbreviations	viii
Lists of Tables	ix
Lists of Figures	X
Chapter 1 Introduction	1
Chapter 2 Literature Review	3
2.1 Acculturation	3
2.2 Chinese immigrants' health status	4
2.2.1 Overweight and obesity	4
2.2.2 Diabetes and cardiovascular disease	6
2.2.3 Gestational diabetes mellitus	8
2.2.4 Summary	9
2.3 Chinese immigrants' eating habits	9
2.3.1. Consumption of different food types	10
2.3.2 Chinese food vs. Western food	13
2.3.3 Meal patterns	14
2.3.4. Cooking methods and eating habits	17
2.3.5 Special food for different cultural occasions	17
2.3.6 Summary and discussion	18
2.4 Chinese immigrants' attitudes towards health, eating, and nutrition	26
2.4.1 Concern about health	26
2.4.2 Healthy eating	27
2.4.3 Healthy and unhealthy food	28
2.4.4 Chinese diets and TCM nutrition	29
2.4.5 Summary and discussion	30

2.5 Nutrition recommendations: Western and traditional Chinese medicine (TCM)	.32
2.5.1 Western Nutrition Recommendations	32
2.5.2 Traditional Chinese Medicine (TCM) nutrition recommendations	37
2.5.3 Comparison between Western and TCM nutrition recommendations	41
2.6 Chinese immigrants in New Zealand	44
2.6.1 The population of Chinese immigrants in New Zealand	44
2.6.2 Investigations of Chinese immigrants' health, eating, and nutrition state	us in
New Zealand	46
2.7 Summary	48
Chapter 3 Methodology	50
3.1 Participants	50
3.1.1 Participants' inclusion criteria	50
3.1.2 Ethical considerations	50
3.1.3 Recruitment of the participants	51
3.2 Questionnaire	52
3.2.1 Eating habits	53
3.2.2 Nutrition attitudes	53
3.2.3 Acculturation scale	54
3.2.4 Questionnaire development	55
3.3 Data collection, handling, and analysis	56
Chapter 4 Results	60
4.1 Participants4.1.1 Participants' description	60
4.1.2 Participants' acculturation level	61
4.2 Eating habits	62
4.2.1 Consumption of food groups	62
4.2.2 Consumption of recommended supplements and food during pregnancy	64
4.2.3 Food safety, weight control, and the frequency of alcohol consumption	70

4.2.4 Eating habits relating to fat, sugar, and salt intake71
4.3 Nutrition attitudes
4.3.1 Nutrition attitudes relevant to both Western and TCM nutrition recommendations
4.3.2 Western nutrition attitudes
4.3.3 TCM nutrition attitudes
4.3.4 Relationships between attitudes towards Western nutrition and TCM nutrition
4.4 Relationships between eating habits and nutrition attitudes and other analysis 86
Chapter 5 Discussion
5.1 Participants88
5.1.1 Participants' characteristics in general
5.1.2 Participants' acculturation level
5.2 Eating habits89
5.2.1 Consumption of different food groups
5.2.2 Consumption of food relating to healthy eating for adults91
5.2.3 Consumption of food and supplements relating to healthy eating for pregnant women
5.2.4 General eating habits recommended by both Western and TCM nutrition97
5.2.5 Relationships between eating habits and acculturation98
5.3 Nutrition attitudes
5.3.1 General care about nutrition101
5.3.2 Western nutrition attitudes
5.3.3 TCM nutrition attitudes
5.3.4 Attitudes towards recommendations suggested by both Western and TCM nutrition
5.3.5 Relationships between acculturation and nutrition attitudes
5.4 Associations between eating habits and nutrition attitudes

5.5 Strengths and limitations of the study
Chapter 6 Conclusion and Recommendations
6.1 Main findings of the current study
6.2 Recommendations 113
References
Appendices
Appendix A The Online Questionnaire (Questions for Pregnant Chinese Women) . 131
Appendix B Ethical Approval
Appendix C Information Sheet
Appendix D Advertisements
Appendix E Participants' Answers of the Acculturation Questions
Appendix F Possible Relationship between the Participants' Acculturation Score and
Basic Information
Appendix G Eating Habits Scores of Different Acculturation Groups171
Appendix H Nutrition Attitudes Scores of Different Acculturation Groups173
Appendix I Relationships between Confounding Factors and Scores for Eating Habits
and Nutrition Attitudes
Appendix J Participants' Eating Habits
Appendix K Participants' Attitudes towards Nutrition
Appendix L Codes of the Scales for Eating Habits, Attitudes towards Nutrition, and
Acculturation

List of Abbreviations

AI: Adequate Intake

ANOVA: Analysis of Variance

ARSMA: Acculturation Rating Scale for Mexican-Americans

ASSA: Acculturation Scale for Southeast Asians

BMI: Body Mass Index

BP: Blood Pressure

CVD: Cardiovascular Disease

EAR: Estimated Average Requirement

FFQ: Food Frequency Questionnaire

GDM: Gestational Diabetes Mellitus

RDI: Recommended Dietary Intake

SASH: Short Acculturation Scale for Hispanics

SL-ASIA: Suinn-Lew Asian Self-Identity Acculturation Scale

TCM: Traditional Chinese Medicine

UL: Upper Level of Intake

Lists of Tables

Table 2.1 Chinese immigrants' eating habit	19
Table 2.2 Comparison of recommended food intake between non-pregnant (Ministration)	ry of
Health, 2013a) and pregnant women (Ministry of Health, 2013b)	33
Table 2.3 Comparison between Western and TCM nutrition recommendations for	both
pregnant and non-pregnant women	43
Table 2.4 Populations of people with Chinese cultural origins in New Zealand	45
Table 2.5 The population of Chinese women of reproductive age	46
Table 3.1 Details of each eating habits score	58
Table 3.2 Details of each nutrition attitudes score	59
Table 4.1 Participants' basic information	60
Table 4.2 Correlations between attitudes towards Western nutrition and TCM nutr	ition
	86
Table 4.3 Correlations between nutrition attitudes and eating habits	87

Lists of Figures

Figure 4.1 Consumption of food groups	63
Figure 4.2 Met nutrition recommendations for pregnancy	63
Figure 4.3 Eating habits score of different acculturation groups	64
Figure 4.4 Consumption of food and supplements relating to	65
Figure 4.5 Consumption of food and supplements relating to	65
Figure 4.6 Consumption of iodised salt during pregnancy	66
Figure 4.7 Number of participants consuming iron rich food and iron supplements	66
Figure 4.8 Number of participants consuming iodine rich food and iron supplements	67
Figure 4.9 Number of participants consuming food fortified with folic acid	67
Figure 4.10 Number of participants consuming Western nutrition recommen	ıded
supplements	67
Figure 4.11 Consumption of food and supplements relating to	68
Figure 4.12 Number of participants who seldom (≤ 2 times/week) consumed	69
Figure 4.13 Number of participants who did not know about their consumptions of	69
Figure 4.14 Participants' eating habits - food safety	70
Figure 4.15 Participants' eating habits - weight control	71
Figure 4.16 Participants' selection on oil and butter	72
Figure 4.17 Participants' selection on butter or margarine spread	72
Figure 4.18 Participants' selection of bread, rolls, or toast	73
Figure 4.19 Participants' selection of rice	73
Figure 4.20 Participants' selection of milk	73
Figure 4.21 Participants' eating habits	74
Figure 4.22 Participants' eating habits relating to limiting fat and salt intake	75
Figure 4.23 Attitudes towards general caring about eating habits	76
Figure 4.24 Attitudes' towards consuming alcohol, maintaining food safety,	and
controlling weight gain	77
Figure 4.25 Attitudes towards caring and learning about Western nutrition	78
Figure 4.26 Attitudes towards overall Western nutrition	78
Figure 4.27 Attitudes towards Western nutrition recommendations of healthy eating	; for
adults	79
Figure 4 28 Attitudes towards Western nutrition recommendations for pregnancy	. 80

Figure 4.29 Attitudes score of different acculturation groups	81
Figure 4.30 Attitudes towards caring and learning about TCM nutrition	82
Figure 4.31 Attitudes towards overall TCM nutrition	83
Figure 4.32 Attitudes towards TCM nutrition recommendations of healthy eating	for
adults	84
Figure 4.33 Attitudes score of different acculturation groups	84
Figure 4.34 Attitudes towards TCM nutrition recommendations for pregnancy	85