

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A STUDY OF LIPOPROTEIN LIPASE AND
LIPASES OF BOVINE MILK AND LACTATING
MAMMARY GLAND

A thesis presented in partial fulfilment
of the requirements for the degree of
Master of Science in Biochemistry

GEOFFREY BRUCE DEANE

Massey University

1974

. ACKNOWLEDGEMENTS

The author wishes to express his thanks to his Supervisor, Dr D.R. Husbands for assistance and advice received during this study, members of the Chemistry, Biochemistry and Biophysics Department for whose help and advice I am grateful, and Mrs Hartwell and Mrs Gradolf for making an excellent job in the presentation and typing of this thesis.

LIST OF CONTENTS

	<u>Page No.</u>
Acknowledgements	ii
List of Contents	iii
List of Tables and Figures	vi
CHAPTER I - INTRODUCTION	1
1:1 The role and occurrence of lipoprotein lipase	1
1:2 Lipoprotein lipase and fatty acid uptake	1
1:3 Site of lipoprotein lipase action	5
1:4 Mammary gland levels of LPL	6
1:5 Metabolic and hormonal control of lipoprotein lipase	8
1:6 Substrate specificity of lipoprotein lipase	13
1:7 Characteristics of lipoprotein lipase	17
1:8 Types of lipoprotein lipases	22
1:9 Bovine milk lipases and lipoprotein lipase	24
1:10 Purification techniques used to purify lipoprotein lipase	35
CHAPTER II - MATERIALS AND METHODS	40
Section I - Mammary gland lipoprotein lipases	40
2:1 Enzyme source	40
2:2 Homogenization and extraction	40
2:3 Preparation of triglyceride emulsion and enzyme binding	41
2:4 Purification using calcium phosphate gel and silica gel	41
2:5 Purification using viscose sulphate	42
2:6 Purification using sodium dextran sulphate	44
2:7 Purification using diethyl amino ethyl cellulose (DEAE cellulose)	45
2:8 Concentration and gel filtration	48
2:9 Polyacrylamide gel electrophoresis	49
2:10 Determination of protein	50
2:11 Substrate preparation	50
2:12 Assay procedure and determination of FFAs released	51
2:13 Determination of amino acid composition	53

LIST OF CONTENTS (Continued)

iv

Section II - Milk lipoprotein lipase	53
2:14 Enzyme source	53
2:15 Purification of milk lipoprotein lipase by binding to and elution from calcium phosphate gel	53
2:16 Purification by ultracentrifugation and sodium chloride extraction of the casein precipitate	54
2:17 DEAE cellulose gradient elution in 0.005M KH_2PO_4 buffer 7.6 of the 1.2M NaCl extract of the 105,000g casein precipitate	54
CHAPTER III - EXPERIMENTAL AND RESULTS	
Section I - Mammary Gland Lipoprotein Lipase	56
3:1 Effect of pH on lipase activity of a crude enzyme extract in the presence and absence of serum	56
3:2 Effect of tallow and olive oil substrates on the activity of the 16,500g fractions of homogenized cows udder	57
3:3 Effect of varying serum to triglyceride (tallow) ratios on lipase activity of crude enzyme extract	57
3:4 Comparisons of methods of purification of lipoprotein lipase	59
3:5 Sephadex G200 gel filtration of the final supernatant solution obtained from Method II of the sodium dextran sulphate precipitation of LPL	79
3:6 DEAE cellulose elution of peak 3 from sephadex G200 gel filtration of the final extract from sodium dextran sulphate precipitation Method II	80
3:7 Purification of LPL using DEAE cellulose	82
3:8 Sephadex G200 gel chromatography	91
3:9 Purification using DEAE cellulose in 0.005M KH_2PO_4 buffer pH 7.6	93
3:10 Sephadex G200 gel chromatography of elution peaks from DEAE cellulose	97
3:11 Sephadex G200 gel chromatography of the 105,000g supernatant of homogenized bovine mammary gland extract	99

LIST OF CONTENTS (Continued)

v

3:12	Calibration of the sephadex G200 gel column	100
3:13	Serum requirement of the activity peaks eluted from DEAE cellulose and sephadex G200 gel chromatography columns	102
3:14	Effect of sodium chloride and protamine sulphate on lipase activity peaks eluted from sephadex G200	104
3:15	Amino acid composition	105
Section II - Milk Lipoprotein Lipase		107
3:16	Binding and elution of milk lipoprotein lipase to calcium phosphate gel	107
3:17	Ultracentrifugation and NaCl extraction of lipoprotein lipase from casein micelles	110
3:18	Effect of pH on the solubilized lipase activity from casein in the presence and absence of serum	112
3:19	DEAE cellulose gradient elution of the NaCl extract of the 105,000g casein precipitate	113
2:20	Sephadex G200 gel chromatography of conductivity, 15 mmho activity peak from a gradient elution on DEAE cellulose of the NaCl extract of the 105,000g casein precipitate	113
3:21	Sephadex G200 gel chromatography of the Ca_3PO_4 gel filtrate of skimmed milk	114
3:22	Sephadex G200 gel chromatography of the 1.2M NaCl extract of the 105,000g casein precipitate	115
3:23	DEAE cellulose gradient elution of Peaks II and III eluted from a sephadex G200 column of the 1.2M NaCl supernatant extract of the 105,000g casein precipitate	115
CHAPTER IV - DISCUSSION OF RESULTS		117
CHAPTER V - CONCLUSION		143
APPENDIX		145
REFERENCES		146

LIST OF TABLES AND FIGURESPage No.

Table I	The effect of varying the concentration of bovine serum on the activity of LPL	58
Table II	The effect of varying the concentration of TG on the activity of LPL	59
Table III	Activity of mammary gland extracts	60
Table IV	Binding and elution from a TG emulsion of the 16,500 g supernatant Extract I using an homogenized TG emulsion	61
Table V	Second TG extraction of the 16,500g supernatant of Extract I using a sonified TG emulsion	63
Table VI	Binding and elution from a TG emulsion of the 16,500g supernatant Extract II	66
Table VII	Binding and elution from a TG emulsion of the 16,500g supernatant Extract III	68
Table VIII	Calcium phosphate gel filtration of the 105,000g supernatant of Extract I after TG binding	70
Table IX	Calcium phosphate gel filtration of supernatant Extract II after TG binding	71
Table X	Silica gel filtration of the 105,000g supernatant of Extract I after TG binding	72
Table XI	Binding and stepwise elution from viscose sulphate	73
Table XII	Binding and elution of LPL from sodium dextran sulphate with calcium chloride	75
Table XIII	Binding of LPL to sodium dextran sulphate precipitated with $MnCl_2$	76
Table XIV	Activity of mammary gland extracts	82
Table XV	Molecular weights and distribution coefficients of standard proteins eluted from a sephadex G200 column (2.3 x 39.5cm) with 0.05M NH_4OH-NH_4Cl buffer pH 8.4	100
Table XVI	Summary table of the molecular weights of the activity peaks eluted from a sephadex G200 column (2.3 x 29.5cm) of activity peaks from elutions on DEAE cellulose in 0.005M KH_2PO_4 buffer pH 8.4 and 7.6 and of the 105,000g supernatant of the total udder extract	101

LIST OF TABLES AND FIGURES (Continued)

Table XVII	Summary table of the percentages of the total activity in each of the peaks eluted from sephadex G200 of the activity peaks eluted from DEAE cellulose in 0.005M KH_2PO_4 buffer pH 7.6 and 8.4	101
Table XVIII	Effect of serum on the lipase activity peaks eluted from DEAE cellulose in 0.005M KH_2PO_4 buffer pH 7.6	102
Table XIX	Effect of serum on the lipase activity peaks eluted from a sephadex G200 column (2.3 x 39.5cm)	103
Table XX	Effect of NaCl and protamine sulphate on the lipase activity peaks separated on a sephadex G200 column (2.3 x 39.5cm) of the 105,000g supernatant fraction of mammary gland extracts	104
Table XXI	Effect of 0.1mM iodoacetate, N ethylmaleinide, 5,5'-dithio bis-(2 nitro benzoic acid) and 2,4 dinitrophenol on purified LPL from lactating bovine mammary gland	105
Table XXII	Amino acid composition of Peak III lipoprotein lipase from sephadex G200 of lactating bovine mammary gland	106
Table XXIII	Effect of potassium oxalate and sodium citrate on the elution of lipoprotein lipase from Ca_3PO_4 gel	107
Table XXIV	Effect of sodium chloride and dimethyl formamide (DMF) on the elution of lipoprotein lipase from Ca_3PO_4 gel	108
Table XXV	Effect of sodium carbonate, sodium sulphate, sodium gluconate and potassium dihydrogen phosphate on the elution of lipoprotein lipase from Ca_3PO_4 gel	109
Table XXVI	Ultracentrifugation and NaCl extraction of milk casein bound lipoprotein lipase	111
Figure I	Polyacrylamide gel electrophoresis of Peak II from DEAE cellulose elution of Peak II of final enzyme extract from sodium dextran sulphate precipitation Method II on sephadex G200	81
Figure II	Polyacrylamide gel electrophoresis of the peak eluted at conductivity 25 mmho from the gradient elution in 0.005M KH_2PO_4 buffer pH 8.4	85