Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

DESIGN & DEVELOPMENT OF A SIMULATION MODEL TO ANALYSE SCHEDULING RULES IN AN FMS IN A VIRTUAL MANUFACTURING ENVIRONMENT

A thesis presented in partial fulfilment of the requirements for the degree of Master of Technology in Manufacturing and Industrial Technology at Massey University

Ajay Bhushan Talla

1997

ABSTRACT

Due to the rapid changes in the needs of the customer for new products, the future manufacturing systems must cope with these changes. Hence, the need for the manufacturing systems to support these changes in the products with shorter lead times within a single manufacturing facility. The Virtual Manufacturing System (VMS) is one concept which can assist in meeting these demands. The VMS concept enables the manufacturing system designers to emulate and test the performance of the future manufacturing systems.

This research has given an overview of the new concepts of Virtual Manufacturing Systems and Virtual Manufacturing in general. A Virtual Reality Software tool has been used to realise the VMS concept. A Virtual Manufacturing Environment representing a Flexible Manufacturing System (FMS) has been modelled. A simulation control language is employed for developing simulation control logics and decision making control logics for the development of the FMS model.

The modelled FMS is implemented and tested through simulation experiments. The testing is done by analysing the traditional scheduling rules in a manufacturing facility. Average Machine Utilisation, Mean Flow Time, Average Queue Lengths and the System Production Rate are measured as the System Performance Measures for the evaluation of the scheduling rules.

This research has identified that the Virtual Manufacturing Software is a powerful tool which can identify optimum configurations and highlight potential problems before a final and expensive manufacturing system is established physically.

ACKNOWLEDGEMENTS

I would like to express my sincere thanks to Dr. Saeid Nahavandi for his valuable suggestions and guidance during the progress of my research and the successful completion of the thesis. I would also like to express thanks to Prof. Don Barnes for his guidance during the write-up of the thesis.

My thanks to all the staff members and fellow postgraduates in the department of Production Technology for their help and support during the course of my research.

Also my thanks to my friends for providing me with lighter moments in my hour of stress.

TABLE OF CONTENTS

ABSTRACT	ii
ACKNOWLEDGEMENTS	iii
LIST OF FIGURES	vii
LIST OF TABLES	viii
1. INTRODUCTION	1
1.1 CONCEPT OF VIRTUAL MANUFACTURING SYSTEM (VMS)	1
1.2 Definition of VMS	2
1.3 TECHNOLOGIES RELATED TO VMS	2
1.4 Scope of the Research	3
1.5 Research Objectives	3
1.6 OVERVIEW OF THE THESIS	4
2. RECENT TRENDS IN VIRTUAL MANUFACTURING	5
2.1 VIRTUAL MANUFACTURING	5
2.2 RESEARCH BACKGROUND IN VIRTUAL MANUFACTURING	6
2.3 MOVING VIRTUAL MANUFACTURING INTO THE MAINSTREAM	13
2.4 VM VISION	13
2.4.1 Design-Centered VM:	14
2.4.2 Production-Centered VM:	15
2.4.3 Control-Centered VM:	15
2.5 Benefits of VM	16
2.6 How VM will be used	17
2.7 VIRTUAL REALITY IN MANUFACTURING	20
3. SCHEDULING OF FMS: REVIEW OF RELEVANT LITERATURE	22
3.1 STRUCTURE OF MANUFACTURING SYSTEMS	22
3.2 FLEXIBLE MANUFACTURING SYSTEMS (FMS)	23
3.2.1 Flexibility Criteria in FMS	23
3.2.2 Classification of FMS	

3.3 HIERARCHICAL PLANNING STRUCTURE OF FMS	
3.3.1 Strategic Level :	
3.3.2 Tactical Level :	
3.3.3 Operational Level:	
3.4 SCHEDULING OF MANUFACTURING SYSTEMS	
3.4.1 Simulation as Analysis Tool	
4. METHODOLOGY	
4.1 DESIGN OF PRODUCTION SYSTEM	
4.2 CONCEPT OF "PUSH TYPE" AND "PULL TYPE" PRODUCTION ORDERING SYSTEMS30	
4.3 SELECTION OF SIMULATION SOFTWARE PACKAGE	
4.4 QUEST® SIMULATION PACKAGE OVERVIEW	
4.4.1 Modelling	
4.4.2 Simulation Control Language	
4.4.3 Batch Control Language	
4.5 QUEST® Menu System	
4.5.1 Context	
4.5.2 Worlds	
4.5.3 Page	
4.5.4 Action Buttons	
4.5.5 Logic Flow for various resources in QUEST®	
4.6 DEFINITIONS OF LOGICS USED IN QUEST®:	
4.6.1 Initialisation Logic	
4.6.2 Simulation Logic	
4.6.3 Termination Logic	
4.6.4 Process Logic	
4.6.5 Queueing Logic	
4.6.6 Post Process Logic	
4.6.7 Route Logic	
4.6.8 Decision Logic	
4.7 MODEL CREATION USING QUEST®:	
4.8 SOFTWARE DEVELOPMENT	

5. SIMULATION EXPERIMENTS	52
5.1 DESCRIPTION OF THE HYPOTHETICAL FMS	52
5.1.1 Assumptions made while developing the FMS model	53
5.2 SIMULATION EXPERIMENTS	54
5.2.1 Part-selection rules	54
5.2.2 Machine selection rules	55
5.3. MEASUREMENT OF SYSTEM PERFORMANCE	55
5.4 SIMULATION PERFORMANCE CRITERIA	55
5.4.1 Average Machine Utilisation	56
5.4.2 Mean Flow Time	56
5.4.3 Average Queue Length [WIP]	57
5.4.4 System Production Rate (SPR)	57
5.5 SIMULATION INPUT DATA	58
5.6 SIMULATION EXPERIMENTAL SETUP	59
5.7 EXPERIMENTAL CONSIDERATIONS	60
5.7.1 Simulation Period	60
5.8 ESTIMATION OF STEADY-STATE OF THE SIMULATION MODEL	60
6. RESULTS AND DISCUSSIONS	62
6.1 SIMULATION RESULTS AND ANALYSIS	62
6.2 ANALYSIS OF MACHINE SELECTION RULES	62
6.3 ANALYSIS OF PART SELECTION RULES	69
6.4 Analysis of Machine Breakdown Algorithm	71
7. CONCLUSIONS	75
REFERENCES	77
BIBLIOGRAPHY	82
APPENDIX – A	83
APPENDIX – R	102

LIST OF FIGURES

FIG. 2.1 TOTAL MANUFACTURING INTEGRATION BY VIRTUAL MANUFACTURING CONCEPT	9
FIG. 2.2 MODELLING HIERARCHY FOR VIRTUAL MANUFACTURING	10
FIG. 2.3 VM SOFTWARE FILLS THE GAP IN AUTOMATING THE INDUSTRIAL PROCESS	13
Fig. 2.4. VM Vision	14
FIG. 4.1 DISPLAY OF QUEST® MENU SCREEN	33
Fig. 4.2 Model Logic Flow	37
FIG. 4.3 WORKCELL LOGIC FLOW	38
Fig 4.4 Resource Logic Flow	39
FIG. 4.5 VARIOUS ATTRIBUTES DEFINED FOR A WORKCELL	44
FIG. 4.6 VARIOUS ATTRIBUTES DEFINED FOR A MATERIAL HANDLING SYSTEM	44
FIG. 4.7 VARIOUS ATTRIBUTES DEFINED FOR A BUFFER	45
FIG. 4.8 VARIOUS ATTRIBUTES DEFINED FOR A SOURCE	45
FIG. 4.9 VARIOUS ATTRIBUTES DEFINED FOR A SINK	46
FIG. 4.10 FLOW CHART FOR MODEL CONTROL USING PART SELECTION AND MACHINE SELECTION	
RULES.	47
FIG. 4.11 FLOW CHART FOR MODEL CONTROL USING MACHINE BREAKDOWN LOGIC	48
FIG. 4.12 SNAPSHOT-1 OF THE SIMULATION MODEL	49
FIG. 4.13 SNAPSHOT-2 OF THE SIMULATION MODEL	50
FIG. 4.14 SNAPSHOT-3 OF THE SIMULATION MODEL	51
FIG. 5. 1 CONFIGURATION OF THE FMS MODEL.	52
FIG. 5.2 NUMBER OF JOBS WAITING FOR PROCESSING OVER TIME	61
FIG. 6.1 MACHINE SELECTION RULES VS MACHINE UTILISATION	64
FIG. 6.2 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1001)	65
FIG. 6.3 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1002)	
FIG. 6.4 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1003)	66
FIG. 6.5 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1004)	66
FIG. 6.6 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1005)	67
FIG. 6.7 MACHINE SELECTION RULES VS MEAN FLOW TIME (JOB 1006)	67
FIG. 6.8 MACHINE SELECTION RULES VS MEAN WEIGHTED FLOW TIME OF ALL THE JOBS	68
FIG. 6.9 MACHINE SELECTION RULES VS AVERAGE QUEUE LENGTH	68
FIG. 6.10 MACHINE SELECTION RULES VS SYSTEM PRODUCTION RATE	69
Fig. 6.11 Production Rates for Part Selection Rules	70
FIG. 6.12 COMPARISON OF MEAN FLOW TIMES FOR THE PART SELECTION RULES	71
Fig. 6.13 Machine Breakdown Analysis	72
Fig. 6.14 Effect of M/c Breakdown on Mean Flow Time	73

LIST OF TABLES

TABLE 5.1	THE JOB ROUTING TO THE WORKSTATIONS	55
TABLE 5.2	THE MEAN PROCESS TIME OF EACH JOB TYPE AT DIFFERENT WORKSTATIONS	56
TABLE 6. 1	RELATIVE RANKS OF MACHINE SELECTION RULES ON THE SYSTEM PERFORMANCE	
MEAS	SURES	60

Chapter 1

INTRODUCTION

This chapter gives an introduction to the concept and definition of Virtual Manufacturing System (VMS) and the technologies related to VMS. It elaborates the scope of the research and research objectives. It also includes an overview of this thesis.

1.1 Concept of Virtual Manufacturing System (VMS)

In this research, the concept of Virtual manufacturing systems (VMS) is based on the concept developed by Masahiko Onosato et. al. (1993) which is explained as follows:

A manufacturing system in the real world could be decomposed into two different subsystems:

A real and physical system (RPS)

A real and informational system (RIS)

An RPS is composed of real entities that exist in real world. Entities such as, materials, parts, products, machine tools, jigs, sensors, controllers, and so on. When a manufacturing system is in operation, these components of the manufacturing system have physical behaviours and interactions such as motion, transfer and transformation.

An RIS involves many activities of information processing and decision making such as, designing, planning, scheduling, controlling, estimating and so on. It consists of computer activities as well as human activities of a real manufacturing system. Consider a real manufacturing system made up of an RPS and an RIS. Activities in the RIS are physically separated from the substantial entities in the RPS, and the RIS has relation to the RPS by exchanging information. The RPS sends status reports to

1

the RIS by means of sensors, data terminals, and other communication channels.

Control commands generated by the RIS are sent to the RPS so as to operate machines

there. The RIS can effect and know the RPS only by means of control commands and

the status reports respectively.

1.2 Definition of VMS

If all the activities of the RPS can be represented in a computer system that interprets

control commands and returns status reports from and to the RIS, and if the responses

from the system are equivalent to the RPS, then no one in the RIS would know

whether the status reports are returned from the RPS or from the computer system. A

computer system that simulates the responses of the RPS is called "Virtual and

Physical System" (VPS).

Similarly if there is a computer system that can simulate the functions of the RIS in

such a way that the machines in the RPS cannot distinguish whether control

commands are coming from the RIS or the computer system. Then such a computer

system which simulates an RIS and generates control commands for the RPS is called

"Virtual and Informational System" (VIS)

The following four manufacturing system types can be formulated by having different

combinations of the physical and informational systems:

1) RPS + RIS:

Real manufacturing systems

2) RPS + VIS :

Automated manufacturing systems

3) VPS + RIS:

Virtual manufacturing systems (physically)

4) VPS + VIS :

Virtual manufacturing systems (fully)

This research is based on the manufacturing system of type 4.

2

1.3 Technologies related to VMS

According to the various manufacturing systems as described above, CIM (Computer Integrated Manufacturing) is including the activities concerning computerisation and integration of RISs in real manufacturing systems. When an RIS is fully computerised and integrated by CIM, it is also considered as a VIS.

A Flexible Manufacturing System(FMS), which will be explained in detail in chapter 3, corresponds to an RPS. Since machines in FMSs can be highly automated by computers and have good controllability, it is easier to realise a VPS for FMSs than that for non-computerised manufacturing systems.

Virtual Reality (VR) is now attracting much attention of researchers and industries. Virtual reality is a technology by which a user can observe or operate objects in computers as if they were in the real world. So, VR is closely related to VPSs.

1.4 Scope of the Research

The basic objective of VMS is to model and simulate a VPS and a VIS and establish a communication link to the RPS and the RIS. Since this covers all the major areas of a manufacturing system, the scope of this research is limited to the development of a Simulation Model in a Virtual Manufacturing Environment, which emulates a Flexible Manufacturing System model i.e., VPS as mentioned in the above sections, which is explained in detail in Chapters 4 and 5. Later on this model is tested for the evaluation of scheduling rules in an FMS. As Virtual Reality is closely related to VPS, a Virtual Reality Software system is used in this research to achieve the research objectives.

1.5 Research Objectives

The objectives of this research include:

- Development of a simulation model of the Manufacturing Pilot Plant and the Industrial Engineering Workshop of the Department of Production Technology using Virtual Reality Software. The Manufacturing Pilot Plant is involved in manufacturing printed circuit boards and the Industrial Engineering Workshop produces plastic components and the injection moulds for those components.
- Development of a Simulation Model of an experimental FMS in a Virtual Manufacturing Environment using Virtual Reality Software.
- Testing of the model by analysing traditional scheduling rules in a manufacturing facility. This is done by analysing the effect of the scheduling rules on the System Performance. The system performance indices set for this research are, Mean Flow Time of Jobs, Average Machine Utilisation, Average Queue Lengths and the System Production Rate.

1.6 Overview of the Thesis

Chapter 2 covers an overview of the recent trends in Virtual Manufacturing and the related literature. Chapter 3 gives details about Flexible Manufacturing Systems (FMS), Scheduling of FMS and relevant literature, Chapter 4 explains in detail the methodology adopted for this research in achieving the research objectives. Chapter 5 covers the simulation experiments conducted in this research for analysing the scheduling rules in a manufacturing facility. Chapter 6 discusses the simulation results and the analysis of the results and finally Chapter 7 draws the conclusions from this research.