

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A STUDY OF SOME FACTORS AFFECTING REPRODUCTIVE PERFORMANCE  
IN NEW ZEALAND RONNEY AND BORDER LEICESTER X RONNEY  
TWO-TOOTHED EWES

A thesis presented in partial fulfilment of the requirements for  
the degree of Master of Agricultural Science  
in Animal Science  
at  
Massey University

WARREN ARTHUR LARSEN

1971

P R A F A C E

This investigation was conducted at the Sheep Production Centre, part of the Department of Sheep Husbandry, Massey University. The experimental work was of one years duration, commencing in February 1970, and represents original research by the author under the supervision of Dr M. F. McDonald, Reader, Sheep Husbandry Department, Massey University.

## A C K N O W L E D G E M E N T S

The author is specially indebted to his supervisor Dr R.F. McDonald for his invaluable guidance and assistance in experimental work and advice in the preparation of this manuscript.

Special thanks are due to Professor A. L. Rae for advice in statistical analysis; to Mr C. Muir for technical assistance and to Dr R. Fairhall for the care of animals.

Grateful acknowledgement is made to Dr P. H. Whitehead and farm staff; Messrs R. Neitch and J. Austin for the photographic work; Mr B. Thatcher for laboratory assistance; Mr P. Sutcliffe for computer assistance; Miss J. G. Campbell and the library staff; Glaxo Laboratories for serum filtration; and to Mrs V. Swan for the typing of this manuscript.

Gratitude is extended to Professor R. M. Sunford, Dr G. A. Wickham, and Dr W. H. Currie with whom the author had many helpful discussions.

It is a pleasure to acknowledge the financial assistance of M.R.D. Industries Ltd. The author was also in receipt of a New Zealand School Board Scholarship.

Finally, very special thanks are due to my wife Barbara for her patience, support and encouragement throughout this study.

T A B L E   O F   C O N T E N T S

<u>Chapter</u>		<u>Page</u>
LIST OF TABLES		
LIST OF FIGURES		
<u>INTRODUCTION</u>		1
<u>I</u>	<u>REVIEW OF LITERATURE</u>	3
	SYNCHRONISATION OF OESTROUS CYCLES	3
	PRODUCTION OF OVA	4
	OVA STORAGE	5
	TRANSFER OF OVA	6
	SURVIVAL AND DEVELOPMENT OF TRANSFERRED OVA IN THE SHEEP	8
	FECUNDITY IN THE EWE	10
	UTERINE CAPACITY	12
	SIZE OF LAMBS AT BIRTH	13
	LIVEWEIGHT OF LAMBS AT WEANING	15
<u>II</u>	<u>MATERIALS AND METHODS</u>	17
	ANIMALS	17
	MANAGEMENT OF ANIMALS	17
	EXPERIMENTAL PLAN	18
	HORMONES AND TREATMENTS	18
	RATE FERTILITY	20
	OVA RECOVERY	20
	OVA TRANSFER	21
	FACE WOOL GRADING	22
	OBSERVATIONS ON PROGENY	22
	METHODS OF ANALYSIS	23
<u>III</u>	<u>SYNCHRONISATION AND HORMONAL STIMULATION OF EWES FOR OVA TRANSFER</u>	28
	INDUCTION OF OESTRUS FOLLOWING PROGESTAGEN TREATMENT	28
1.	Effect of breed and age of ewe on the manifestation of oestrus	28

Chapter		<u>Page</u>
	2. Effect of breed and age of ewe on the time-interval between sponge withdrawal and oestrus	28
	<b>PRODUCTION OF OVA FROM DONOR EWES</b>	<b>29</b>
	1. Oestrous cycle length following <i>P.M.S.</i> injection	29
	2. Ovarian response	29
	3. Recovery of ova	30
	4. Fertilisation of recovered ova	32
	<b>CLEAVAGE OF FERTILISED OVA</b>	<b>34</b>
	1. Shortest and longest interval after the onset of oestrus to the recovery of each cleavage stage	34
	2. Mean interval after the onset of oestrus to the recovery of each cleavage stage	34
	<b>SEQUENTIAL TREATMENT OF E.W. WITH P.M.S.</b>	<b>35</b>
<b>IV</b>	<b>OVULATION STUDIES IN ROMNEY AND BLX TWO-FOOTED EWES</b>	<b>36</b>
	1. Effect of breed of ewe on ovulation rate	36
	2. Effect of ewe birth rank on ovulation rate	36
	3. Relationship between face-grade and ovulation rate - Romney ewes	37
	4. Influence of live weight on ovulation rate	37
<b>V</b>	<b>SURVIVAL OF TRANSFERRED OVA AND UTERINE CAPACITY</b>	<b>38</b>
	<b>SURVIVAL OF TRANSFERRED OVA</b>	<b>38</b>
	1. Conception rate following transfer	38
	2. Ova survival	39
	<b>UTERINE CAPACITY AFTER EGG TRANSFER</b>	<b>39</b>

<b>Chapter</b>		<b>Page</b>
	1. Distribution of litter size	40
	2. Weight of lamb born per ewe	40
	3. Relationship between number of lambs born after transfer of three ova and natural ovulation rate	41
VI	<u>PRE-NATAL LAMB GROWTH</u>	42
	EFFECT OF LITTER SIZE ON GESTATION LENGTH AND BIRTH WEIGHT	42
	1. Gestation length	42
	2. Birth weight	42
	EFFECT OF SEX OF LAMB ON GESTATION LENGTH AND BIRTH WEIGHT	43
	1. Single-born lambs	43
	2. All lambs	43
	INFLUENCE OF MATERNAL AND LAMB GENOTYPE ON GESTATION LENGTH AND BIRTH WEIGHT	44
	1. Single-born lambs	44
	2. All lambs	45
	COMPETITION <u>IN UTERO</u> BETWEEN TWIN LAMBS	45
VII	<u>POST-NATAL LAMB GROWTH</u>	47
	EFFECT OF SEX ON LAMB CLEANING WEIGHT AND WEIGHT GAIN PER DAY	47
	1. Single-born lambs	47
	2. All lambs	48
	EFFECT OF MATERNAL AND LAMB GENOTYPE ON CLEANING WEIGHT AND WEIGHT GAIN PER DAY	48
	1. Single-born lambs	48
	2. All lambs	49

<u>Chapter</u>	<u>Page</u>
VIII <u>DISCUSSION</u>	50
SYNCHRONISATION OF OESTRUS CYCLES	50
PRODUCTION OF OVA	52
CLEAVAGE OF FERTILISED OVA	61
SEQUENTIAL TREATMENT OF E.E.s WITH P.M.S.	62
OVULATION STUDIES	63
SURVIVAL OF TRANSFERRED OVA	66
UTERINE CAPACITY AFTER EGG TRANSFER	70
PRE-NATAL LAMB GROWTH	73
POST-NATAL LAMB GROWTH	79
SUMMARY	83
REFERENCES	85
<u>APPENDICES</u>	101

L I S T   O F   T A B L E S

Table	<u>Page</u>
1 Liveweights (kg.) of Romney and BLX Two-Tooth ewes in the pre-experimental period	f 17
2 Effect of breed of ewe on the manifestation of oestrus following progestagen treatment	f 28
3 Effect of age of ewe on the manifestation of oestrus	f 28
4 Effect of breed of ewe on the time interval between sponge withdrawal and oestrus	f 28
5 Effect of age of ewe on the time interval between sponge withdrawal and oestrus	f 28
6 Effect of dose of P.M.S. and day of injection on oestrous cycle length	f 29
7 Ovarian response of ewes to treatment with P.M.S.	f 29
8 Ovarian response after . . . treatment - transformed data	f 30
9 Effect of dose of P.M.S. on the percentage of ova recovered and on the percentage of recovered ova fertilised per ewe (data tr nsf med)	f 31
10 Shortest and longest interval (hours) after the onset of oestrus to the recovery of each cleavage stage	f 34
11 Mean interval after the onset of oestrus to recovery of each cleavage stage	f 34
12 Effect of dose of . . . on the mean interval (hours) from onset of oestrus to recovery of each cleavage stage	f 34
13 Effect of sequential treatment with P.M.S. during the breeding season on ovarian response	f 35
14 Numbers of corpora lutea at laparotomy	f 36
15 Effect of birth rank on ovulation rate within breed of ewe	f 36
16 Influence of face grade on ovulation rate - Romney ewes	f 36
17 Number of ova transplants	f 38

Table		<u>Page</u>
18	Effect of breed of recipient, breed and number of eggs transferred, and sire on conception rate following transfer	f 38
19	Effect of breed of recipient, breed of egg, and sire on ova survival in ewes receiving one egg	f 39
20	Effect of breed of recipient, breed of egg, and sire on ova survival in ewes receiving three eggs	f 39
21	Effect of breed of recipient, breed and number of ova, and sire, on ova survival - all ewes	f 39
22	Effect of maternal and embryo genotype on distribution of litter size in ewes receiving three eggs	f 40
23	Multiple transplants - second transfer attempt	f 40
24	Effect of maternal and embryo genotype on the weight of lamb born per ewe in ewes receiving three eggs	f 40
25	Ovulation rate at laparotomy and litter size in ewes receiving three eggs - data pregnant ewes only	f 41
26	Effect of litter size on gestation length (days) and lamb birth weight (kg.)	f 42
27	Length of gestation (days) and birth weight (kg.) - single-born lambs	f 43
28	Effect of sex of single-born lambs on gestation length - (days)	f 43
29	Sex differences in lamb birth weight	f 43
30	Birth weight (kg.) - twin and triplet-born lambs	f 43
31	Effect of maternal and lamb genotype on gestation length (days) and lamb birth weight (kg.) - single-born lambs	f 44
32	Effect of maternal and lamb genotype on gestation length (days) and lamb birth weight (kg.) - all lambs	f 45
33	Birth weights (kg.) for classes of twin-born lambs	f 46
34	Differences in mean birth weight (kg.) between classes of twin-born lambs	f 46

<u>Table</u>		<u>Page</u>
35	Weight at weaning and weight gain per day (kg.) - single, twin and triplet-born lambs	f 47
36	Sex differences in lamb weaning weight	f 47
37	Effect of maternal and lamb genotype and sex on weaning weight and weight gain per day (kg.) - single-born lambs	f 47
38	Effect of maternal and lamb genotype and sex on weaning weight and weight gain per day (kg.) - all lambs	f 48

f refers to following page

L I S T   O F   F I G U R E S

Figure		<u>Page</u>
1	Ewe 163. 18-month-old Romney ewe	f 18
2	Ewe 133. 18-month-old Border Leicester x Romney ewe	f 18
3	Experimental plan. Part (a) The Breeding Season	26
4	Experimental plan. Part (b) Observations on Progeny	27
5	Ewe 90. Romney ewe face (grade 1)	f 18
6	Ewe 144. Romney ewe face (grade 4+)	f 18
7	Effect of breed of ewe on the time interval between sponge withdrawal and oestrus	f 28
8	Effect of age of ewe on the time interval between sponge withdrawal and oestrus	f 29
9	Effect of the number of corpora lutea per ewe on the percentage of ova recovered and the percentage of recovered ova fertilised from that ewe	f 31
10	Effect of the number of corpora lutea plus large follicles per ewe on the percentage of ova recovered and the percentage of recovered ova fertilised from that ewe	f 31
11	Effect of the interval from onset of oestrus to laparotomy on the percentage of ova recovered and the percentage of recovered ova fertilised per ewe	f 32
12	Mean interval after onset of oestrus to the recovery of ova cleavage stages	f 34
13	Unfertilised ovum recovered 72 hours after onset of oestrus in donor ewe	f 35
14	2-cell ovum recovered 68 hours after onset of oestrus in donor ewe	f 35
15	8-cell ovum recovered 77 hours after onset of oestrus in donor ewe	f 35
16	Ewe 99. Excised genital tract removed three days post-oestrus after treatment with 1800 i.u. P.M.C.	f 35

<u>Figure</u>		<u>Page</u>
17	Ewe 146. Excised genital tract removed three days post-oestrus. Non-stimulated ewe	f 35
18	Ewe 101. Ewe and surviving lamb following transfer of three ova	f 40
19	Ewe 101. Stillborn foetuses and placental membranes of live lamb following transfer of three ova	f 40
20	Ewe 181. Romney ewe and three Romney lambs after multiple transplant	f 40
21	Ewe 240. Border Leicester x Romney ewe with three Border Leicester x Romney lambs after multiple transplant	f 40

f refers to following page