Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Expressing Business Rules: A Fact Based Approach

A thesis presented in partial fulfilment of the requirements for the degree of

Master of Philosophy

in

Information Systems

at Massey University, Palmerston North, New Zealand

Adrian John Hargreaves

2004

Department of Information
Systems

CERTIFICATE OF REGULATORY COMPLIANCE

This is to certify that the research carried out in the Masterate Thesis entitled "Expressing Business Rules: A Fact Based Approach" in the Department of Information Systems at Massey University, New Zealand:

- (a) is the original work of the candidate, except as indicated by appropriate attribution in the text and/or in the acknowledgements;
- (b) all the ethical requirements applicable to this study have been complied with as required by Massey University, other organisations and/or committees which had a particular association with this study, and relevant legislation.

Candidate's Name; Adrian Hargreaves

Signature: A Hourrewey

Date: 3/12/04

Supervisor's Name: Kevin Wilkinson

1/11/04

Signature:

Date:

ABSTRACT

Numerous industry surveys have suggested that many IT projects still end in failure. Incomplete, ambiguous and inaccurate specifications are cited as a major causal factor. Traditional techniques for specifying data requirements often lack the expressiveness with which to model subtle but common features within organisations. As a consequence, categories of business rules that determine the structure and behaviour of organisations may not be captured until the latter stages of the systems development lifecycle.

A fact-based technique called Object Role Modelling (ORM) has been investigated as an alternative approach for specifying data requirements. The technique's ability to capture and represent a wide range of data requirements rigorously, but still in a form comprehensible to business people, could provide a powerful tool for analysts. In this report, ORM constructs have been synthesised with the concepts and definitions provided by the Business Rules Group (BRG), who have produced a detailed taxonomy of business rule categories. In doing so, business rules discovered in an organisation can be expressed in a form that is meaningful to both analysts and business people. Exploiting the expressive simplicity of a conceptual modelling technique to articulate an organisation's business rules could help to fill a significant requirements gap.

ACKNOWLEDGEMENTS

I would like to thank Tim and Gloria McGirr, proprietors of Mcgirr Training, for allowing me to conduct my research within their organisation. My thanks also extend to the staff of McGirr Training who provided me with valuable information and feedback.

The Office of the Deputy Vice Chancellor also deserves appreciation for awarding me the Advanced Degree Award. The award allowed me to devote a semester to my studies and resulted in the completion of four chapters of my thesis.

Finally, I would like to thank my supervisors Kevin Wilkinson and Claire Atkins for their informative feedback, advice and support during the last 3 years.

Table of Contents

		Page
Abstra	ct	ii
Ackno	wledgements	iii
Table of	of Contents	iv
List of	Figures	viii
List of	Tables	ix
	Appendices	
CHAP'	TERS:	
1	Introduction	1
•	1.1 Background	
	1.2 Significance	
	1.3 Research Problem	
	1.4 Research Process.	
	1.5 Thesis Structure	
	1.5 Thesis structure	
2	Literature Review	8
	2.1 Introduction	
	2.2 Requirements Engineering Problems	
	2.3 Approaches to Requirements Engineering	
	2.3.1 Structured Approaches	
	2.3.2 Requirements Modelling Languages	
	2.3.3 Agent-Based Reasoning	
	2.3.4 Goal-Based Reasoning	
	2.3.5 Scenario-Based Approaches	
	2.3.6 Object-Orientated Approach	
	2.3.7 Conclusions Regarding RE Approaches	
	2.4 The Representation and Translation of Requirements	
	2.4.1 Conceptual Approaches to RE Using Natural Language	
	2.4.2 The KISS Approach	
	2.4.3 The ORM Approach	
	2.4.4 Conclusions Regarding Natural Language Approaches	
	2.5 Modelling Business Rules	
	2.6 Conclusion	29
2	Describ Medical Coloria	2.1
3	Research Methods Selection	
	3.1 Introduction	
	3.2 Epistemology	
	3.3 Quantitative Research Methods	
	3.4 Qualitative Research Methods	
	3.4.1 Ethnography	
	3.4.2 Grounded Theory	
	3.4.3 Case Study	
	3.4.3.1 Interpretive Case Studies	
	3.4.3.2 Positivistic	42

	3.4.3.3 Critical Case Studies	42
	3.4.3.4 Selection of an Interpretive Case Study	
	3.4.3.5 Case Study Categories	
	3.4.4 Action Research	
	3.5 Conclusions	
4	Research Design	50
	4.1 Introduction	50
	4.2 Research design	50
	4.2.1 Research Purpose	50
	4.2.2 Research Question	
	4.2.3 Case Selection Criteria	52
	4.2.4 Case Study Context	
	4.2.4.1 Significance of IT to the Organisation	55
	4.2.4.2 Timing and Duration of Case Study	56
	4.2.4.3 Project Selection	
	4.2.5 The Attempts to Limit the Significance of Bias	
	4.2.5.1 Multiple Sources of Evidence	
	4.2.5.2 Iterative Testing	
	4.2.5.3 Exceptions to Generalisations	
	4.2.5.4 Author Bias	
	4.3 The Conduct of the Case Study	
	4.3.1 Semi-Structured Interviews	
	4.3.2 Sampling Strategy	
	4.3.3 Interview Planning	
	4.3.4 Example Interview Schedule	
	4.3.5 Validating and Documenting Interviews	
	4.3.6 Interview Focus.	
	4.3.7 Direct Observation	
	4.3.8 Document Data Sources	
	4.3.9 WordNet	
	4.4 Conclusions	/4
5	Articulating Business Rules	75
,	5.1 Introduction	
	5.2 Information Systems Development	
	5.2.1 Prescriptive and Descriptive Modelling Approaches	70
	5.2.2 ORM and BRM in the Context of ISD	
	5.3 Defining Business Rules	
	5.4 Business Rule Categories.	
	5.4.1 Definitions of Business Terms	84
	5.4.2 Structural Assertions	
	5.4.3 Action Assertions	
	5.4.4 Derivations	
	5.5 Why Model Business Rules?	
	5.6 Expressing Business Rules Using Object Role Modelling	
	5.6.1 Defining Business Terminology	
	5.6.2 The Structure of Structural Assertions	90
	5.6.3 Using ORM to Express Structural Assertions	
	5 6 4 Graphical Representation of Structural Assertions	

	5.6.5 Fact Classification	98
	5.6.6 Subtyping	100
	5.6.7 Subtyping in Other Modelling Approaches	
	5.6.8 Conclusions Regarding ORM and Structural Assertions	
	5.7 Action Assertions	
	5.7.1 Action Assertion Classification	
	5.7.2 Integrity Constraints	
	5.7.3 Cardinality	
	5.7.4 Objectified Associations	
	- A PART OF THE COUNTY AND THE COUNT	
	5.7.5 Complex Uniqueness Constraints	
	5.7.6 Optionality	
	5.7.7 Set Comparison Constraints	
	5.7.8 Subset Constraints	
	5.7.9 Equality Constraints	
	5.7.10 Exclusion Constraints	
	5.7.11 Join Constraints	
	5.7.12 Set Comparison Constraints in UML	
	5.7.13 Subset Constraints	
	5.7.14 Equality Constraints	
	5.7.15 Exclusion Constraints	124
	5.7.16 Join Constraints	124
	5.7.17 Conditions	125
	5.7.18 Conditions in UML	128
	5.7.19 Authorisations	128
	5.7.20 Authorisations in UML	129
	5.7.21 Conclusions Regarding ORM and Action Assertions	
	5.8 Derivations	
	5.8.1 Derivations in UML	
	5.9 Conclusion	
6	Analysis of Findings	139
	6.1 Introduction	
	6.2 Summary of Research Undertaken	
	6.3 The Findings of the First Case Study	
	6.3.1 The Case Study's Initial Focus	
	6.3.2 Determining Lower Level Processing Details	
	6.3.3 Identifying Business Rules Using BPM	
	6.3.4 Finding Examples	
	6.3.5 Defining the Output from the New Sub-System	
	6.3.6 Determining the Scope of the Analysis	
	6.3.7 Determining Business Terminology	
	6.3.8 Expressing Business Rules	
	6.3.9 Participation of Domain Experts	
	6.4 The Findings of the Action Research	
	6.4.1 Using Examples for Validating Constraints	
	6.4.2 Validating Optionality and Cardinality for Binary Predicate	
	6.4.3 Validating Constraints on Ternary Predicates	
	6.4.4 Validating Complex Constraints	
	6.4.5 Validating Derivation Rules	
	6.4.6 Action Research Conclusions	166

	6.5 The Findings of the Second Case Study	168
	6.5.1 Conceptual Design to System Implementation	169
	6.5.2 Evaluating the Quality of System Requirements	171
	6.6 Conclusions	178
7	Conclusions	181
	7.1 Introduction.	
	7.2 Conclusions	181
	7.3 Limitations and Relevance of the Research	
	7.3.1 Reliance on a Single Case	185
	7.3.2 Limitations of the Suggested Approach	
	7.3.3 Comparisons with Traditional Approaches	
	7.4 Future Research	
Bibl	liography	191
	pendices	

List of Figures

Figure 5.1 The Composition of Structural Assertions	90
Figure 5.2 Associating Terms Using IDEF1X	
Figure 5.3 Graphical Representation of a Structural Assertion	
Figure 5.4 The BRG's Classification Scheme of Facts	
Figure 5.5 Overlapping Subtypes	
Figure 5.6 Mutually Exclusive Subtypes	
Figure 5.7 Exhaustive Subtypes	
Figure 5.8 Exhaustive and Mutually Exclusive Subtypes	
Figure 5.9 Applying Subtyping Concepts	
Figure 5.10 Subtyping Using Barker's Notation	
Figure 5.11 Comparison of ORM's and UML's Subtyping Constructs	105
Figure 5.12 Action Assertion Classification	
Figure 5.13 A Uniqueness Constraint on a Binary Fact Type	109
Figure 5.14 Full Span Uniqueness Constraint	111
Figure 5.15 Objectified Associations	112
Figure 5.16 Uniqueness Constraints in a Quaternary Fact Type	112
Figure 5.17 Mandatory Role Constraints	
Figure 5.18 Subset Constraint	116
Figure 5.19 Equality Constraint	118
Figure 5.20 Implied Equality Constraint	118
Figure 5.21 Exclusion Constraint	
Figure 5.22 Exclusive-or Constraint	120
Figure 5.23 Join Constraint.	121
Figure 5.24 UML and Subset Constraints	123
Figure 5.25 UML and XOR Constraints	
Figure 5.26 Applying Value Constraints to Specify Conditions	
Figure 5.27 Applying Textual Rules to Specify Conditions	127
Figure 5.28 Defining an Authorisation	129
Figure 5.29 The Composition of Derived Facts and Derivations	132
Figure 5.30 Derivations within ORM	
Figure 5.31 Derivations within UML	
Figure 6.1 Specifying Basic Constraints in Visio Modeller	
Figure 6.2 Defining Cardinality with Ternary Predicates	
Figure 6.3 Defining Cardinality with Ternary Predicates	
Figure 6.4 Validating Subset Constraints	
Figure 6.5 Validating Disjunctive Mandatory Roles	
Figure 6.6 Validating Derivations	164

List of Figures viii

List of Tables

Table 5.1 Terminology Used in ORM and the BRG	95
Table 5.2 Example of a Fact Table	97
Table 5.3 Fact Table Corresponding to a Uniqueness Constraint	109
Table 5.4 Fact Table Corresponding to a Full Span Uniqueness Constraint	111
Table 5.5 Fact Table of the Quaternary Constraints	113
Table 5.6 Fact Tables Corresponding to Subset Constraint	117
Table 6.1 Verbalisations Resulting from a Numerical Reference Scheme	153
Table 6.2 Verbalisations Resulting from a Textual Reference Scheme	154
Table 6.3 Identified Problems and Solutions when Applying ORM	168

List of Tables ix

List of Appendices

205
19
21
226
228
40
41
262
267
1 1 1 1 1 1 1 1 1 1 1

CHAPTER 1

INTRODUCTION

1.1 BACKGROUND

An essential role performed by the systems analyst is that of communicator. Perhaps the most important facet of this role is conveying the perceptions they have formed concerning a business system to the domain expert. In order to confirm the accuracy and completeness of the analyst's understanding of a system and its information requirements, the domain expert must be able to challenge those perceptions.

Traditionally, analysts have relied on abstract models to capture the subtleties of business systems. Although these models are able to convey these details to other analysts, the domain expert is often less able to interpret the information they contain. But unless the content of these models is transparent to the domain expert, how are they to validate the perceptions of the analyst?

Many modelling tools and techniques also suffer from an inability to fully capture the data requirements of information systems. Although data structuring features such as sub-typing and generalisation can now be represented, the constraints that apply to these and other data structures are often weakly supported (ter Hofstede, Proper, & van der Weide, 1994). Where modelling approaches do consider such details, they are often expressed formally in the language of mathematics. Although formality adds rigour and precision to the data requirements captured, this approach is not likely to facilitate the involvement of domain experts in their validation.

In order to agree on what a business system currently does and what it actually should do, analysts require expressive modelling tools that capture requirements accurately and promote effective communication with domain experts. In the absence of such tools, one would expect such agreement to be difficult to reach.

1.2 SIGNIFICANCE

It is generally agreed that the analysis phase of the systems development life-cycle (SDLC) is of crucial importance to the overall success of IT projects. This is understandable, as a major deliverable of the analysis phase is a definition of the requirements for a business system. Unless errors and omissions within this definition are detected early, they often feed into successive phases of the SDLC. Unfortunately, incomplete, ambiguous and inconsistent requirements are commonplace in industry and these inadequacies often have a significant impact on software quality (Bell & Thayer T.A., 1976; Meyer, 1985). This suggests that approaches for capturing and representing requirements need to be improved in order to address issues relating to quality.

The scope of this thesis is restricted to the investigation of an approach for improving the transparency and expressiveness in which the data requirements of business systems are represented. To achieve this goal, a single framework involving the synthesis of a data modelling technique and a conceptual model of business rules will be developed. An expressive conceptual data modelling technique, known as Object Role Modelling (ORM), is used to represent categories of business rules as defined by

the Business Rules Group (BRG). The BRG have attempted to formalise an approach allowing business rules to be identified that define structural and behavioural properties of business organisations. Since ORM is able to verbalise assertions concerning business systems within a restrictive natural language, domain experts should be able to actively participate in the validation of business rules expressed in that language. By adopting this technique to articulate and define the data requirements of business systems, analysts may have an approach for improving the completeness, accuracy and quality of those requirements.

1.3 RESEARCH PROBLEM

The main focus of this thesis is to develop a conceptual framework for the articulation of business rules that define the data requirements of business systems. The aim is to provide an approach that allows analysts to work in close collaboration with domain experts in the definition of those requirements, thereby promoting an effective strategy for their validation.

Thus the problem to be resolved by this researcher is to determine whether ORM constructs can be used to articulate business rules in a form that domain experts can actively challenge.

The intention of this research is to address this problem in the following manner:

 Conduct a literature review that examines the problems relating to the definition of data requirements and approaches for resolving those problems.

- Synthesise ORM constructs with the business rules concepts and definitions formulated by the BRG, into a single conceptual framework for describing the structure and behaviour of business systems.
- Apply the synthesised conceptual framework within a New Zealand commercial organisation to define the data requirements for a new business system.

1.4 RESEARCH PROCESS

The steps of the above research process and the chapters of this thesis that relate to these steps are documented below.

- Step 1. An investigation into the problems relating the specification of system requirements and the approaches adopted to resolve these difficulties.

 Chapter 2 Literature Review.
- Step 2. Investigate and select research methods and describe how they were applied within this thesis.

Chapter 3 - Research Methods Selection.

Chapter 4 – Research Design.

Step 3. Develop a conceptual framework for the articulation of business rules.Chapter 5 – Articulating Business Rules.

Step 4. Applying the framework within a commercial organisation in order to assess its efficacy.

Chapter 6 - Analysis of Findings

Step 5. Analyse the findings drawn from the application of the framework.

Chapter 6 – Analysis of Findings

Chapter 7 - Conclusions

1.5 THESIS STRUCTURE

The structure and relationship between the chapters within this thesis are described below.

Chapter 1: Introduction

The first chapter describes the significance and background of the research conducted, together with a discussion on the research problem and how it was investigated.

Chapter 2: Literature Review

The review of literature investigates previous research on the problems relating to the specification of system requirements and the approaches that have been developed in an attempt to resolve these difficulties. The chapter introduces conceptual modelling approaches, including ORM and the BRG's business rules model, and suggests that these approaches may be synthesised into a single framework to express the data requirements of business systems.

Chapter 3: Research Method Selection

Based on the conclusions of the literature review, the chapter investigates methods of research available to researchers with a view of selecting appropriate approaches for undertaking this thesis.

Chapter 4: Research Design

A detail account is provided on how the selected research methods were applied within a commercial environment to demonstrate the efficacy of expressing business rules using ORM constructs.

Chapter 5: Articulating Business Rules

The theoretical issues relating to this thesis are explored in this chapter. It is demonstrates that ORM has the ability to express all categories of business rules as defined by the BRG.

Chapter 6: Analysis of Findings

Having developed a single conceptual framework for the expression of business rules in chapter 5, its validity and efficacy are explored by applying the framework to define the data requirements of a new sub-system within a commercial organisation. The experiences of the researcher and domain experts in the application of this framework and the problems encountered are discussed in detail.

Chapter 7: Conclusions

A summary of the findings are presented and their relevance to the research problem stated in chapter 1 is discussed. Future research suggested by the undertaking of this study is also described.

Bibliography

Within this section, the references used throughout this thesis have been listed.

Appendices

The documentation and data models produced during the two case studies and action research component of the thesis have been included within the appendices, together the BRG's business rule model.