

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A STUDY OF OVULATION AND EARLY FRENATAL MORTALITY
IN THE NEW ZEALAND ROMNEY EWE

A thesis presented in partial fulfilment of the requirements for the
Degree of Master of Agricultural Science

by

Ian A. CUMMING

Massey University of Manawatu,
Palmerston North,
New Zealand.

October, 1965

A C K N O W L E D G E M E N T S

The author is indebted to his tutor Dr. M.F. McDonald for the advice, guidance and assistance given so freely both day and night for the duration of the study. Special thanks are due to Dr. F. Cockrem for advice in statistical analysis and to Dr. R.E. Munford for help in the assay of gonadotrophins.

Acknowledgements are due to Mr. C. Muir for his invaluable technical assistance; to Mr. L. Hawthorne and the farm staff; to Mr. E. Ormsby; to Mr. B. Thatcher; to Miss M.G. Campbell and her library staff; to the staff of the local Freezing Works and Abattoir; to Miss D.J. Scott for much of the photographic work; to Miss K. Christensen; and to my wife who acted in capacities ranging from heading dog to proof reader.

T A B L E O F C O N T E N T S

<u>Chapter</u>		<u>Page</u>
	ACKNOWLEDGEMENTS	
	TABLE OF CONTENTS	
	LIST OF TABLES	
	LIST OF FIGURES	
I	INTRODUCTION	1
II	MATERIALS AND METHODS	18
III	STUDIES ON 'SYNCHONIZATION' OF EWES FOR OVUM TRANSFER	28
IV	STUDIES ON OVULATION IN RECIPIENT EWES	39
V	STUDIES ON SURVIVAL OF TRANSFERRED OVA	43
VI	FURTHER INVESTIGATIONS OF OVULATION AND PREMATIAL MORTALITY	55
VII	DISCUSSION	63
VIII	SUMMARY	81
	REFERENCES	87
	APPENDIX I AND II	96

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Groups of experimental ewes used in the study during the 1964 and 1965 seasons giving the range of liveweights of ewes.	F18
2	Incidence of oestrus in ewes after progesterone treatment showing the mean body weight of ewes within each group.	F28
3	Incidence of oestrus in donor ewes in the 1964 season following progesterone treatment.	F28
4	Incidence of oestrus in ewes following progesterone treatment in relation to the interval of time to onset of oestrus after the final progesterone injection and the body weight of each ewe.	F29
5	Oestrous cycle length following injection of 1,000 i.u. P.M.S. on either day 12 or day 13 of the oestrous cycle.	F30
6	Mean number of corpora lutea following P.M.S. injection relative to the dose level of P.M.S. and the year of injection.	F31
7	Number of ewes in which ovum recovery was attempted, the number of ewes which yielded ova and the percentage of ova recovered.	32
8	Recovery of ova and stage of cleavage of recovered ova as influenced by the number of corpora lutea per ewe.	F32
9	Recovery of ova as influenced by dose level of P.M.S. administered.	33
10	Recovery of ova as influenced by the interval of time to laparotomy after onset of oestrus.	34
11	Numbers of uncleaved and cleaved ova recovered in the 1964 and 1965 seasons.	35
12	Number of ewes which gave cleaved, uncleaved or cleaved and uncleaved ova as affected by the dose level of P.M.S. administered.	F36
13	Cleavage of ova as influenced by the number of corpora lutea per ewe.	F37
14	Mean interval of time after onset of oestrus to recovery of cleaved ova at the various stages of development.	F37
15	Number of cleaved ova recovered and the shortest interval of time after the onset of oestrus to recovery of ova at various stages of cleavage.	38
16	Number of corpora lutea in recipient ewes classified according to liveweight, face cover, side body wool and wool gradient.	F39
17	Analysis of variance of liveweights of recipient ewes relative to the number of corpora lutea in the ovaries.	
18	Number of ewes classified according to face grade with the mean number of corpora lutea per ewe within each grade.	41

<u>Table</u>	<u>Page</u>
19 Analysis of covariance for face cover and body weight on number of corpora lutea in ewes of group 1965T60.	F42
20 Distribution of recipient ewes relative to the number and survival of transferred ova.	F43
21 Measurements of embryos 19 - 22 days after oestrus.	F43
22 Measurements of genital tracts and embryos at the 35 day stage from ewes with one or multiple number of embryos.	F44
23 Measurements of four embryos classified as dead at the time of ewe slaughter.	45
24 Survival of transferred ova in recipient ewes with either one or two corpora lutea classified by the experimental group and the number of ova transferred.	F47
25 Survival of transferred ova relative to the comparative 'age' of genital tract and ova.	F47
26 Test of hypothesis that all ova did not have an equal chance of survival (a) Considering all recipient ewes (b) Considering all pregnant recipient ewes	50
27 Analysis of variance of liveweight of ewes receiving one ovum of which 1 or 0 embryos survived to slaughter.	51
28 Body weight of ewes classified by the number of ova transferred and the number of embryos alive at slaughter within the four experimental groups.	F51
29 Analysis of variance of liveweight of ewes receiving two ova of which 2, 1 or 0 embryos survived to slaughter.	52
30 Face cover of ewes classified by the number of ova transferred and the number of embryos alive at slaughter within the four experimental groups.	F52
31 Analysis of variance of Face cover of ewes receiving either (a) Two ova of which 2, 1 or 0 ova survived to slaughter or (b) One ovum of which either 1 or 0 ova survived to slaughter.	F52
32 Mean weekly liveweights recorded in 1964 Experiment 2.	56
33 Numbers of ewes with either one or two corpora lutea (1964 Experiment 2).	57
34 Analysis of variance of body weights of ewes with one or two corpora lutea (1964 Experiment 2).	58
35 Face grades within groups of ewes with one or two corpora lutea (1964 Experiment 2).	59

TablePage

36	Analysis of variance of face cover of ewes with one or two corpora lutea (1964 Experiment 2).	60
37	Body weights of ewes classified by the number of corpora lutea and the number of embryos alive at slaughter (1964 Experiment 2).	61
38	Face cover of ewes classified according to the number of corpora lutea and the number of embryos alive at slaughter. (1964 Experiment 2).	62

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Estimates of lambing percentages within New Zealand statistical areas for the 1964 season compiled by the New Zealand Department of Agriculture.	F10
2	Experimental plan for 1964 season.	F18
3	Experimental plan for 1965 season.	F18
4	Liveweights of groups of ewes in the 1964 and 1965 seasons showing the means and standard errors of means.	F19
5	Insertion of glass tube in Fimbria of Fallopian tube of donor ewe prior to attempting ovum recovery.	F21
6	Flushing serum through the upper portion of a uterine horn and adjacent Fallopian tube for the recovery of ova from a donor ewe.	F21
7	Transfer of ova into the lumen of a uterine horn of a recipient ewe.	F22
8	Recipient ewe restrained in a laparotomy cradle immediately prior to transfer of ova.	F22
9	Diagrammatic representation of a sheep showing the face grade areas.	F23
10	Example of face grade.1.	F23
11	Example of face grade 2.	F23
12	Example of face grade 2+.	F23
13	Example of face grade 3.	F23
14	Removal of a face wool sample.	F23
15	Removal of a side body wool sample.	F23
16	Genital tract of a pregnant ewe 19 days <u>post oestrus</u> .	F24
17	Genital tract of a pregnant ewe 35 days <u>post oestrus</u> .	F24
18	35 day embryo enclosed within amnion.	F26
19	35 day embryo after dissection of amnion before cutting umbilical cord.	F26
20	Percentage of ova recovered relative to the number of corpora lutea per ewe.	F32
21	Percentage of cleaved ova relative to the number of corpora lutea per ewe.	F37

FigurePage

22	Interval of time after onset of oestrus to recovery of cleaved ova at the various stages of ovum development.	F37
23	Diagrammatic representation of proportion of ewes with one or two corpora lutea within experimental recipient groups.	F39
24	Liveweight, face cover, side body wool and wool gradient relative to the number of corpora lutea in recipient ewes.	F39
25	A 19 day embryo B 20 day embryo C 21 day embryo D 22 day embryo	F43
26	Measurements of embryos 19 - 22 days after oestrus.	F43
27	Survival of transferred ova relative to the comparative 'age' of genital tract and ova.	F47
28	Diagrammatic representation of embryonic survival until slaughter in ewes to which one, two or four ova were transferred.	F48
29	Percentage of ova surviving to slaughter in ewes which received one, two or four ova.	F48
30	Diagrammatic representation of embryonic survival until slaughter in ewes in the four experimental groups which received one or two ova.	F48
31	Body weight of ewes relative to the number of ova transferred and the number of embryos alive at slaughter within the four experimental groups.	F51
32	Face cover of ewes relative to the number of ova transferred and the number of embryos alive at slaughter within the four experimental groups.	F52
33	Diagrammatic representation of embryonic survival until slaughter in ewes with one or two corpora lutea.	F61
34	Percentage of ova surviving to slaughter of ewes relative to the number of corpora.	F61