Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Effect of synthetic and bovine milk conjugated linoleic acid (CLA) on immune function

A thesis presented in partial fulfilment of the requirements for the degree of Master of Science in Nutrition Science at Massey University, New Zealand

HUI ZHAO

1999

Effect of synthetic and bovine milk conjugated linoleic acid (CLA) on immune function

A thesis presented in partial fulfilment of the requirements for the degree of Master of Science in Nutrition Science at Massey University, New Zealand

HUI ZHAO

1999

ABSTRACT

CLA is a collective name for a mixture of positional and geometrical isomers of linoleic acid (*c*-9, *c*-12-octadecadioenic acid) which possess conjugated double bonds. CLA occurs in a variety of foods, but is present at higher concentrations in products from ruminants. Milk fat is the richest natural source of CLA. The objective of this research was to examine the immunomodulatory properties of CLA (both synthetic and natural CLA derived from bovine milk fat). Two experiments were conducted at the Milk and Health Research Centre, Massey University, Palmerston North, New Zealand.

The aim of the first experiment was to investigate the dose effect of different concentrations of synthetic CLA (Tonalin) on immune function. Mice were fed either skim milk powder based diet or the same diet supplemented with 0.1, 0.25, 0.5, 1.0 or 2.0% synthetic CLA (Tonalin) by weight. Animals were immunised orally with a mixture of polio vaccine in sodium bicarbonate (25 μ l) and subcutaneously with Fluvax and Tetanus toxoid vaccine on days 7 and 21. After 4 weeks feeding, mice were euthanased by isoflurane overdose. Various immune parameters were measured and the results showed that synthetic CLA (Tonalin) enhanced a range of immune functions. Synthetic CLA stimulated PHA induced T lymphocyte proliferation at 0.25, 0.5 and 1.0% as compared with the control group (p < 0.05). Synthetic CLA enhanced macrophage phagocytosis in a dose dependent manner. Synthetic CLA enhanced antibody responses (mucosal and systemic) to vaccines (polio vaccine, Fluvax and Tetanus toxoid). Natural killer cell activity was significantly enhanced in mice fed 0.25 and 0.5% CLA. In general, 0.25% CLA was regarded as the best CLA level which achieved optimal immunoregulating effects.

The aim of the second experiment was to examine the effect of natural CLA derived from milk fat on immune responses in mice. Mice were fed a skim milk powder (SMP) based diet. The control diet was skim milk powder only, without any CLA or milk fat supplementation. The dietary treatments were: ordinary milk fat, fractionated milk fat (1st stage), 0.2% synthetic CLA (Tonalin) and CLA enriched milk fat. Animals were fed these

i

diets for 28 days. Mice were immunised orally with a mixture of polio vaccine/ovalbumin/cholera toxin in sodium bicarbonate on days 7, 14 and 21 and subcutaneously with Fluvax and ADT (Diptheria and Tetanus toxoid vaccine) on days 7 and 21. Natural CLA was found to stimulate PHA and Con A induced T lymphocyte blastogenesis. Supplementation with natural CLA also led to increased antibody responses to vaccines and increased CD25⁺ populations in peripheral blood in mice. Natural CLA also enhanced macrophage phagocytosis. Synthetic CLA enhanced a range of immune functions which is consistent with the results in the first experiment.

It is noted that although the CLA content is low in milk fat, the natural CLA derived from milk fat expressed potent effects in enhancing the growth of immune cells and promoting a range of immune functions in mice.

Key words: conjugated linoleic acid (CLA), lymphocyte, macrophage, immunity, milk fat

ACKNOWLEDGEMENTS

My sincere thanks go to my chief supervisor, Prof. H. S. Gill, for his great supervision, guidance and patience through this study, and to my co-supervisor, Dr. K. J. Rutherfurd, for her enthusiastic encouragement, constructive suggestions and critical comments on papers, which helped make this study productive.

My special thanks are extended to the following people who provided technical assistance or help in various ways for the project: D. Johnson, A. Broomfield, S. Blackburn, S. Robinson, K. Kennedy, L. Fray and all staff at the Milk and Health Research Centre; to the staff in the small animal production unit (SAMP), Massey University; and to K.E. Kiston, H.E. McClean, Institute of Food, Nutrition and Human Health (IFNHH), Massey University.

My special thanks to Dr. Q. Shu for his valuable help and comments on statistical analysis and other topics, and to Dr. F. Cross for checking and correcting English for my thesis.

Thanks also to Dr. Alastair MacGibbon, Dairy Research Institute, New Zealand, for supplying the milk derived CLA and other milk fats.

I am also very appreciative for the financial assistance I received in the form of a DNHP scholarship during the course of my study.

Many thanks to all my fellow postgraduate students at the Milk and Health Research Centre, Massey University and all my friends in Palmerston North, for their friendship and help during my study at Massey University.

Finally, my immense gratitude to my parents and parents-in-law for their encouragement and support of my study in a number of ways, and to my wife, Sa Chen, for her love, patience, support and help, and to my beloved son, Rex L. Zhao, who always brings our family cheer and happiness.

TABLE OF CONTENT

ABSTRACT	i
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENT	v
LIST OF TABLES	ix
LIST OF FIGURES	xi
LIST OF ABBREVIATIONS	xiii
1. GENERAL INTRODUCTION	1
2. LITERATURE REVIEW	4
2.1 INTRODUCTION	4
2.2 DIETARY FATTY ACIDS AND HEALTH EFFECTS	• 4
2.2.1 Dietary fatty acids and cardiovascular disease	6
2.2.2 Dietary fatty acids and cancer	8
2.2.3 Dietary fatty acids and the immune system	11
2.2.3.1 The immune system	11
2.2.3.2 Dietary fat and lymphocyte functions	14
2.2.3.2.1 Lymphocyte proliferation	14
2.2.3.2.2 Cytotoxic T lymphocyte activity	15
2.2.3.3 Natural killer cell activity	16
2.2.3.4 Cytokines production	17
2.2.3.4.1 Macrophage and monocyte-derived cytokines	17
2.2.3.4.2 Lymphocyte-derived cytokines	18
2.2.3.5 Antigen presentation	19
2.2.3.6 In vivo measures of cell-mediated immunity	19
2.2.3.6.1 In vivo response to endotoxin and cytokines	19
2.2.3.6.2 Delayed-type hypersensitivity	20
2.3 MILK FAT COMPONENT	20
2.3.1 Sphingomyelin and metabolites	20

2.3.2 Butyric acid	22
2.3.3 Ether lipids	23
2.3.4 The fat soluble vitamins	24
2.3.5 Conjugated linoleic acid (CLA)	25
2.3.5.1 Introduction	25
2.3.5.2 Tissue distribution, occurrence and sources of CLA	26
2.3.5.2.1 CLA in dairy products	27
2.3.5.2.2 CLA in non-dairy foods	28
2.3.5.3 Health benefits of CLA	29
2.3.5.3.1 CLA and immune function	29
2.3.5.3.2 CLA and cancer	31
2.3.5.3.3 CLA and atherosclerosis	34
2.3.5.3.4 CLA on growth and development	34
2.3.5.3.5 CLA and body fat regulation	35
2.3.5.3.6 CLA and bone metabolism	36
2.3.5.4 CLA and human studies	36
2.3.5.5 Mechanism of action of CLA	38
2.3.5.6 CLA, dairy products and the future	39
2.4 SUMMARY	40
3. EXPERIMENT ONE	41
3.1 INTRODUCTION	41
3.2 MATERIALS AND METHODS	42
3.2.1 Animals	42
3.2.2 Diets	42
3.2.3 Vaccines (Antigens)	43
3.2.4 Preparation of serum	43
3.2.5 Collection of intestinal contents	44
3.2.6 Preparation of spleen lymphocytes	44
3.2.7 The cell proliferation assay	45
3.2.8 Cytokine production assay	46

3.2.9 The immunophenotyping assay	46
3.2.10 The ELISA antibody assay	47
3.2.11 Preparation of peritoneal macrophages	48
3.2.12 Phagocytosis by peritoneal macrophages	49
3.2.13 Phatocytosis by peripheral blood leukocytes	49
3.2.14 Monokine production assay	50
3.2.15 Respiratory burst assay	50
3.2 16 Nitric oxide production assay	51
3.2.17 NK cell activity assay	51
3.2.18 Interferon-γ assay	52
3.2 19 Interleukin 4 assay	53
3.3 EXPERIMENTAL DESIGN	54
3.4 STATISTICAL ANALYSIS	55
3.5 RESULT	56
3.5.1 Body weight and feed intake	56
3.5 2 Effects of CLA on spleen weight	56
3.5.3 The phagocytic activity of peritoneal macrophages	57
3.5.4 The phagocytic activity of peripheral blood leukocytes	58
3.5.5 Respiratory burst	59
3.5.6 Nitric oxide production	60
3.5.7 NK cell activity-cytotoxicity detection	60
3.5.8 Mucosal and systemic antibody responses to antigens/vaccines	61
3.5.9 Total leukocyte and total lymphocyte levels in peripheral blood	63
3.5.10 Expression of peripheral blood leukocyte cell surface markers	64
3.5 11 Cell proliferative response to T and B cell mitogens	65
3.5 12 Interferon- γ and interleukin-4 production	67
3.6 DISCUSSION	68
4. EXPERIMENT TWO	78
4.1 INTRODUCTION	78
4.2 MATERIALS AND METHODS	79

vii

4.2.1 Animals	79
4.2.2. Diets	79
4.2.3 Vaccines	81
4.2.4 Methods	81
4.3 EXPERIMENTAL DESIGN	82
4.4 STATISTICAL ANALYSIS	83
4.5 RESULT	84
4.5.1 Body weight and food intake	84
4.5.2 Effects of CLA on spleen weight and spleen/body weight ratio	84
4.5.3 The phagocytic activity of peritoneal macrophages	85
4.5.4 The phagocytic activity of peripheral blood leukocytes	86
4.5.5 Respiratory burst	87
4.5.6 Nitirc oxide production	88
4.5.7 NK cell activity	88
4.5.8 Mucosal and serum antibody responses to antigens/vaccines	89
4.5.8.1 Mucosal antibody responses to CT, OV and Polio vaccine	89
4.5.8.2 Serum antibody responses to CT and OV	91
4.5.8.3 Serum antibody responses to Fluvax, Diphtheria and Tet To	92 ox
4.5.9 Total leukocytes and total lymphocytes in peripheral blood	94
4.5.10 Expression of peripheral blood leukocyte cell surface markers	95
4.5.11 Cell proliferative responses to T and B cell mitogens	97
4.5.11.1 Cell proliferative responses to PHA	97
4.5.11.2 Proliferative responses to Con A	98
4.5.11.3 Proliferative responses to LPS	98
4.5.12 Interferon γ and interleukin-4 production	99
4.6 DISCUSSION	100
5. GENERAL DISCUSSION AND CONCLUSION	106

6. REFERENCE

114

LIST OF TABLES

Chapter 2	
Table 2-1 Contrasting properties of natural and acquired immunity	12
Chapter 3	
Table 3-1 Diet composition (% diet weight)	42
Table 3-2 Fatty acid composition (% fat) of Tonalin	43
Table 3-3 Effect of consumption of diets containing synthetic CLA (Tonalin) on	
growth performance of mice	56
Table 3-4 Effect of dietary CLA (Tonalin) on spleen weight and spleen/body	
weight ratio	57
Table 3-5 Effect of synthetic CLA on respiratory burst	59
Table 3-6 Effect of synthetic CLA on total lymphocytes and total leukocytes	
levels in peripheral blood	63
Table 3-7 Effect of synthetic CLA on the expression of surface markers on	
peripheral blood leukocytes	64
Table 3-8 Effect of synthetic CLA on interferon- γ and interleukin-4 production	68
Chapter 4	
Table 4-1 Diet composition (% diet weight)	80
Table 4-2 Fatty acid composition (% fat) of milk fat and Tonalin	80
Table 4-3 CLA concentration in each diet (% diet weight)	81
Table 4-4 Vaccination schedule	82
Table 4-5 Effect of consumption of diets containing natural and synthetic	
CLA on growth performance of mice	84
Table 4-6 Effect of natural and synthetic CLA on spleen weight and	
spleen/body weight ratio	85
Table 4-7 Effect of natural and synthetic CLA on respiratory burst	87
Table 4-8 Effect of natural and synthetic CLA on total lymphocytes and	
total leukocytes	95

Table 4-9 Effect of natural CLA and synthetic CLA on the expression of	
surface markers on peripheral blood leukocytes	96
Table 4-10 Effect of natural and synthetic CLA on interferon- γ and	
interleukin-4 production	100

LIST OF FIGURES

Chapter 2

Figure 2-1 Structural formulas for omega-6 (linoleic acid, 18:2-n6) and	
omega-3 (alpha-linolenic acid, 18:3 n-3) fatty acid	5
Figure 2-2 Essential fatty acid metabolism desaturation and elongation	
of ω6 and ω3	6
Figure 2-3 Structures of the cis-9, cis-12 linoleic acid and cis-9, trans-11	
CLA isomers	26
Chapter 3	
Figure 3-1 Effect of dietary CLA on phagocytosis (peritoneal Macrophages)	58
Figure 3-2 Effect of dietary CLA on phagocytosis	
(peripheral blood leukocytes)	59
Figure 3-3 Effect of dietary CLA on nitric oxide production	60
Figure 3-4 Effect of dietary CLA on NK cell activity	61
Figure 3-5 Serum antibody responses to Tetanus toxoid	62
Figure 3-6 Mucosal antibody responses to Polio vaccine	62
Figure 3-7 Serum antibody responses to Fluvax vaccine	63
Figure 3-8 Effect of CLA on splenic lymphocyte proliferation induced by	
PHA (phytohemaglutinin)	66
Figure 3-9 Effect of CLA on splenic lymphocyte proliferation induced by	
Con A (concensivalin A)	66

Con A (concanavalin A)	66
Figure 3-10 Effect of CLA on splenic lymphocyte proliferation induced by	
LPS (E. coli lipopolysaccharide)	67
Figure 3-11 proposed mechanism of action of CLA in regulating	
eicosanoid synthesis. HEPETE, hydroxyperoxyeicosatertraenoic acid;	
HETE, hydreoxyeicosatertraenoic acid	75

Chapter 4

Figure 4-1 Effect of milk fat derived CLA on phagocytosis	
(peritoneal macrophages)	86
Figure 4-2 Effect of milk fat derived CLA on phagocytosis	
(peripheral blood leukocytes)	87
Figure 4-3 Effect of milk fat derived CLA on nitric oxide production	88
Figure 4-4 Effect of milk fat derived CLA on NK cell activity	89
Figure 4-5 Mucosal antibody responses to cholera toxin (CT)	90
Figure 4-6 Mucosal antibody responses to ovalbumin (OV)	90
Figure 4-7 Mucosal antibody responses to Polio vaccine	91
Figure 4-8 Serum antibody responses to Cholera toxin (CT)	92
Figure 4-9 Serum antibody responses to ovalbumin (OV)	92
Figure 4-10 Serum antibody responses to Fluvax	93
Figure 4-11 Serum antibody responses to Diptheria	94
Figure 4-12 Serum antibody responses to Tetanus toxoid	94
Figure 4-13 Effect of milk fat derived CLA on splenic lymphocyte	
proliferation induced by PHA (phytohemagglutin)	97
Figure 4-14 Effect of milk fat derived CLA on splenic lymphocyte proliferation	
induced by Con A (concanavalin A)	98
Figure 4-15 Effect of milk fat derived CLA on splenic lymphocyte proliferation	
induced by LPS (E. coli lipopolysaccharide)	99

LIST OF ABBREVIATIONS

AA	Arachidonic acid
CD	Cluster differentiation
CLA	Conjugated linoleic acid
Con A	Concanavalin A
CT	Cholera toxin
Ig A	Immunoglobulin A
Ig G	Immunoglobulin G
IFN-γ	Interferon-y
IL-4	Interleukin-4
LPS	Lipopolysaccharide
NK cell	Natural killer cell
OV	Ovalbumin
Polio	Poliomyelitis
PHA	Phytohemagglutinin
PUFA	Polyunsaturated fatty acid
Tet Tox	Tetanus toxoid
Th cell	T helper cell
Ts cell	T suppresser cell
TNF	Tumour necrosis factor