Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

# 'The effects of customary post-game behaviour on rugby specific performance measures following competitive match play'

A report submitted towards the attainment of MPhil

(Sport and Exercise Science)

Chris Prentice BSc

2012

#### **Abstract**

#### **Background:**

Deviant off-field behaviour is now generally accepted as being part of a 'normal' sporting culture. The majority of research into such behaviour has focussed primarily on the immediate impact of alcohol consumption on sporting performance, with such research highlighting the ergolytic nature of alcohol on performance. The fundamental issue with such research however is that the deviant behaviour associated with sports such as rugby union typically occurs the night previous to or following competition, accordingly the effect of such customary behaviour on recovery from competition or on subsequent performance would be more specific to what actually occurs. Initial work has found that moderate alcohol consumption adversely affects the recovery of exercise induced microstructural damage post eccentric exercise, as well a negatively affecting subsequent lower body power output post rugby simulation. Despite conclusions suggesting that alcohol negatively influences both recovery and subsequent performance, such conclusions may not be truly representative of what typically occurs due to the behaviour investigated being far different to what occurs naturally. The question of how customary off-field rugby behaviour affects both recovery and subsequent performance therfore remains unanswered.

#### **Purpose:**

The purpose of this study was to investigate whether post-game behaviour, that is customary to rugby union, is detrimental to the subsequent performance of players in the days following competitive match play.

#### Methods:

Using a naturalistic means of investigation, thirty senior grade club rugby players were allocated to either the standardized post game behaviour (SPGB) or investigated post game behaviour (IPGB) conditions following a competitive rugby match. Players involved in the IPGB condition were left to undergo customary post rugby game behaviour whilst those in the SPGB had their behaviour controlled according to recommended guidelines. Performance measures, behaviour recall and indicators of both muscle damage and hydration status were tested at both twelve and thirty six hours following match play

#### **Results:**

Following competitive match play participants in the IPGB condition reported significant (p<0.01) alcohol consumption with a corresponding decrease in sleep when compared with the SPGB. Irrespective of such behaviour, performance measures were not significantly affected. Finally no significant difference was seen between conditions in either hydration status or CK.

#### **Conclusions:**

The results of the present naturalistic study indicate that following a competitive match, customary rugby behaviour consisting of significant alcohol consumption and a reduction in sleep failed to significantly affect subsequent rugby specific performance measures in the days following the match.

### Acknowledgements

To all participants who were involved, even with uncontrollable problems the willingness to participate and effort displayed is a credit to both you as individuals and to your team.

Dr. Matt Barnes, without whom there is no way this project, would have ever eventuated. From providing the initial idea to the abundance of knowledge and guidance throughout the entirety of my time at university I cannot begin to explain how grateful I am.

A/Pro. Steve Stannard, a huge thanks for helping to make such a project take place as well as everything you've done for me over the last few years.

To Aaron Raman and Steph Von Burren, for help during data collection and proof reading respectively.

To all my fellow flatmates and postgrad students cheers for putting up with me and making the last few years something to remember.

A special thanks to my family, for continued support throughout the last few years without which I would not be where I am today.

## **Table of Contents**

Abstract	i
Acknowledgements	iii
Table of Contents	iv
Table of Figures	vi
1. Introduction	1
2. Literature Review	3
Rugby Union	3
Effects of a rugby game	4
Muscle Damage	6
Immuno-endocrine markers	8
Rugby Culture	
Development of rugby specific sub-culture	
Rugby sub-culture in NZ	11
Alcohol	12
Alcohol use and abuse in sport	12
University Students	12
Sports People	13
Physiological Effects of Alcohol	
Hydration	
Thermoregulation	
Metabolism	
Neurological effects	
The hangover	
Effects of alcohol on sport performance	
Alcohol's effect on subsequent performance	
Alcohol associated behaviour	
Summary of literature	33
3. Hypotheses	34
4. Methods	35
4.1. Participants	35
4.2. Study Design	35
4.3. Experimental Measures	36
4.3.1. Creatine kinase	36
4.3.2. Performance Measures	37
4.3.3. Urine Specific Gravity	38
4.3.4. Behaviour Recall	38
4.3.5. AUDIT	38

4.4. Standardized Behaviour Intervention	38
4.5. Data Analysis	39
5. Results	40
5.1. Creatine Kinase Activity	40
5.2. Performance Measures	
5.2.1. Counter Movement Jump	41
5.2.2. Max Strength	42
5.2.3. Repeated Sprint	42
5.3. Urine Specific Gravity	44
5.4. Behaviour Recall	46
5.5. AUDIT	47
5.6. Testing Conditions	47
6. Discussion	48
Application of findings	51
Limitations	51
7. Conclusions	53
8. References	54
Appendices	61
Pre-Exercise Health Screening Questionnaire	66
PARTICIPANT CONSENT FORM - INDIVIDUAL	69
24 Hr Behaviour Recall	70
24 Hour Diet Recall	71

## **Table of Figures**

Figure 1 Mean percent times spent in four heart rate zones for four positional groups (props and	
ocks, ; back row forwards, ;inside backs, ; outside backs . Significant difference (p<0.05) between	
groups is indicated with lettering. <sup>34</sup> 5	)
Figure 2 Change in serum testosterone:cortisol (T/C) ratio across time points, # =p<0.05 from pre-	
game, * = p<0.05 from entry $^{27}$	3
Figure 3 Hourly urine output for 4hrs post drink ingestion, ENA=Euhydrated without alcohol, EA=	
Euhydrated with alcohol, HNA = Hypohydrated without alcohol & HA = Hypo hydrated with alcohol.	
	7
Figure 5 Mean core body temperature (±SEM) during both alcohol and control trials. Arrow	
Ilustrates time of ingestion <sup>152</sup> 19	
Figure 6 The basic pathways of ethanol metabolism <sup>14</sup> 22	L
Figure 7 Number of drinks required to produce a hangover and associated hangover severity. (*	
epresenting a significant difference (p<0.05) <sup>141</sup> 24	
Figure 8 Mean (±SD) Maximal isokinetic muscle strength of a) wrist and b) knee 10327	7
Figure 9 A Schematic representation of the protocol used. Testing took place at baseline,	
mmediately post, twelve hours post and thirty six hours post36	;
Figure 11 Maximal countermovement jump height (m) for participants in both the IPGB and SPGB	
conditions at baseline, 12hrs and 36hrs post behaviour42	)
Figure 12 The effects of behaviour on mean sprint time. Mean Sprint time at baseline as well as at 12	)
nours and thirty six hours post competitive match play for both the IPGB and SPGB conditions 44	Ļ
onditions at baseline, 12hrs and 36hrs post behaviour42 igure 12 The effects of behaviour on mean sprint time. Mean Sprint time at baseline as well as at 12	)