Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

EFFECTS OF UNDERFEEDING IN EARLY LACTATION ON THE YIELD AND COMPOSITION OF MILK PRODUCED BY HIGH AND LOW BREEDING INDEX COWS

A thesis presented in partial fulfilment
of the requirements for the degree of
Master of Agricultural Science
in Animal Science
at Massey University

KRISTINA DAWN MITCHELL

1985

ABSTRACT

A grazing trial was carried out to examine the interactive effects of underfeeding in early lactation and cow breeding index on milk yield and composition.

From the fifth week of lactation, 16 high and 16 low breeding index cows were fed at a restricted or <u>ad libitum</u> feeding level. Digestible organic matter intakes were estimated directly using the herbage cutting technique and indirectly using the chromic oxide technique. Intake was reduced due to underfeeding by approximately 45 %. In comparison to cows on the <u>ad libitum</u> feeding level, underfed cows showed reductions in milk, milkfat and milk protein yields, milk protein concentration, long chain fatty acid concentration in the milkfat and liveweight gain. Milkfat concentration, short chain fatty acid concentration in the milkfat and loss in body condition were increased.

Following the return of all cows to a generous feeding level, previously underfed cows produced lower daily yields of milk, milkfat and milk protein for three to five weeks and gained more liveweight and condition over mid-lactation. The residual effect of underfeeding on milkfat production was 1.0 times the immediate effect. There appeared to be no effects of previous underfeeding on milk composition, concentrations of short chain or long chain fatty acids in the milkfat or digestible organic matter intake.

Cow breeding index interacted with the effects of underfeeding in that high versus low breeding index cows showed (a) a smaller residual effect of underfeeding on milkfat production (0.8 versus 2.0 times the immediate effects, respectively) and (b) a greater immediate reduction in milk protein concentration due to underfeeding.

ACKNOWLEDGEMENTS

I am most grateful to my supervisor Dr Colin Holmes for his encouragement while carrying out the experiment and helpful advice during writing up. Dr Duncan MacKenzie and others in the Animal Science Department also kindly contributed their advice and ideas.

Dutch student, Kaas de Lange excellently assisted me with the experimental work. I am also very grateful to Yvonne Moore for her careful work in the preparation and analysing of herbage and faeces samples (the analysis of herbage samples was continued in Yvonne's absence by Karen Garrick). The work of Janice Rumbal and Janis Bridges in collecting and analysing milk samples is also much appreciated. Farm staff, Martyn Chesterfield and Bruce Perkins, milked the experimental cows with a cheerful and patient attitude.

With regard to statistical methods and use of the computer package REG, invaluable advice was received from Dr Hugh Blair, Sirimathie Wewala and fellow students Sheryl-Anne Newman, John Rendel and Coby Hoogendoorn. Coby also contributed much encouragement and ideas in other areas.

Funding was generously provided by the Massey University Agricultural Research Foundation.

TABLE OF CONTENTS

| | | PAGE |
|------------------|---|------|
| TITLE PAGE | | i |
| ABSTRACT | | ii |
| ACKNOWLEDGEMENTS | | iii |
| LIST OF TAB | LES | viii |
| LIST OF FIG | URES | xii |
| LIST OF PLA | TES | xiii |
| | CHAPTER ONE | * |
| REVIEW OF L | ITERATURE | |
| 1.1 | The Response of Dairy Cows to their Level of | |
| | Feeding | 1 |
| 1.1.1 | General Theory of Milk Yield Response to Level | |
| | of Feeding. | 1 |
| 1.1.2 | Immediate (Short Term) Effects of Feeding in | |
| | Early Lactation on Milk Production | 2 |
| 1.1.3 | Residual (Long Term) Effects of Feeding in | |
| | Early Lactation on Milk Production | 5 |
| 1.1.4 | Feeding in Early Lactation and Milk Composition | 13 |
| 1.1.5 | The Influence of Pre-Partum Nutrition on the | |
| | Effects of Feeding in Early Lactation | 15 |
| 1.2 | Genetic Quality of the Dairy Cow and its | |
| | Influence on Milk Production | 16 |
| 1.2.1 | Introduction | 16 |
| 1.2.2 | Genetic Quality in New Zealand | 16 |
| 1.2.3 | The Effect of Genetic Quality on Aspects of | |
| | Productivity | 17 |
| 1.2.4 | Metabolic and Physiological Differences between | |
| | Cows of High or Low Genetic Potential | 22 |
| 1.2.5 | The Interaction between the Effects of Genetic | |
| | Quality and Level of Feeding on Milk Production | 23 |
| 1.3 | Volumtary Food Intake by Grazing Cows | 24 |
| 1.3.1 | Introduction | 24 |
| 1.3.2 | Intake Regulation | 25 |
| 1.3.3 | The Restriction of Intake by Rumen Fill | 26 |
| 1.3.3.1 | Animal Factors | 26 |
| 1.3.3.2 | Food Characteristics | 27 |
| 1 3 11 | The Control of Intake by Energy Demand | 31 |

| 1.3.5 | Herbage Allowance and its Relationship with | |
|---------------|---|----|
| | Herbage Intake | 33 |
| 1.3.6 | The Influence of Sward Characteristics on | |
| | Herbage Intake | 37 |
| | | |
| | CHAPTER TWO | |
| METHODS AND M | ATERIALS | |
| 2.1 | Aims of the Experiment | 40 |
| 2.2 | Experimental Environment | 40 |
| 2.3 | Outline of the Experiment | 40 |
| 2.3.1 | Statistical Design | 40 |
| 2.3.2 | Cow Selection and Relevant Data | 41 |
| 2.3.3 | Feeding Levels | 41 |
| 2.3.4 | Experimental Periods | 42 |
| 2.4 | Management of the Experimental Cows and | |
| | Paddocks | 42 |
| 2.5 | Measurements of Animal Production Responses | 44 |
| 2.5.1 | Milk Production, Composition and Fatty Acid | |
| | Composition of the Milkfat | 44 |
| 2.5.2 | Cow Liveweight and Condition Score | 45 |
| 2.6 | Estimation of Herbage Digestible Organic | |
| | Matter (DOM) Intake | 45 |
| 2.6.1 | The Herbage Cutting Technique (HCT) | 45 |
| 2.6.2 | The Chromic Oxide Technique (COT) | 46 |
| 2.7 | Determination of Herbage OM Concentration, | |
| | OM Digestibility, Nitrogen Concentration | |
| | and Nitrogen Digestibility | 48 |
| 2.8 | Statistical Analysis | 50 |
| 2.8.1 | Multivariate Analysis of Variance | 50 |
| 2.8.2 | Univariate Analysis of Variance | 52 |
| | | |
| | CHAPTER THREE | |
| RESULTS | | |
| 3.1 | Animal Production Responses | 54 |
| 3.1.1 | Milk Production | 54 |
| 3.1.1.1 | Pre-Experimental Milk Production | 54 |
| 3.1.1.2 | Experimental and Post-Experimental Milk Yield | 54 |
| 3.1.1.3 | Experimental and Post-Experimental Milkfat | |
| | Yield | 55 |
| 3.1.1.4 | Experimental and Post-Experimental Milk Protein | |
| | Yield | 55 |

| 3.1.1.5 | Experimental and Post-Experimental Milkiat | |
|------------|---|------|
| | Concentration | 55 |
| 3.1.1.6 | Experimental and Post-Experimental Milk Protein | |
| | Concentration | 56 |
| 3.1.2 | Fatty Acid Composition of the Milkfat | 67 |
| 3.1.3 | Cow Liveweight and Condition Score | 67 |
| 3.2 | Herbage Digestible Organic Matter (DOM) Intake | |
| | (kg/cow/day) | 71 |
| 3.2.1 | Experimental | 71 |
| 3.2.1.1 | DOM Allowance (HCT) | 71 |
| 3.2.1.2 | DOM Intake (HCT and COT) | 71 |
| 3.2.2 | Post-Experimental | 71 |
| 3.2.2.1 | DOM Allowance (HCT) | 71 |
| 3.2.2.2 | DOM Intake (HCT and COT) | 72 |
| 3.3 | Herbage Digestibility, Nitrogen Concentration | |
| | and Nitrogen Digestibility | 75 |
| | | |
| | CHAPTER FOUR | |
| DISCUSSION | | |
| 4.1 | Reliability of Methods Used | 76 |
| 4.1.1 | The Measurement of DOM Intake | 76 |
| 4.1.2 | The Determination of Fatty Acid Composition of | |
| | the Milkfat | 78 |
| 4.2 | The Effects of Underfeeding in Early Lactation | 79 |
| 4.2.1 | Immediate Effects on Milk Production | 79 |
| 4.2.1.1 | Milk, Milkfat and Milk Protein Yields | 79 |
| 4.2.1.2 | The Availability of Energy for Milk Production | 81 |
| 4.2.2 | Residual Effects on Milk Production | 84 |
| 4.2.3 | Immediate and Residual Effects on Milk | 0.6 |
| 1 | Composition | 86 |
| 4.3 | The Effects of Cow Breeding Index on Aspects of | 0.77 |
| | Productivity | 87 |
| 4.3.1 | Milkfat Yield, Change in Liveweight and | 0.7 |
| | Condition Score | 87 |
| 4.3.2 | Milk Protein Yield | 88 |
| 4.3.3 | Milk Yield and Composition | 89 |
| 4.3.4 | Level of Voluntary Intake | 90 |
| 4.4 | The Interactive Effects of Cow Breeding Index | 0.1 |
| h h 4 | and Underfeeding in Early Lactation | 91 |
| 4.4.1 | Immediate Effects on Milk Production |)1 |
| 4.4.2 | Residual Effects on Milk Production | 91 |

The calculation of total immediate and residual effects of underfeeding in early lactation on

113

APPENDIX 7

milkfat yield

LIST OF TABLES

| TABLE | | PAGE |
|-------|---|------|
| 1.1 | Summary of Immediate Effects on Milkfat Yields | |
| | and Liveweight (LW) Change from Australasian | |
| | Experiments where Cows in Early Lactation were | |
| | Grazed on Contrasting Amounts of Pasture (from | |
| | Bryant and Trigg,1982) | 4 |
| 1.2 | The Effects upon Mean Daily Milk Yield and Cow | |
| | Liveweight of Herbage Restriction and | |
| | Supplementation Treatments Relative to a | |
| | Control Treatment, both during the Treatment | |
| | Periods and during the Period Following Return | |
| | to Control Herbage Allowances (adapted from Le | |
| | Du and Newberry, 1981;1982) | 8 |
| 1.3 | Effects of Underfeeding in Early Lactation on | |
| | Immediate (I) and Subsequent (S) Yields of Milk | |
| | and Milkfat (from Bryant and Trigg, 1982) | 10 |
| 1.4 | The Effect of Feeding Level during the First | |
| | Five Weeks of Lactation on Milkfat Production | |
| | and Body Condition Score for Cows Calving at | |
| | Condition Score (CS) 5 (adapted from Grainger | |
| | et al, 1982) | 11 |
| 1.5 | The Effect of Feeding Level during Three Weeks | |
| | in Early Lactation (Weeks 8-10) on Milkfat | |
| | Production and Body Condition Score (CS) | |
| | (adapted from Ngarmsak, 1984) | 11 |
| 1.6 | Summary of Immediate Effects of Underfeeding in | |
| | Early Lactation on Milk Compostion (from Bryant | |
| | and Trigg, 1982) | 14 |
| 1.7 | Production of High and Low BI Cows (from | |
| | Bryant, 1981) | 18 |
| 1.8 | Daily Intake, Fat Yield and Gross Efficiency of | |
| | High (HBI) and Low (LBI) Breeding Index Cows in | |
| | Early Lactation (n=16) (from Bryant, 1981) | 21 |
| 1.9 | The Effect of Three Weeks of Underfeeding in | |
| | Early Lactation on the Milkfat Production | |
| | (kg/cow) of High Versus Low Breeding Index (BI) | |
| | Cows (adapted from Ngarmsak, 1984) | 24 |
| 1.10 | Definitions of Terms Used in Relation to | |

| | Grazing Animals (based on Hodgson, 1979) | 34 |
|------|---|----|
| 1.11 | Values for Herbage Allowance, Intake and | |
| | Residual Yields from Experiments with Dairy | |
| | Cows (from Holmes and Macmillan, 1982) | 36 |
| 3.1 | The Milk Yields (kg/cow/day) of High (H) Versus | |
| | Low (L) Breeding Index (BI) Cows Grazed at | |
| | Restricted or Ad libitum Feeding Levels during | |
| | Early Lactation (least square means and their | |
| | standard errors) | 57 |
| 3.2 | Levels of Significance of Treatment Effects | |
| | (Cow BI, Feeding Level during Early Lactation | |
| | and their Interaction) on Milk Yield | 57 |
| 3.3 | The Milkfat Yields (kg/cow/day) of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows Grazed | |
| | at Restricted or Ad libitum Feeding Levels | |
| | during Early Lactation (least square means and | |
| | their standard errors) | 59 |
| 3.4 | Levels of Significance of Treatment Effects | |
| | (Cow BI, Feeding Level during Early Lactation | |
| | and their Interaction) on Milkfat Yield | 59 |
| 3.5 | The Milk Protein Yields (kg/cow/day) of High | |
| | (H) Versus Low (L) Breeding Index (BI) Cows | |
| | Grazed at Restricted or Ad libitum Feeding | |
| | Levels during Early Lactation (least square | |
| | means and their standard errors) | 61 |
| 3.6 | Levels of Significance of Treatment Effects | |
| | (Cow BI, Feeding Level during Early Lactation | |
| | and their Interaction) on Milk Protein Yield | 61 |
| 3.7 | The Milkfat Concentrations (%) of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows Grazed | |
| | at Restricted or Ad libitum Feeding Levels | |
| | during Early Lactation (least square means and | |
| | their standard errors) | 63 |
| 3.8 | Levels of Significance of Treatment Effects | |
| | (Cow BI, Feeding Level during Early Lactation | |
| | and their Interaction) on Milkfat Concentration | 63 |
| 3.9 | The Milk Protein Concentrations (%) of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows Grazed | |
| | at Restricted or Ad libitum Feeding Levels | |
| | during Early Lactation (least square means and | |
| | their standard errors) | 65 |

| 3.10 | Levels of Significance of Treatment Effects | |
|------|--|----|
| | (Cow BI, Feeding Level during Early Lactation | |
| | and their Interaction) on Milk Protein | |
| | Concentration | 65 |
| 3.11 | The Concentrations (% by Weight) of Short Chain | |
| | Fatty Acids (SCFA) and Long Chain Fatty Acids | |
| | (LCFA) in the Milkfat of High (H) Versus Low | |
| | (L) Breeding Index (BI) Cows Grazed at | |
| | Restricted or Ad libitum Feeding Levels during | |
| | Early Lactation (least square means and their | |
| | standard errors) | 68 |
| 3.12 | The Changes in Liveweight (Δ LW) and Condition | |
| | Score (ACS) of High (H) Versus Low (L) | |
| | Breeding Index (BI) Cows Grazed at Restricted | |
| | or Ad libitum Feeding Levels during Early | |
| | Lactation (least square means and their | |
| | standard errors) | 70 |
| 3.13 | The Digestible Organic Matter (DOM) Allowances | |
| | and Intakes (kg/cow/day) of High (H) Versus Low | |
| | (L) Breeding Index (BI) Cows when Grazed at | |
| | Restricted or Ad libitum Feeding Levels for | |
| | Weeks 5-8 of Lactation (least square means and | |
| | their standard errors) | 73 |
| 3.14 | The Digestible Organic Matter (DOM) Allowances | |
| | and Intakes (kg/cow/day) of High (H) Versus Low | |
| | (L) Breeding Index (BI) Cows when Grazed at | |
| | Generous Feeding Levels for Weeks 9-10 of | |
| | Lactation (least square means and their | |
| | standard errors) | 74 |
| 4.1 | The Yields of Milk and Milkfat (kg/cow/day) for | |
| | Cows Grazed at Restricted (R) or Ad libitum | |
| | (AL) Feeding Levels during Early Lactation | |
| | (least square means and their standard errors) | 80 |
| 4.2 | Milk and Milkfat Responses (kg/cow/day) to | |
| | Changing DOM Intake (I) (kg/cow/day) during the | |
| | Experimental Period (intake, milk yield and | |
| | milkfat yield data are derived from least | |
| | square means) | 83 |
| 4.3 | The Milkfat Yields (kg/cow/day) of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows (least | |
| | square means and their standard errors averaged | |

| | across the restricted and ad libitum feeding | |
|-----|---|----|
| | levels) | 88 |
| 4.4 | The DOM Intakes of High (H) Versus Low (L) | |
| | Breeding Index (BI) Cows (least square means | |
| | averaged across the restricted and ad libitum | |
| | feeding levels) Expressed Per Unit of Metabolic | |
| | Liveweight $*$ (g/kg $^{\circ \cdot 75}$) during Weeks 5-8 and | |
| | 9-10 of Lactation | 91 |
| 4.5 | The Milkfat Yields $(kg/\infty w/day)$ of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows | |
| | Following Underferding in Early Lactation | |
| | (least square means and their standard errors) | 92 |

LIST OF FIGURES

| FIGURE | | PAGE |
|--------|---|------|
| 1.1 | Simplified Model to Describe the Relationship | |
| | of Food to Milk and Liveweight in Dairy Cows | |
| | According to Response to Level of Intake (from | |
| | Broster, 1976) | 2 |
| 1.2 | Effect of Cows of High (HBI) or Low (LBI) | |
| | Breeding Index on Fat Production (from Bryant, | |
| | 1984) | 22 |
| 1.3 | The Relationship between Digestibility of the | |
| | Diet Selected (OMD%) and the Herbage Intake (g | |
| | OM/kg liveweight) of Lactating Cows () and | |
| | Growing Calves () (from Hodgson, 1977) | 28 |
| 1.4 | Composite Diagram of Relationships between | |
| | Voluntary Intake and Animal and Food Factors in | |
| | Ruminants (from Forbes, 1983) | 29 |
| 1.5 | Data from New Zealand Experiments in which Cows | |
| | Grazed on Pasture or Lucerne (from Holmes and | |
| | Macmillan, 1982) | 35 |
| 3.1 | The Milk Yields of High (H) Versus Low (L) | |
| | Breeding Index (BI) Cows Grazed at Restricted | |
| | or Ad libitum Feeding Levels in Early | |
| | Lactation (least square means) | 58 |
| 3.2 | The Milkfat Yields of High (H) Versus Low (L) | |
| | Breeding Index (BI) Cows Grazed at Restricted | |
| | or Ad libitum Feeding Levels in Early | |
| | Lactation (least square means) | 60 |
| 3.3 | The Milk Protein Yields of High (H) Versus Low | |
| | (L) Breeding Index (BI) Cows Grazed at | |
| | Restricted or Ad libitum Feeding Levels in | |
| | Early Lactation (least square means) | 62 |
| 3.4 | The Milkfat Concentrations of High (H) Versus | |
| | Low (L) Breeding Index (BI) Cows Grazed at | |
| | Restricted or Ad libitum Feeding Levels in | |
| | Early Lactation (least square means) | 64 |
| 3.5 | The Milk Protein Concentrations of High (H) | |
| | Versus Low (L) Breeding Index (BI) Cows Grazed | |
| | at Restricted or Ad libitum Feeding Levels | |
| | in Early Lactation (least square means) | 66 |

LIST OF PLATES

| PLATE | | AT END OF |
|-------|---|-----------|
| | | CHA PTER |
| A | HERBAGE MASS BEFORE AND AFTER GRAZING AT THE AD | |
| | LIBITUM FEEDING LEVEL | 2 |
| В | HERBAGE MASS BEFORE AND AFTER GRAZING AT THE | |
| | RESTRICTED FEEDING LEVEL | 2 |