Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

'From boat to bowl' An exploratory study of the implementation of the Hazard Analysis Critical Control Point (HACCP) system in tuna processing in the Solomon Islands



Ernest Kolly

A thesis submitted in partial fulfilment of the requirements for the degree of Master of Health Science in Environmental Health,

Institute of Food, Nutrition and Human Health

Massey University, Wellington campus

New Zealand

May 2011

ABSTRACT

Fish and fish products are among the most internationally traded food commodities of which approximately fifty percent originate in developing countries. This raises concerns about seafood safety and quality for the food industry. The Solomon Islands currently export tuna loins to the European Union (EU), which requires accreditation. This lucrative market requires the Solomon Islands to meet stringent standards stipulated by the EU for fishery products.

The aim of the study was to explore and evaluate factors that influence the implementation of the Hazard Analysis Critical Control Point (HACCP) food safety system at National Fisheries Developments Company Ltd (NFD Ltd) and Soltai Fishing & Processing Company Ltd (Soltai Ltd) in the Solomon Islands, and its effectiveness at meeting stringent EU requirements. A mixed methods research and design was adopted in the study, which involved non-experimental research, survey research and qualitative research (one on one *(talanoa)* interviews).

The study revealed that NFD Ltd and Soltai Ltd are in general terms in compliance with the EU directives (EC 852/2004, EC 853/2004 and EC 854/2004) and the Solomon Islands Pure Food (fishery products) Regulation 2005. Furthermore, while NFD Ltd and Soltai Ltd do have a well documented HACCP system in place, the study showed that the majority of workers do not fully understand the HACCP system. The review of Good Manufacturing Practices (GMP) on board the fishing vessels revealed that the Chief Engineers, as far as histamine control and monitoring is concerned, are complying with EU Regulation EC 853/2004 and the Solomon Islands Pure Food (fishery products) Regulation 2005. The tests carried out to assess microbiological parameters revealed that, a large number of microorganisms were present at all four sites in the processing factory as indicated by Total Plate Counts, a good indicator of product/surface contamination from environmental sources. Furthermore, survey research revealed that a high proportion (43%) of participants indicated they only adhere to the HACCP system "sometimes" and for some "never" in the factory - which poses significant food safety risk. The qualitative (talanoa) interviews showed that culture and low literacy level were major factors that impede the effective implementation of the HACCP system in the processing factory. The study further indicated that, to control food safety hazards (physical, chemical, and biological), the tuna industry needs a collaborative approach among those involved throughout the food processing chain, from the fishing vessels during harvesting, through to the processing factory and product shipment.

Training programmes, including pre-requisite programmes, designed to increase staff awareness of HACCP principles should be comprehensive and ongoing, to ensure sustained implementation of HACCP principles in the workplace. These should be an integral component of the companies' HACCP food safety policies and systems.

ACKNOWLEDGEMENTS

I wish to acknowledge a number of people who have given invaluable support during this study:

I am indebted to my supervisors, Dr John Ruck and Dr Beatrice Dias-Wanigasekera for their expertise and systematic supervision, and the invaluable advice and critical evaluations provided. I would also like to acknowledge the assistance and support rendered by IFNHH staff especially to Associate Professor Rachel Page - Regional Director, College of Sciences, Wellington for allowing me to use the telephone for ease of communication to the Solomon Islands, Mrs Marilyn Mabon - Head Technician – IFNHH and Margaret Allison - Senior Science Technician – IFNHH for guidance with microbiology bench protocols and for assisting me with my order of laboratory reagents and equipment, and Ms Karen McKeeman - Secretary/Administrator - IFNHH for all logistical support rendered. Thanks also to Dr Steve Humphries – Senior Lecturer at the School of Psychology and Mr. Brian Caughley – Senior Lecturer at the IFNHH for helping me with my biostatistics data analysis. Special tribute to my friend the late Ivan John Heard retired teacher and former secondary school Principal in the Solomon Islands who offered much of his time critiquing my grammar prior to his sudden death just after I left for the Solomon Islands to collect data. Tarunāmu da mamatho kori Soleana (rest in peace) my friend.

I would also like to sincerely acknowledge and thank the former Chairman of Soltai Ltd, Mr Tony Hughes and the General Manager of Soltai Ltd, Mr Thomas Dorku, for their cooperation and support and granting me approval to conduct the research study in the Processing Plant, without which it would not have been possible.

My heartfelt appreciation also goes to the Line Managers and Factory Workers of Soltai Ltd for accepting my invitation to participate in the research study. Special thank you to Soltai Ltd laboratory personnel, especially Mr Charles Koli -Laboratory Supervisor for his expertise and assistance rendered in analysing my samples for histamine. I would also like to sincerely thank Miss Kim Irofufuli for her tireless effort and expertise in analysing my tuna loin samples for microbiological parameters. My sincere gratitude to Mr and Mrs Charles Koli, my hosts for the duration of my data collection phase at Noro.

I would also like to acknowledge and thank the staff of Massey University International Students Support Office and my sponsor, NZAID for providing the scholarship and funds to cater for my home located research and my family's welfare during the duration of my course. I would not have attained my goals without their support and NZAID's generosity.

Last, but not least, I am thankful to my wife Lynnette and children, Elinda, Ernie, George, Lloyd, Lynter and Martin for their continuous support, patience and understanding during the course of my study.

I dedicate this thesis to my late dad, Ernest Hagore who had been inspirational in encouraging me to look to greater heights in search of knowledge and excellence. To those whom I have omitted to mention and acknowledge, nigua na dotho hutu puala itamiu igamu gougovu (Thank you very much).

SOLEANA (PEACE)

Ernest Kolly

TABLE OF CONTENTS

	STRACT	
	KNOWLEDGEMENTS	
TA	BLE OF CONTENTS	vi
	PENDICES	
LIS	ST OF TABLES	viii
	ST OF FIGURES	
	ST OF PHOTOS	
LIS	ST OF ABBREVIATIONS	X
СН	IAPTER 1 – INTRODUCTION	1
	Background information of the tuna industry in the Solomon Islands	2
1.2	Overview of food safety in the Solomon Islands	4
	Geographical and demographical features of the Solomon Islands	
	1.3.1 Location of the study site	
1.4	Problem statement and rationale for the study	
	1.4.1 Overview	
1.5	Aim and objectives	
	1.5.1 Aim of the study	
	1.5.2 Specific objectives	
	IAPTER 2 – LITERATURE REVIEW Introduction	10
2.1		
	2.1.1 Historical perspective of the Hazard Analysis Critical Control Point (HACC system	
	2.1.2 HACCP in practice (worldwide context)	
	2.1.2 HACCP in practice (worldwide context)	
	2.1.4 Application of the HACCP in the fishing industry	
	2.1.5 Application of HACCP in food industries, small to medium enterprises (SMI	
	stores and homes	
	2.1.6 HACCP as compared to other quality management systems	
	2.1.7 Transition to HACCP	
	2.1.8 Different steps in HACCP.	
	2.1.9 Criticisms of HACCP	
22	Bacterial contamination	
2.2	2.2.1 Role of bacteria in seafood spoilage	
	2.2.2 Chemical oxidation and enzymatic spoilage of food	
	2.2.3 Histamine fish poisoning	
	2.2.4 Indicator organisms.	28
	2.2.5 Total coliform as indicator bacteria	
	2.2.6 Enteric indicator bacteria (<i>Escherichia coli and</i> faecal coliforms)	
	2.2.7 The TPC as an indicator of bacterial contamination	
Q**	ALPERD A. DEGELD CHARESTOPS	2.5
	IAPTER 3 - RESEARCH METHODS	33
3.1	Introduction	
	3.1.1 Research methodology	
	3.1.1.1 Definition of mixed methods methodology	
	3.1.1.2 Why mixed methods research?	
	3.1.1.4 Application of mixed methods research in health research	
	3.1.1.4 ADDITION OF THIS CONTROL RESEARCH IN HEALTH FESCATON	

		al, cultural and safety issues	
3.3	Resea	arch framework and design	.37
	3.3.1	Overview	.37
	3.3.2	Summary explanation of what was involved in the different phases of the study	.39
		3.3.2.1 Phase One – Review of good manufacturing practices (GMP) on board	
		fishing vessels and histamine monitoring during unloading	.39
		3.3.2.2 Phase Two – Process monitoring in the factory	
		3.3.2.3 Phase Three –Quantitative survey	
		3.3.2.4 Phase Four –Qualitative Interview	
	3.3.3	Detailed explanation of the data collection, analysis and result/findings of each	
		research method	
		3.3.3.1 Phase one and phase two - non experimental research	.40
		3.3.3.1.1 Sources of data	.40
		3.3.3.1.2 Company document review & analysis	.41
		3.3.3.1.3 Histamine sampling	.42
		3.3.3.1.4 Required equipment for samples	.43
		3.3.3.1.5 Test procedure	.43
		3.3.3.1.6 Interpretation of histamine results	.44
		3.3.3.1.7 Microbiological test methods	.44
		3.3.3.1.8 Microbiological sampling	.45
		3.3.3.1.9 Sampling on food contact surfaces and food handlers	
		3.3.3.1.10 Interpretation of total coliform results	
		3.3.3.1.11 Calculation of results	
		3.3.3.1.12 Data analysis	.51
		3.3.3.1.13 Results	
		a) Histamine monitoring records	.52
		b) Compliance records	
		c) Median temperatures of catching wells	
		d) Brine salinity and temperature	
		e) Histamine content	
		f) Total microbial loads/TPC	
		3.3.3.1.14 Discussion	
		3.3.3.2 Phase three – survey research	
		3.3.3.2.1 Sample size and selection of participants	
		3.3.3.2.2 Framework used for development of the survey questionnaire	
		3.3.3.2.3 Piloting the questionnaire survey	
		3.3.3.2.4 Survey questionnaire data analysis (quantitative and qualitative)	
		3.3.3.2.5 Results	
		3.3.3.2.6 Discussion	
		3.3.3.3 Phase four – qualitative research	
		3.3.3.1 Sample size and selection of participants	
		3.3.3.2 Qualitative data collection	
		3.3.3.3 Qualitative data analysis	
		3.3.3.4 Qualitative (<i>Talanoa</i>) interview findings	
		a) Conflict of local cultural practices versus organisational	
		culture	.95
		b) Culture and illiteracy impedes understanding of HACCP	
		principles	100
		c) Women are involved a lot in food preparation	
		d) HACCP principles can complement cultural practices1	
			102

CHAPTER 4 – SUMMARY DISCUSSION CHAPTER 5 - CONCLUSION 5.1 Limitations of the study 5.2 Recommendations – company improvements 5.3 Recommendations- future areas of research 5.4 Personal reflection 1							
						CHAPTER	CHAPTER 6 - REFERENCES APPENDICES
Appendix I		MUHEC approval letter Letter to Chairman of Soltai Ltd Board seeking permission to conduct the					
Appendix III:		Letter to General Manager, NFD Ltd seeking permission to conduct the study					
Appendix IV:		Letter to Permanent Secretary Ministry of Education & Human Resources Development, Solomon Islands	131				
Appendix V: Appendix VI: Appendix VII:		Research Permit from the Ministry of Education, Solomon Islands	134				
Appendix VIII: Appendix IX:		Participants' Consent Form	138				
Appendix X: Appendix XI:		Cue questions for the qualitative exploratory (one on one <i>talanoa</i>) interview					
Appendix XII:		Microbiological analysis results					
		LIST OF TABLES					
Table 1: Table 2:	Sun	amary value of Soltai Ltd Tuna products exports 2005-2009	rm,				
Table 3:	Sun	mary findings of the review of histamine monitoring on board fishing vess	sels				
Table 4: Su		nmary findings on review of the CA audit reports and interviews conducted the CA auditors	l				
Table 5:		ws the histamine content.					
Table 6:	cfu/	n, median, minimum and maximum total microbial load/TPC expressed as g, from frozen tuna using stomacher and homogenizer to macerate the ples					
Table 7:		iliarity with term food hazard & food risk					
Table 8:		erence definitions					
Table 9:		tude/perception checklist					

LIST OF FIGURES

Figure 1:	Food Safety Administration and Control Organisational Structure in the Solomon Islands	6
Figure 2:	Map of the Solomon Islands and location of the study site	
Figure 3:	Research framework and design	
Figure 4:	Soltai Ltd plant layout and sampling sites	
Figure 5:	Median Temperature (T°C) in different wells on different fishing dates on board	
8	Solomon Emerald	
Figure 6:	Median Temperature (T°C) in different wells on different fishing dates on board	
C	Solomon Pearl	
Figure 7:	Median of Total Microbial Loads (cfu/g) for 9 samples, by site	
Figure 8:	Percentage frequency of sites vs colony count for all sites	
Figure 9:	Distribution of Total Microbial Loads (cfu/g)	
Figure 10:	Correlation of Total Microbial Loads (cfu/g) between sites 2 & 3	
Figure 11:	Swab test on food handlers/food contact surfaces	
Figure 12:	Flow diagram showing how to maintain GMP onboard fishing vessel	
	(purse seiners) to control histamine formation	63
Figure 13:	Cognitive and behaviour barrier to HACCP guideline adherence	
	model	70
Figure 14:	Years of work	72
Figure 15:	Educational level	73
Figure 16:	Familiar with the term HACCP	74
Figure 17:	Familiar with the seven principles of HACCP	75
Figure 18:	HACCP food safety & food hygiene training attended	76
Figure 19:	Awareness of HACCP	76
Figure 20:	Adequate information on HACCP	77
Figure 21:	Implementation of the HACCP system in the workplace	78
Figure 22:	Agreement with HACCP principles	79
Figure 23:	Compliance with HACCP systems	79
Figure 24:	Major barriers to implementation of HACCP	80
Figure 25:	Positive ways of implementing HACCP in the factory	81
Figure 26:	Behaviour towards work	82
Figure 27:	Adoption of HACCP in the work place	83
Figure 28:	Sustaining of the HACCP system	84
Figure 29:	Influence of local culture on HACCP system in the factory	85
Figure 30:	Influence of culture is overcome	85
Figure 31:	Modified cognitive and behaviour to HACCP principle adherence	
	model in the context of the Solomon Islands	103

LIST OF PHOTOS

Photo 1:	Soltai Ltd cannery, Noro, Western Province. Loin cleaning in the processing lines
Photo 2:	Neogen alert test kits. Different reagents to be used in each step of histamine analysis
Photo 3:	Alert test kit sample interpretation. Sample shows a darker blue colour than the control which indicates sample contains less than 10 ppm of histamine44
Photo 4:	Swab sampling prior to and after washing of hands. This test is to determine
Photo 5:	total coliform presence on food handlers thumbs
	LIST OF ABBREVIATIONS
APC – Aer	robic Plate Counts
BRC – Bri	tish Retail Consortium
CA - Comp	petent Authority
CARs - Co	prrective Action Requests
CCP – Crit	cical Control Points
CCM – Co	uple Control Monitoring
CFU – Col	ony Forming Unit
EMS – En	vironmental Management System
EC – Enter	rococci
FAD - Fish	Aggregating Device
FC – Faeca	al Coliform
GMP – Go	od Manufacturing Practices/Procedures
GOP – Go	od Operating Practices/Procedures
GDP – Gro	oss Domestic Product
HACCP -	Hazard Analysis Critical Control Points
HAZOP –	Hazard and Operability Hazard Analysis
HFP – His	tamine Fish Poisoning
IFNHH – I	institute of Food, Nutrition and Human Health
ISO – Inter	rnational Standardization Organization
ICMSF – I	nternational Commission on Microbiological Specifications for Foods
m – Accep	table microbiological level in a sample unit
M – The le	evel which, when exceeded in one or more samples, would cause the lot to be rejected
NED I td _	National Fisheries Developments Company Limited

NPHL – National Public Health Laboratory

QCO – Quality Control Officer

QA – Quality Assurance

QC- Quality Control

QRA – Quantitative Risk Assessment

RSW- Refrigerated Seawater

SPC – Standard Plate Counts

SSOP – Sanitation Standard Operation Practices/Procedures

SOP – Standard Operating Practices/Procedures

SOLTAI Ltd - Soltai Fishing & Processing Company Limited

SFIB – Sardine Fish Infusion Broth

TC – Total Coliform

TPC – Total Plate Counts

TVC – Total Viable Count

TQM – Total Quality Management

USFDA – United States Food and Drug Administration