

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

SOME ENDOGENOUS FACTORS AFFECTING ROOT FORMATION

ON HARDWOOD CUTTINGS OF TWO CLONES OF APPLE

(MALUS SYLVESTRIS MILL.) ROOTSTOCKS

A Thesis Submitted in Partial Fulfilment of
the Requirements for the Degree of
Doctor of Philosophy
at
Massey University

DONALD STUART TUSTIN

1976

ACKNOWLEDGEMENTS

The author would like to extend his sincere gratitude and appreciation to Mr Murray Richards and Dr David Woolley for their continued encouragement and assistance in their capacity as supervisors of this thesis.

Thanks are also extended to the following people and organisations:

The N.Z. Fruitgrowers Federation Nursery and the Levin Horticultural Research Station for supplying apple rootstocks.

The Asian Vegetable Research and Development Centre for the gift of mung bean seed.

Messrs B. Wilcox, A. Watson and D. Anderson for technical assistance.

Mrs Sara Grant for the typing of the thesis.

.

The University Grants Committee, whose award of a Postgraduate Scholarship made this study possible.

TABLE OF CONTENTS

	<u>Page</u>
ACKNOWLEDGEMENTS	
ABSTRACT	
REVIEW OF LITERATURE	1
A. Introduction.	1
B. Part I. Physical Factors Affecting the Propagation of Apple Rootstocks from Cuttings.	2
(1) Physiological Age of Parent Plant	2
(2) Choice of Material from Parent Plant	5
(3) Seasonal Effects and the Time of Taking Cuttings	7
Part II. Physical Treatments Prior to Planting.	8
(1) Treatment with Synthetic Growth Substances	8
(2) Temperature Treatments Prior to Planting	12
(3) Wounding and Bud Removal as an Aid to Root Initiation	14
Part III. Physical Treatment during Root Initiation.	16
(1) High Temperature Storage of Cuttings	16
C. PLANT GROWTH REGULATORS AND THEIR EFFECT ON ADVENTITIOUS ROOT INITIATION	18
(1) Endogenous Auxins	18
(2) Gibberellins	23
(3) Cytokinins	27
(4) Abscissic Acid	30
(5) Rooting Cofactors	32
(6) Endogenous Rooting Inhibitors	38
(7) Ethylene	40

D. METABOLISM OF INDOLEACETIC ACID DURING ADVENTITIOUS ROOT INITIATION	41
RATIONALE OF THE PRESENT WORK	44
MATERIALS AND METHODS	46
A. PLANT MATERIALS	46
B. COLLECTION AND PREPARATION OF CUTTING MATERIALS	46
C. TREATMENT AND PLANTING OF CUTTINGS	46
D. PRODUCTION OF MAIDEN TREES	47
E. RECIPROCAL DONOR GRAFTING	48
F. SAMPLING OF MATERIAL FOR HORMONE EXTRACTION	49
G. EXTRACTION OF PLANT MATERIAL FOR HORMONE ANALYSIS	49
(1) Initial Extraction	49
(2) Procedure for Separation of Auxins, Inhibitors and Cytokinins	50
(3) Extraction and Separation of Rooting Cofactors	51
H. CHROMATOGRAPHY OF EXTRACTS FOR HORMONE ANALYSIS	53
(1) Column Chromatography of the Acidic Ether Fraction	55
(2) Column Chromatography of the Neutral Ether Fraction	56
(3) Column Chromatography of the Butanol-soluble Cytokinins	57
(4) Paper Chromatography of Auxins and Inhibitors	58
(5) Paper Chromatography of Rooting Cofactors	59
(6) Paper Chromatography of Butanol-soluble Cytokinins	59
I. BIOASSAY PROCEDURES	59
(1) Triticum Coleoptile Bioassay	59
(2) Avena Coleoptile Bioassay	60
(3) Mung Bean Root Initiation Bioassay	62
(4) Radish Cotyledon Expansion Bioassay	66

	<u>Page</u>
J. LANOLIN PASTES	67
K. RADIOACTIVE CHEMICALS	69
L. RADIOASSAY OF ^{14}C	69
(1) Scintillation Cocktails	69
(2) $^{14}\text{CO}_2$ Trapping System	70
(3) Preparation of External Medium for Counting	70
(4) Preparation of Samples for Counting	71
(5) Treatment of Tissue Residue	71
(6) Counting of Radioactive Samples	71
(7) Quench Correction	72

EXPERIMENTAL

SECTION I. SEASONAL CHANGES IN ROOT INITIATION, BUD DORMANCY AND HORMONAL STATUS IN MM 106 AND EM XII APPLE ROOTSTOCK HARDWOOD CUTTINGS	75
A. SEASONAL CHANGES IN ROOT INITIATION OF HARDWOOD CUTTINGS	75
Introduction and Methods	75
Results	76
B. THE RELATIONSHIP BETWEEN BUD DORMANCY AND ROOT INITIATION	79
Introduction and Methods	79
Results	80
C. SEASONAL CHANGES OF ENDOGENOUS GROWTH REGULATORS OF MM 106 AND EM XII APPLE ROOTSTOCKS	80
Methods	80
Results	81
(1) Auxins	81
(2) Abscissic Acid	85

	<u>Page</u>
(3) Rooting Cofactors	86
(4) Butanol-soluble Cytokinins	89
DISCUSSION	95
SECTION II. DEMONSTRATION AND LOCATION OF A TRANSMISSIBLE ROOT PROMOTER IN APPLE ROOTSTOCK HARDWOOD CUTTINGS	107
A. ROOT INITIATION TRIALS OF RECIPROCAL DONOR GRAFTED ROOTSTOCKS	107
Introduction and Methods	107
Results	107
B. EXAMINATION OF ENDOGENOUS GROWTH REGULATORS FROM RECIPROCAL DONOR GRAFTED MM 106 and EM XII APPLE ROOTSTOCKS	109
Methods	109
Results	109
(1) Auxins	109
(2) Abscissic Acid	111
(3) Rooting Cofactors	111
(4) Butanol-soluble Cytokinins	111
DISCUSSION	116
SECTION III. EXAMINATION OF THE ROLES OF IAA AND IBA IN ROOT FORMATION OF DIFFICULT AND EASY-TO-ROOT CUTTINGS OF APPLE ROOTSTOCKS	120
Introduction	120
A. THE EFFECT OF IAA AND IBA ON ROOT FORMATION WHEN APPLIED ALONE OR IN COMBINATION, I.	120
Methods	120
Results	121

B. THE EFFECT OF IAA AND IBA ON ROOT FORMATION WHEN APPLIED ALONE OR IN COMBINATION, II.	125
Introduction	125
Methods	125
(1) EM XII Hardwood Cuttings	125
Results	125
(2) MM 106 Hardwood Cuttings	127
Introduction	127
Methods	128
Results	128
C. THE EFFECT OF VARYING CONCENTRATIONS OF IBA ON ROOT FORMATION OF MM 106 AND EM XII HARDWOOD CUTTINGS	134
D. THE METABOLISM OF ^{14}C -IAA IN HARDWOOD CUTTINGS OF MM 106 AND EM XII APPLE ROOTSTOCKS	136
Methods	136
Results	137
(1) $^{14}\text{CO}_2$ Evolution	137
(2) External Solutions	139
(3) Alcohol Extracts of Cuttings	143
(4) Alcohol Insoluble Compounds	145
DISCUSSION	147
SUMMARY AND GENERAL DISCUSSION	157
APPENDIX I: Buffer solutions	
APPENDIX II: Summary of statistical analyses	
BIBLIOGRAPHY	

TABLE OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Summary of Extraction Procedure	52
2	Summary of Revised Mung Bean Extraction Procedure	54
3	Standard curve for wheat coleoptile response to abscisic acid. Standard errors shown.	61
4	Standard curve for oat coleoptile response to indole-acetic acid	63
5	Standard curve for oat coleoptile response to indole- acetonitrile	64
6	Standard curve for radish cotyledon response to kinetin. Standard errors shown.	68
7	Colour quench correction curve	73
8	Seasonal changes in root initiation of hardwood cuttings of apple rootstocks	77
9	Seasonal changes of an acidic growth promoter, the same as or similar to IAA, determined by the oat coleoptile bioassay of the acid ether fractions of stem tissue samples of apple rootstocks	82
10	Seasonal changes of a neutral growth promoter, the same as or similar to IAN, determined by the oat coleoptile bioassay of neutral ether fractions of stem tissue samples of apple rootstocks	84
11	Seasonal changes of an acidic growth inhibitor, the same as or similar to ABA, determined by the wheat coleoptile bioassay of acidic ether fractions of stem tissue samples of apple rootstocks	87
12	Seasonal changes in an acidic root initiation promoter from MM 106 and EM XII apple rootstocks, determined by the mung bean bioassay	88

13	Histograms of an aqueous promoter from stem tissue samples of MM 106 and EM XII apple rootstocks, determined by the mung bean bioassay.	90
14	Histograms of an aqueous promoter from stem tissue samples of MM 106 and EM XII apple rootstocks, determined by the mung bean bioassay, minus 1 ppm IAA	91
15	Seasonal changes in butanol-soluble cytokinins from MM 106 and EM XII apple rootstocks	93
16	Histograms of IAA-like acidic growth promoters from stem tissue samples of reciprocal donor-grafted apple rootstocks, determined by the oat coleoptile bioassay	110
17	Histograms of IAN-like neutral growth promoters from stem tissue samples of reciprocal donor-grafted apple rootstocks, determined by the oat coleoptile bioassay	112
18	Histograms of ABA-like acidic growth inhibitors from stem tissue samples of reciprocal donor-grafted apple rootstocks, determined by the wheat coleoptile bioassay	113
19	Histograms of an aqueous promoter from stem tissue samples of reciprocal donor-grafted apple rootstocks, determined by the mung bean bioassay	114
20	Histograms of an aqueous promoter from stem tissue and centrifugate of MM 106 apple rootstock	132
21	Histograms of IAA-like growth promoters from stem tissue and centrifugate of MM 106 apple rootstock	133
22	Rate curves of $1\text{-}^{14}\text{CO}_2$ evolution by MM 106 and EM XII hardwood cuttings	138
23	Rate curves of $2\text{-}^{14}\text{CO}_2$ evolution by MM 106 and EM XII hardwood cuttings	140
24	Histograms of chromatogram segments of the $1\text{-}^{14}\text{C}$ -IAA external solution	141
25	Histograms of chromatogram segments of the $2\text{-}^{14}\text{C}$ -IAA external solution	142

26	Histograms of chromatogram segments of the alcoholic extracts of MM 106 and EM XII hardwood cuttings treated with 1- ¹⁴ C-IAA	144
27	Histograms of chromatogram segments of the alcoholic extracts of MM 106 and EM XII hardwood cuttings treated with 2- ¹⁴ C-IAA	146

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1 Mean number of cuttings rooted on successive harvest dates	78
2 Time in days, to 50% bud burst of cuttings of MM 106 and EM XII apple rootstocks	80
3 Results of root initiation trials of stock-scion combinations of MM 106 and EM XII apple rootstocks	108
4 The number of MM 106 cuttings rooted, and the average number of roots per cutting when treated either singly or in combination with IAA or IBA	121
5 The number of EM XII cuttings rooted, and the average number of roots per cutting, when treated either singly or in combination with IAA or IBA	122
6 The number of EM XII cuttings rooted and the average number of roots per cutting, when treated either singly or in combination with IAA (1.0%) and IBA	126
7 The number of centrifuged MM 106 cuttings rooted and the average number of roots per cutting, when treated either singly or in combination with IAA (1.0%) and IBA	129
8 The effect of IBA concentration on root initiation of EM XII apple rootstock hardwood cuttings	134
9 The effect of IBA concentration on root initiation of MM 106 apple rootstock hardwood cuttings	135

LIST OF PLATES

<u>Plate</u>		<u>Page</u>
1	A photographic representation of the effects of IBA and 0.1% IAA in lanolin, applied either separately or in combination, on root formation of apple rootstock hardwood cuttings	123
2	A photographic representation of the effects of IBA and 1.0% IAA in lanolin, applied either separately or in combination, on root formation of MM 106 apple rootstock hardwood cuttings after centrifugation and base removal	131