Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

STUDIES OF PRODUCTIVE TRAITS IN A NEW ZEALAND ROWNEY FLOCK: THE EFFECT OF SOME ENVIRONMENTAL FACTORS, HERITABILITIES AND REPEATABILITIES

A thesis presented in partial fulfilment of the requirements for the degree of Master of Agricultural Science in Amimal Science

at

Massey University

ROGER SCOTT LUNDIE

1971

ACKNOWLEDGEMENTS

The candidate is greatly obliged for the guidance of his supervisor, Professor A.L. Rae.

Special thanks are due to Mrs. K.L. Thatcher, Mrs. P.C. Kirkland, Mr. B. Thatcher and Mr. C.G.R. Muir for their assistance in compiling the data. Grateful acknowledgement is made to the staff of the Massey University Computer Unit and the Massey University Library for their willing help.

Thanks are also extended to Miss S.T.M. Boynton for her assistance during the preparation of this thesis.

This work was aided by a New Zealand Wool Board Scholarship and for this the candidate wishes to express his thanks.

TABLE OF CONTENTS

			Page
ACKNO	WLEDGNE	NTS	ii
LIST	OF TABLE	ES	vi
Chapt	er		
I.	INTROD	UCTION	1
II.	REVIEW	OF LITERATURE	5
	1.	WEANING WEIGHT	5
	1.	Environmental effects	5
	(i)	The magnitude of environmental effects	5
	(ii)	Interactions between main environmental effects	10
	(iii)	Partitioning the components of variance	11
	2.	Estimates of heritability and repeatability	12
	3.	Summary	14
	B.	HOGGET GREASY FLEECE WEIGHT	15
	1.	Environmental effects	15
	(i)	The magnitude of environmental effects	15
	(ii)	Partitioning the components of variance	15
	2.	Estimates of heritability and repeatability	15
	3•	Summary	19
	C.	REPRODUCTIVE RATE	21
	1.	Introduction	21
	2.	Environmental effects	22

	(1)	The magnitude of environmental effects	22
		(a) Age of ewe effect	22
		(b) Date of lambing within the lambing season	27
		(c) Effect of the body weight of the ewe	23
		(d) Year effect	29
	3.	Partitioning the components of variance	30
	4.	Estimates of repeatability and heritability	32
	(i)	Repeatability	32
		(a) Barrenness	33
		(b) Number born per ewe joined	33
		(c) Number weamed per ewe joined	34
		(d) Number born per ewe lambing	3.4
		(e) Number weamed per owe lambing	35
	(ii)	Heritability	36
		(a) Barrenness	36
		(b) Number born per ewe joined	37
		(c) Number weamed per ewe joined	38
		(d) Number born per ewe lambing	38
		(e) Single or multiple births	40
		(f) Number weamed per ewe lambing	40
	5.	Summary	40
	D.	WEIGHT OF LIMB WEINED	44
ITT.	SOURCE	OF DATA	46
	A.	HISTORY AND MANAGEMENT OF THE FLOCK	46
	В.	DATA AND DATA COLLECTION	49
	C.	THE CASE OF THE INFERTILE RAMS USED IN 1962	50
	J 8	The state of the s	

IV.	THE ME	ASUREMENTS USED IN THE STUDY	51
	Å.	CORRECTION FACTORS FOR ESTIMATING WEIGHT OF LAMB WEAMED	51
	В.	THE MEASUREMENTS OF REPRODUCTIVE RATE	53
V .	METHOD	OF ANALYSIS AND RESULTS	55
	Λ_{\bullet}	ESTINATION OF ENVIRONMENTAL EFFECTS	55
	1.	Least squares model	55
	2.	Solution of equations	62
	3.	Testing for an interaction between Age of dam and Birth and rearing effect for weaning weight and hogget fleece weight	65
	4.	Analysis of variance of environmental effects and partitioning the variance components	67
	5.	Results and discussion	69
	В.	ESTIMATION OF REPEATABILITY	75
	1.	Introduction and method of analysis	75
	2.	Results and discussion	78
	C.	ESTIMATION OF HERITABILITY	79
	1.	Introduction and methods of analysis	79
	2.	Dam-offspring relationship method	30
	3.	Paternal half-sib method	31
	4.	Results and discussion	34
	SUMMAR	Y	87
	REFERE	VCES	90
	APPEND	ICES	100

LIST OF TABLES

Table		Page
1	Estimates of environmental effects on wearing weight	6&7
2	Partitioning the variance components	12
3	Estimates of the heritability of weaning weight	13&14
4	Estimates of environmental effects on hogget greasy fleece weight	16
5	Partitioning the variance components	17
6	Estimates of heritability of hogget greasy fleece weight	18
7	Estimates of repeatability of hogget greasy fleece weight	19
3	The effect of age on the number of ewes barron	23
9	The effect of age of owe on reproductive measures based on the number of ewes joined	25
10	The effect of age of ewe on reproductive measures based on the number of ewes lambing	26
11	Partitioning the variance components for measures of reproductive rate in Australian Merinos	30
12	Partitioning the variance components for measures of reproductive rate in N.Z. Romneys	31
13	Matrix 1: Least-squares equations for weaning weight	59
14	Matrix 2: Least-squares equations for fleece weight	60
15	Matrix 3: Least-squares equations for measures of reproductive rate	61
16	Matrix 4: Reduced least-squares equations for weaning weight	64
17	Testing for the interaction between age of dam and birth and rearing effect for weaning weight and hoggerfleece weight	t 66

18	Matrix 5: Reduced least-squares equations necessary for the analysis of variance of the weaning weight year effect	63
19a	Magnitude of environmental effects as deviations from the mean	69
19b	Magnitude of environmental effects as deviations from the mean	70
20a	Analysis of variance of weaning weight and fleece weight	71
20b	Analysis of variance of characters measuring reproductive rate	71
21a	The magnitude of effects between subclasses of environmental factors	72
21b	The magnitude of the effect of different ages of dam on various measures of reproductive rate	72
22	The variance components as a percentage of total variance	74
23	Repeatability estimates	78
24	Horitability estimates by paternal half-sib method	84
25	Heritability estimates for Wt.L.W. by dam-offspring regression	85
26	The inverse of the reduced least-squares equations for weaning weight for all effects except the set for years	103
27	The analysis of variance with the MS expectations	106
23	Variance components as a percentage of total variance	106
29	$\mathbf{\tilde{s}_{im}}$ diagonal element and $\mathbf{\hat{b}_k}$, $\mathbf{\hat{c}_l}$, $\mathbf{\hat{a}_j}$, $\mathbf{\hat{d}}$ and RHM segment of the $\mathbf{\tilde{s}_{im}}$ equations of the full (sires included) wearing weight	110
30	The \hat{b}_k , \hat{c}_l , \hat{a}_j , \hat{d} and RIM segment of the b_k , c_l , a_j and d equations of the full (sires included) weaning weight model	111
31	Full (sires included) wearing weight matrix with ,	110