Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

Genetic Improvement in a Texel Breeding Operation: A case study &

Maximising Pedigree Accuracy for Genetic Gain: A comparison of DNA-assigned parentage and lambing book assigned parentage



A report prepared on behalf of

Landcorp Farming Limited

by

Nicole Andrews.

Institute of Veterinary, Animal

and Biomedical Sciences,

Massey University

Genetic Improvement in a Texel Breeding Operation: A case study

&

Maximising Pedigree Accuracy for Genetic Gain: A comparison of DNA-assigned parentage and lambing-book assigned parentage

A thesis presented in partial fulfilment of the requirements for the degree of Master of Agriscience

in

Animal Breeding and Genetics

At Massey University, Manawatu,

New Zealand

Nicole Fay Andrews

2011

Abstract

There were two main aims to this research. The first was to carry out an investigation of the genetic gain of Landcorp Farming Limited's Waikite Texel breeding operation. This was in order to identify factors that may have been limiting ΔG and the financial return of the system and make recommendations for improvement.

It was found that the achieved mean ΔG of 33¢/ewe/year was less (P<0.05) than that predicted for the Innervalue Fat Index at 97¢/ewe/year. Financially the system was found to have made a net return over the course of the studied period; however, this was less than what was predicted as possible. The main cause of this shortfall was the majority of genetic selection being imposed on live-weight BVs rather than Index values. This investigation also found that there was little room for improvement in the ewe and ram generation intervals with hogget mating and maintenance of current levels being recommended for L. While the ram selection intensity had little room for improvement, the ewe selection intensity did and this is achievable by imposing less selection pressure on structural traits and more on genetic merit.

The second aim of this research was to compare lambing-book dam records and DNA-assigned dam records in order to identify management practices that would target the minimisation of pedigree identification error. Triplets and lambs born to older dams were found to be the groups most at risk of having incorrect lambing-book data, while singles had a lower mean probability that the DNA identified dam was correct.

Although DNA parentage testing was not found to financially benefit a system, it did offer the opportunity to reduce pedigree error through the use of a variety of practices. These practices include: single sire mating of ewes, lambing ewes in mobs of equal or near equal proportions from each sire group, lambing in mobs based on scanning rank, carrying out two or more checks per day on ewes during lambing, and increase the number of markers used in the DNA parentage assignments of groups most at risk from incorrect parentage assignment if financially feasible.

Preface

The figures presented in this research are estimates only and intended to give a guide to improving system management rather than being exact performance figures. They should therefore be used accordingly.

Acknowledgements

I wish to thank:

My supervisors; Hugh Blair, Rebecca Hickson and Geoff Nicoll for their time and patience, and Landcorp Farming Limited for generously providing the data and funding for this project.

Contents

Abstract	3
Preface	4
Acknowledgements	4
Figures	7
Tables	8
Chapter 1 Introduction	8
Chapter 2 Literature Review	11
2.1 Sheep Industry and Genetic Improvement	11
2.1.1 Industry Structure	11
2.1.2 Sheep Improvement Limited	12
2.2 On Farm Genetic Improvement	13
2.2.1 Breeding Objectives	14
2.2.2 Genetic Variation and Prediction of Genetic Merit	15
2.2.3 Components of Genetic Gain	19
2.2.4 Other Considerations	25
2.3 Financial Implications of Genetic Gain	34
2.3.1 Economic Values	34
2.3.2 Financial Considerations in Animal Breeding - Now and in the Future	35
2.3.3 Application to Farming Systems	39
2.4 Aim of Research	40
Chapter 3 Genetic Gain	41
3.1 Introduction	41
3.2 Methods	41
3.2.1 Data	41
3.2.2 Genetic Trend in Index	42
3.2.3 Components of Genetic Gain	43
3.2.4 Estimated Genetic Gain	47
3.2.5 Inbreeding	47
3.2.6 Sensitivity of Genetic Gain and Financial Implications	48
3.3 Results	55
3.3.1 Base System Overview	55
3.3.2 Genetic Trend in Index	57
3.3.3 Components of Genetic Gain	58

3.3.4 Estimated Genetic Gain	67
3.3.5 Sensitivity of Genetic Gain and Financial Implications	68
3.4 Discussion	77
3.4.1 Genetic Gain	77
3.4.2 Variance in the Objective and Accuracy of Selection	78
3.4.3 Generation Interval	79
3.4.4 Selection Intensity	81
3.4.5 Financial and Industry Implications	83
3.5 Conclusions and Recommendations	87
Chapter 4 Parentage Identification	89
4.1 Introduction	89
4.2 Methods	89
4.2.1 Data	89
4.2.2 Analysis	90
4.3 Results	93
4.4 Discussion	99
4.5 Conclusions	104
Chapter 5 Summary and Recommendations	106
5.1 Genetic Gain and Financial Implications in the Waikite Texel Flock	106
5.2 Comparison of Lambing-book Records and DNA-Assigned Parentage of to Minimise Ped Error	-
References	111
Appendices	116
Appendix A	116
Genetic and Phenotypic Parameters of Fat and Lean Indices respectively	116
Improvement in Selection Criteria Traits between 2000 and 2009	118
Appendix B	119
Genetic Superiorities and rates of gain used in financial analysis of alternate systems	119
Percentage contribution of each dam age class to a generation of replacements as used in financial calculations	
Appendix C	122
Lean Results	122

Figures

Figure 2.1 Adapted from data from Garrick et al. (2000) and Crawford et al. (2007) this
graph shows the estimated percentage of the New Zealand nucleus flock animals that are
DNA parentage tested by $Genomnz^{TM}$, one of the major companies providing such services
in New Zealand31
Figure 3.1 Mean Index value of lambs born each year between 2000 and 2009 inclusive 57
Figure 3.2 Ewe, ram and average L calculated from parental contribution to lambs weaned
60
Figure 3.4 Showing the ewe L _{Rep} and L for the studied period61
Figure 3.5 Showing the ram L _{Rep} and L for the studied period61
Figure 3.6 The proportion of ewe lambs retained as replacements by dam age group62
Figure 3.7 The proportion of rams retained as replacements by dam age group63
Figure 3.8 Average proportion of sales by dam age group
Figure 3.3 Selection intensities for ewes and rams and the overall flock mean for the period
2000 - 200967
Figure 3.9 Predicted change in mean index value for the Innervalue Fat and Lean indices and
the achieved change in mean index value68
Figure 3.10 Estimated annual ΔG made under different treatments influencing age structure
applied to the base system for the Fat Index (see table in methods). Showing percentage
deviation from base system72
Figure 3.11 Effects of changing flock selection practices on ΔG in the Fat index. Showing
percentage deviation from the base system
Figure 3.12 Average discounted gross margin per S.U. per year from ten years of purchasing
rams from systems under actual gain, and gain in the Innervalue Fat and Lean Indices.
Showing two different ram prices for systems mating hoggets and not mating hoggets76
Figure 4.1 The cumulative frequency of P_dam values for all lambs DNA tested91
Figure 4.2 The effect of lambing-book error on the change in mean index value over a period
of ten years for the Innervalue Fat index97

Tables

Table 3.1Treatment of base system to analyse the effect of changing parent age structure of	on
the financial costs/ benefits of ΔG5	53
Table3.2 Changes to management practices to analyse the sensitivity of the financial costs/	/
benefits of the base system5	54
Table3.3 Stock reconciliation for Landcorp Farming Limited Waikite Texel flock showing	
average stock numbers and movements between July 1st and June 30th5	56
Table 3.4 Genetic and phenotypic co-variances and genetic standard deviations for the Fat	
index5	58
Table 3.5 Genetic and phenotypic co-variances and genetic standard deviations for the Lea	n
index5	59
Table 3.6 Average percentage of animals culled for various traits6	54
Table 3.7 Mean BV of the top 160 ewe lambs born per year based upon selection on Index	
value, eight month live-weight BV and 12 month live-weight BV6	65
Table 3.8 Mean BV of the top eight ram lambs born per year based upon selection on Index	X
value, eight month live-weight BV and 12 month live-weight BV6	56
Table 3.9 Summary of financial implications for actual management practices carried out	
between 2000 and 2009 inclusive6	59
Table 3.10 Summary of financial implications of estimated and achieved ΔG with HM6	69
Table 3.11 Summary of financial implications of estimated and achieved ΔG with hoggets	
not mated	70
Table 3.12 Summary of the average annual effects of costs and returns on the gross margin	n
of a system mating hoggets for the Innervalue Fat index and actual gain achieved	70
Table 3.13 Summary of the average annual effects of costs and returns on the gross margin	n
of a system not mating hoggets for the Innervalue Fat index and actual gain achieved	71
Table 3.14 Effects of changing flock age structure on the financial outcomes of 10 years of	
continuous selection on Fat Index while mating hoggets. Showing the percentage differenc	e
from the base systems as in Table 3.9 & Table 3.10	73
Table 3.15 Effects of changing flock age structure on the financial outcomes of 10 years of	
continuous selection on Fat Index while not mating hoggets. Showing the percentage	
difference from the base systems as in Table 3.9 & Table 3.10.	73

Table 3.16 Financial effects of changing flock selection practices in systems mating hoggets.
Showing the percentage difference from the base system75
Table 3.17 Financial effects of changing flock selection practices in systems not mating
hoggets. Showing the percentage difference from the base system75
Table 4.1 Numbers of lambs recorded in lambing-book and DNA file93
Table 4.2 Average litter born, weaned and DNA tested statistics for singles, twins and
triplets94
Table 4.3 Mean P_dam values of all lambs DNA tested by litter size94
Table 4.4 Numbers and percentages of identified dams matched by litter size between the
lambing-book and the DNA-assigned parentage. Across P_dam groups and totals95
Table 4.5 Numbers and percentages of identified dams matched by sex of lamb between the
lambing-book and the DNA-assigned parentage. Across P_dam groups and totals95
Table 4.6 Numbers and percentages of identified dams matched by lambing-book dam age
between the lambing-book assigned parentage and the DNA-assigned parentage. Across
P_dam groups and totals96
Table 4.7 Comparison of the financial performance per S.U. of the base system for the
Innervalue Fat Index mating hoggets (presented in Chapter One) with no DNA parentage
testing costs, assuming no lambing-book pedigree error, a 7% lambing-book error and a 20%
lambing-book error98
Table 4.8 Comparison of the financial performance of the base system for the Innervalue Fat
Index not mating hoggets (presented in Chapter One) with no DNA parentage testing costs,
assuming no lambing-book pedigree error, a 7% lambing-book error and a 20% lambing-
book error98
Table 4.9 The frequency of shepherding during the lambing period carried out on stud
farms in a survey of 400 New Zealand Sheep farms by Brock et al. (2003)103