Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

PURIFICATION AND KINETIC CHARACTERISATION OF CLASS 3 BOVINE CORNEAL ALDEHYDE DEHYDROGENASE

A Thesis presented in partial fulfilment of the requirements for the degree of

> Master of Science in Chemistry

> > at

Massey University

Brendon John Woodhead 1999

Acknowledgements.

.

I would like to thank my family and fiancee Nicola for their emotional and financial support as well as my supervisors, Dr. Michael J. Hardman and Dr. Paul. Buckley for their support, patience and encouragement over the last few years.

Contents.

Acknowledgements	2
List of Figures	7
List of Tables	10

Page

Section 1.

Introduction

1.1	Aldehydes	11
1.2	Aldehyde-Metabolising Enzymes	11
1.3	Tissue and Subcellular Distribution of ALDH	12
1.4	Nomenclature and Classification of ALDH	14
1.5	Substrate Specificities	15
1.6	Structural organisation of the Cornea	16
1.7	Proteins of the Cornea	18
1.8	Ultraviolet Absorption by Corneal ALDH	20
1.9	The Enzymatic Function of Corneal ALDH	23
1.10	The Structural Role of Corneal ALDH	25
1.11	Structural Features of Class 3 ALDH	26
	The Nucleotide-Binding Site	27
	The Catalytic Site	28
1.12	The Aims of this Study	30

Page

Section 2.

Purification of Class 3 Bovine Corneal Aldehyde Dehydrogenase

2.1	Introduction	31
2.2	Methods	31
2.2.1	Protein Determinations	31
2.2.2	Sodium Dodecyl Sulphate (SDS) Gel Electrophoresis	31
2.2.3	Isoelectric Focusing and Staining	32
2.2.4	Aldehyde Dehydrogenase Assay	32
2.2.5	Protein Purification 1a, Method and Results	33
2.2.6	Protein Purification 1b, Method and Results	37
2.2.7	Protein Purification 1c, Method and Results	39
2.2.8	Protein Purification 2, Method and Results	42
2.2.9	Protein Purification 3, Methods and Results	47
	Effect of Phenylmethylsulfonyl Fluoride on ALDH Activity	47
	Corneal Extraction	48
	Protein Purification 3a	48
	Protein Purification 3b	51
2.3	Discussion	54
	э.	
	Section 3.	
	Ligand Binding Studies.	

3.1	Introduction and Ligand Binding Theory	59
3.2.0	Methods	64

Page

3.2.1	Ultraviolet Difference Spectrum between Enzyme-bound and free NADH	64
3.2.2	NADH Titration	64
	Method 1	65
	Method 2	65
3.3.0	Results	66
3.3.1	Ultraviolet Difference Spectrum between Enzyme-bound and free NADH	66
3.3.2	NADH Titrations	67
3.4	Discussion	76
	Section 4.	
	Presteady State Kinetics	
4.0	Introduction	80
4.1.0	Methods	80
4.1.1	Buffer and Reagents	80
4.1.2	Aldehydes	81
	Aldehyde Purification Procedure	81
	The Effect of Acetonitrile on ALDH Activity	81
4.1.3	Enzyme Concentration	82
4.2.0	Results	83
4.2.1	Enzyme Mixed with NAD ⁺	83
4.2.2	Enzyme Premixed with Aldehyde and then Mixed with $\mathbf{NAD}^{\scriptscriptstyle +}$	85
4.2.3	Enzyme Premixed with Aldehyde and then Mixed with $NADP^+$	86
4.2.4	Enzyme Mixed with Aldehyde and NAD ⁺ Together	87

		Page
4.2.5	Enzyme Premixed with NAD^+ and then Mixed with Aldehyde	88
4.2.6	Enzyme Premixed with $NADP^+$ and then Mixed with Aldehyde	96
4.3	Discussion	96
	Section 5.	
	Summary of Results and Conclusions	
5.1	Purification of Class 3 Bovine Corneal Aldehyde Dehydrogenase	104
5.2	Ligand Binding Studies	104
5.3	Presteady State Kinetics	105
	References	107

List of Figures

Figure	Title	Page
1.	Reactions catalysed by aldehyde-oxidising enzyme systems	12
2.	Structural organisation of the cornea	17
3.	Schematic drawing of the ALDH monomer and dimer	27
4.	A schematic drawing for the structure based mechanism of aldehyde conversion to carboxylic acid	29
5.	Procedure summary for protein purifications 1a, 1b and 1c	34
6.	A ₂₈₀ versus elution time for the purification of bovine corneal ALDH using purification 1a	35
7.	SDS-PAGE of purified and crude bovine corneal ALDH from purification 1a	36
8.	Isoelectric focusing and staining of purified bovine corneal ALDH	37
9.	A ₂₈₀ versus elution time for the purification of bovine corneal ALDH using purification 1b	39
10.	A ₂₈₀ versus elution time for the purification of bovine corneal ALDH using purification 1c	42
11.	SDS-PAGE of purified and crude bovine corneal ALDH from purification 2	43
12.	A ₂₈₀ versus elution time for the purification of bovine corneal ALDH using purification 2	44
13.	Procedure summary for protein purification 2	46
14.	Procedure summary for protein purifications 3a and 3b	49
15.	A_{280} versus elution time for the purification of bovine corneal ALDH using purification 3a	50
16.	SDS-PAGE of purified and crude bovine corneal ALDH from purification 3a	51
17.	SDS-PAGE of purified and crude bovine corneal ALDH from purification 3b	53

Figure	Title	Page
18.	A ₂₈₀ versus elution time for the purification of bovine corneal ALDH using purification 3b	53
19.	Plots showing the effects of cooperativity	63
20.	Difference spectrum between enzyme-bound and free NADH	66
21.	Titration 1 of purified aldehyde dehydrogenase with NADH	69
22.	Titration 2 of purified aldehyde dehydrogenase with NADH	70
23.	Titration 3 of purified aldehyde dehydrogenase with NADH	72
24.	Titration 4 of purified aldehyde dehydrogenase (dialysed) with NADH	74
25.	Titration 5 of purified aldehyde dehydrogenase (undialysed) with NADH	75
26.	Titration 6 of purified ALDH (dialysed and mixed with excess aldehyde) with NADH	76
27.	A kinetic model which rationalises the observed NADH titration results	79
28.	Time course of the absorbance change at 340 nm on mixing undialysed ALDH (11.5 μ M) with NAD ⁺ (2 mM)	84
29.	Time course of the absorbance change at 340 nm on mixing NAD ⁺ (2 mM) with dialysed ALDH (10 μ M) which had been preincubated with aldehyde (hexanal, 1 mM)	85
30.	Time course of the absorbance change at 340 nm on mixing dialysed ALDH (14.5 μ M) with a solution of NAD ⁺ (2 mM) and hexanal (1 mM) after cleaning the stopped-flow spectrophotometer	88
31.	Time course of the absorbance change at 340 nm on mixing octaldehyde (1 mM) with dialysed ALDH (10 μ M) which had been preincubated with NAD ⁺ (2 mM)	90
32.	Time course of the absorbance change over 1 second at 340 nm on mixing heptaldehyde (1 mM) with dialysed ALDH (10 μ M) which had been preincubated with NAD ⁺ (2 mM)	91

Figure	Title	Page
33.	Time course of the absorbance change over 0.25 seconds at 340 nm on mixing heptaldehyde (1 mM) with dialysed ALDH (10 μ M) which had been preincubated with NAD ⁺ (2 mM)	92
34.	Time course of the absorbance change over 1 second at 340 nm on mixing hexanal (1 mM) with dialysed ALDH (10 μ M) which had been preincubated with NAD ⁺ (2 mM)	93
35.	Time course of the absorbance change over 0.25 seconds at 340 nm on mixing hexanal (1 mM) with dialysed ALDH (10 μ M) which had been preincubated with NAD ⁺ (2 mM)	94
36.	Reaction mechanism for the catalysed oxidation of an aldehyde by sheep liver ALDH	98
37.	Proposed kinetic model for the reaction pathway for bovine corneal ALDH catalysed oxidation of an aldehyde based on experimental evidence	102

List of Tables

Table	Title	Page
1.	Classification of mammalian ALDH	15
2.	Kinetic properties of mammalian corneal ALDH	24
3.	Purification results of purification 1a	35
4.	Purification results of purification 1b	39
5.	Purification results of purification 1c	41
6.	Purification results of purification 2	44
7.	Effect of phenylmethylsulfonyl fluoride on ALDH activity	48
8.	Purification results of purification 3a	50
9.	Purification results of purification 3b	52
10.	Summary of the results from the protein purification procedures	56
11.	Molecular weight forms and IEF patterns for mammalian corneal ALDH	57
12.	Summary of the NADH titration results	77
13.	The effect of acetonitrile on ALDH activity	82
14.	Effect of preincubation of the enzyme with different aldehydes on the burst parameters	86
15.	The effect the duration of preincubation between enzyme and NAD^+ has on the burst parameters using octaldehyde as the aldehyde substrate	89
16.	Steady-state rates for different aldehyde substrates when rapidly mixed with enzyme preincubated with NAD^+	95
17.	Summary of the stopped-flow results under different mixing conditions	96
18.	Percentage of active sites with bound NADH, produced in the presteady-state phase under differen reactant mixing conditions	98