

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

SOME EFFECTS OF PASTURES SPECIES AND STOCKING RATE
ON SHEEP AND PASTURE PRODUCTION

A THESIS

presented in partial fulfilment of the requirements

for the degree

of

MASTER OF AGRICULTURAL SCIENCE

at

MASSEY UNIVERSITY

A. G. HUBLATH

1969

ACKNOWLEDGEMENTS

I wish to thank especially Professor B. R. Watkin and Dr. G. A. Wickham for their advice and guidance and their helpful discussions and suggestions throughout this study. I also wish to thank Professor A. L. Rae for his useful comments and criticism of the draft of this manuscript.

I am grateful to Mr. R. Battersby for his assistance with pasture and wool sampling and to Mr. B. Thatcher, Mr. R. Sumner and Mr. J. Scoffield for assisting with wool sampling on the University farm.

All analysis was calculated using Massey University IBM computer programs developed by Dr. F. Cockrem to whom my thanks are due.

For the final presentation of this thesis I am indebted to Mr. E. Sinclair who prepared the figures and to Mrs. J. Reynolds who typed the text.

Many other people have assisted with this study and although too numerous to mention individually their important contribution is acknowledged here.

The work would not have been possible without the generous financial support at the Instituto Nacional de Tecnologia Agropecuaria (I.N.T.A.) of the Argentine Republic whose scholarship to New Zealand provided me with the opportunity to complete this work.

CONTENTS

Chapter		Page
I	INTRODUCTION	1
II	REVIEW OF LITERATURE	3
	A. ANIMAL PRODUCTION	4
	1) SEASONAL VARIATION IN WOOL GROWTH	4
	a) SEASONAL VARIATION IN WOOL GROWTH OF GRAZING ANIMALS	5
	b) TEMPERATURE, LIGHT AND THE ANNUAL RHYTHM	7
	c) MEDIATION OF THE SEASONAL RHYTHM	10
	2) BODY GROWTH	11
	3) NUTRITION AND BODY GROWTH	13
	4) NUTRITIONAL REQUIREMENT FOR WOOL GROWTH	15
	5) EFFECT OF PASTURES SPECIES ON SHEEP PRODUCTION	18
	6) EFFECT OF STOCKING RATES ON SHEEP PRODUCTION	23
	B. PASTURES	31
	1) EFFECT OF STOCKING RATE ON PASTURE PRODUCTION AND ITS COMPONENTS	31
	2) EFFECT OF THE GRAZING ANIMAL ON THE YIELD AND ITS COMPONENTS	34
	a) EFFECT OF DEFOLIATION ON PASTURE PRODUCTION	34
	1) CARBOHYDRATE RESERVES	36
	11) ROOT GROWTH	36
	111) LEAF GROWTH AND LIGHT INTERCEPTION	37
	b) EFFECT OF DEFOLIATION ON BOTANICAL COMPOSITION	40
	c) TREADING	41
	d) EFFECT OF DUNG AND URINE	42

	e)	SELECTION OF PLANT MATERIAL BY THE GRAZING ANIMAL	44
	f)	SUMMARY OF THE EFFECT OF GRAZING ON PASTURE	45
III		EXPERIMENTAL	48
	A.	INTRODUCTION	48
	B.	MATERIALS	49
	1)	LOCATION OF THE EXPERIMENT	49
	2)	FIELD PLOTS DESIGN	49
	3)	EXPERIMENTAL ANIMALS	50
	C.	METHODS	51
	1)	PASTURE MANAGEMENT	51
	2)	PASTURE SAMPLES	51
	3)	BOTANICAL ANALYSIS	52
	4)	ANIMAL LIVE WEIGHT	52
	5)	WOOL SAMPLING	52
	6)	STATISTICAL ANALYSIS	54
IV		RESULTS	56
	1)	PASTURE AVAILABILITY	56
	2)	PASTURE GROWTH	57
	3)	BOTANICAL COMPOSITION	59
	4)	ESTIMATION OF GROUND COVER	60
	5)	LIVE WEIGHT	60
	6)	WOOL GROWTH	62
	7)	WOOL LENGTH GROWTH RATE	64
	8)	WOOL CHARACTERISTICS	65
V		DISCUSSION	67

VI	SUMMARY	77
VII	REFERENCES	80

LIST OF TABLES

<u>Table</u>		<u>Following page</u>
1a	Meteorological data for Manawatu - temperature	49
1b	Meteorological data for Manawatu - rainfall	49
2	Analysis of variance of total pasture available	56
3	Means of total pasture available (dry matter lb/acre)	56
4	Analysis of variance of total pasture growth	57
5	Means of total pasture growth (dry matter lbs/acre)	58
6	Estimation of botanical composition in terms of percentage of species present in the total dry matter available	59
7	Estimation of percentage of ground cover determined by point analysis method	60
8a	Analysis of variance of live weight	61
8b	Analysis of variance of live weight adjusted for live weight at the previous weighing	61
9a	Estimates of effect of factors on unadjusted live weight	62
9b	Estimates of effects of factors on adjusted live weight	62
10a	Analysis of variance of weight of wool per sample and weight per unit area	63
10b	Analysis of covariance of weight of wool per sample and weight per unit area adjusted for weight at the first sample	63

11a	Estimate of effect of factors on unadjusted wool growth	63
11b	Estimate of effect of factors on adjusted wool growth	63
12	Analysis of covariance of fleece weight adjusted for initial weight per unit area	64
13	Estimates of effect of factors on adjusted fleece weight	64
14	Analysis of variance of wool characteristics	65
15	Estimates of effects of factors on wool characteristics	65

LIST OF FIGURES

<u>Figure</u>		<u>Following page</u>
1	Experimental area	49
2	Changes in total pasture availability under low stocking rate (mean dry matter lbs/acre)	56
3	Changes in total pasture availability under high stocking rate (mean dry matter lbs/acre)	56
4	Total pasture growth under low stocking rate (mean dry matter lbs/acre)	57
5	Total pasture growth under high stocking rate (mean dry matter lbs/acre)	57
6	Live weight changes of sheep grazing at low stocking rate	60
7	Live weight changes of sheep grazing at high stocking rate	60
8a) 8b)	Greasy woolgrowth per unit area during sampling periods	62
9	Monthly variation in wool length growth of animals grazing at low stocking rate	64
10	Monthly variation in wool length growth of animals grazing at high stocking rate	64

LIST OF PLATES

<u>Plate</u>		<u>Following page</u>
1 & 2	General view of the experimental area	49
3	Selective grazing. Cocksfoot/white clover pasture under low stocking rate	59
4	Close up of white clover pasture low stocking rate showing invasion of <i>Mentha puligium</i>	59
5	Low stocking rate white clover pasture	60
6	High stocking rate white clover pasture	60
7	Animals grazing cocksfoot pasture. Left, low stocking rate; right, high stocking rate	61
8	Sheep grazing white clover high stocking rate	61
9	View of two high stocking rate treatments. Left, white clover; right, cocksfoot	72
10	View of cocksfoot pastures. Left, low stocking rate; right, high stocking rate	72
11	3 month wool growth. Animal grazing cocksfoot high stocking rate	76
12	3 month wool growth. Animal grazing white clover high stocking rate	76