

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

STUDY OF THE EFFECTS OF DIFFERENT BASE
POPULATIONS ON THE SIZE AND VARIABILITY
OF SHORT-TERM RESPONSES TO SELECTION IN
DROSOPHILA

A thesis submitted in partial fulfilment of the requirements
for the degree of Doctor of Philosophy
at
Massey University

VIOLET PAN ENG CHIA

1971

TABLE OF CONTENTS

	<u>Page</u>
I. INTRODUCTION	1
II. REVIEW OF LITERATURE	3
A. PATTERNS OF SELECTION RESPONSE	3
B. FACTORS AFFECTING SELECTION RESPONSE	12
1. Base populations	12
2. Selection traits	20
(i) Major components of fitness	21
(ii) Characters with moderate effects on fitness	24
(iii) Characters with little direct effects on fitness	25
3. Methods of selection	27
4. Population size and selection intensity	32
5. Mating systems	40
6. Environment	43
III. MATERIALS AND METHODS	50
A. ORGANISM	50
B. ABDOMINAL BRISTLE CHARACTER	51
C. BASE POPULATIONS	53
1. Description of base populations	53
2. Results and discussion	53
IV. HERITABILITY ESTIMATES OF THE OREGON-R AND +3 BASE POPULATIONS	59
A. INTRODUCTION	59

B. MATERIALS AND METHODS	63
C. RESULTS	66
1. Oregon-R base population	66
(1) Parent-offspring regression analysis	66
(ii) Diallel analysis	67
2. +3 base population	69
(1) Parent-offspring regression analysis	69
(ii) Diallel analysis	69
D. DISCUSSION	71
V. SELECTION EXPERIMENT	73
A. MATERIALS AND METHODS	73
1. Replications	73
2. Control	75
3. Selection procedure	77
B. SELECTION RESULTS	80
1. General observations	80
2. Presentation of basic data	81
(1) Response of mean bristle number	83
(ii) Phenotypic variance	91
(iii) Coefficient of variation	96
(iv) Realised heritability	97
C. ANALYSIS OF SELECTION RESPONSE	101
1. Average rate of response	101
(1) Regression coefficient	104
(ii) Mean response	112
(iii) Intra-line differences in average response	117
(iv) Inter-line differences in average response	120
(v) Patterns of two-directional response	123

2.	Realised heritability	127
	(1) Intra-line differences in realised heritability	127
	(ii) Inter-line differences in realised heritability	133
	(iii) Patterns of two-directional response	135
3.	Variability between replicates within selection lines	137
	(1) Introduction	137
	(ii) Methods of analysis and results	138
4.	Discussion	145
D.	PREDICTION OF SELECTION RESPONSE	147
	1. Heritability	147
	2. Average response rate	152
	3. Discussion	156
VI.	GENETIC ANALYSES OF SELECTED LINES	159
A.	ANALYSES OF +3 HIGH SELECTION LINE	159
	1. Heritability estimations of the +3 high selection line	159
	(1) Materials and methods	159
	(ii) Results and discussion	160
	2. Crossing between +3 high and low selection lines	163
B.	RELAXATION OF SELECTION	166
C.	CHROMOSOME ANALYSIS	168
	1. Materials and methods	168
	2. Observations and results	169
	3. Discussion	174
D.	LETHAL TEST	177
	1. Materials and methods	179

	2. Observations and results	182
	(i) Frequency of recessive lethals	183
	(ii) Relative viabilities	186
	(iii) Interactions	188
	3. Discussion	189
	E. DISCUSSION	190
VII.	GENERAL DISCUSSION	193
	SUMMARY	199
	ACKNOWLEDGEMENTS	203
	REFERENCES	204

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Mean abdominal bristle number of <u>D. melanogaster</u> by strain, reciprocal cross and sex	54
2	Parameters of the base populations	56
3	Expected composition of the heritability estimates derived from the parent-offspring regression analysis and the diallel analysis	62
4	Parent-offspring regression estimates of heritability for abdominal bristle number in the Oregon-R base population	66
5	Analysis of variance of the diallel cross in the Oregon-R base population	68
6	Parent-offspring regression estimates of heritability for abdominal bristle number in the +3 base population	69
7	Analysis of variance of the diallel cross in the +3 base population	70
8	Components of variance for abdominal bristle number in different base populations	71
9	Experimental plan and its code designations	79
10(a)	Mean abdominal bristle number of individual selection replicates and the controls (female data)	f 82
10(b)	Mean abdominal bristle number of individual selection replicates and the controls (male data)	f 83
11(a)	Phenotypic variances of individual selection replicates and controls (female data)	f 90
11(b)	Phenotypic variances of individual selection replicates and controls (male data)	f 90
12(a)	Coefficient of variation (%) of individual selection replicates and controls (female data)	f 96

f refers to following page.

<u>Table</u>		<u>Page</u>
12(b)	Coefficient of variation (%) of individual selection replicates and controls (male data)	f 96
13	Average realised heritabilities of selection lines for each generation (sexes combined)	100
14	Analysis of variance. Deviations from linear regression	105
15	Analysis of variance. Deviations from linear regression	107
16	Average response rate from the linear regression of response against generation number of the Cross high replicates	108
17	Test for homogeneity of regression coefficients of the Cross high selection line (female data)	110
18	Test for homogeneity of within-replicate regression coefficients of the high selection lines. Summary of F-tests	111
19	Test for homogeneity of within-replicate regression coefficients of low selection lines (female data). Summary of F-tests	112
20	Mean response for high and low selection lines	114
21	Comparison of two methods of measuring response (bristle number per generation) of the selection lines	115
22	Comparison of the standard errors of the two estimates of average response rate	117
23	Confidence intervals of average response rates of individual replicates of high selection lines	118
24	Regression coefficients of individual replicates of low selection lines and interval estimates of average regression coefficients	f 119
25	F-test for the homogeneity of average regression coefficients of lines selected in the same direction. Summary of F-tests	121
26	Interval estimates for the average selection responses (bristle number per generation) of high and low selection lines	122
27	Asymmetry of selection response. Average regression coefficients of high and low selection lines	124

<u>Table</u>		<u>Page</u>
28	Intra-replicate realised heritabilities (regression coefficient) (sexes separate)	128
29(a)	Test for homogeneity of intra-replicate regression coefficients (realised heritabilities) of high selection lines. Summary of F-tests	129
29(b)	Test for homogeneity of intra-replicate regression coefficients (realised heritabilities) of low selection lines. Summary of F-tests	130
30	The 95% confidence intervals of realised heritabilities of individual replicates (in percentage)	131
31	F-tests for homogeneity of average realised heritabilities of lines selected in the same direction. Summary of F-tests	133
32	Confidence intervals of average realised heritabilities (%) of high and low selection lines	134
33	Asymmetry of selection responses. Average realised heritabilities of high and low selection lines	135
34(a)	Variance components between and within replicates of high selection lines	f 139
34(b)	Variance components between and within replicates of low selection lines	f 139
35	Rate of increase in inbreeding per generation	141
36	Inbreeding level (F) of selection lines and replicate differences due to genetic drift (V_B) (sexes combined)	143
37	Summary of realised and predicted heritabilities (h^2) of Oregon-R and +3 base populations	149
38	Deviations of the estimated heritability from the average heritability of the first selection generation	150
39	Response per generation predicted from first generation realised heritabilities	153
40	Comparison of observed with predicted response (bristle number/generation)	154
41	Heritability estimates of the +3 high selection line (Gen.14)	161

TablePage

42	Reciprocal crosses between +3 high selection line and +3 low selection replicates	164
43	Mating scheme for chromosome assays of selection replicates against <u>vg se</u> tester stock	f 169
44	Analysis of variance of female abdominal bristle number from chromosome assays	172
45	Chromosome assays of selection replicates against <u>vg se</u> stock (female data)	f 173
46	Mating system utilised for detecting recessive lethals in second and third chromosomes in selection replicates	181
47	Method of analysis of the effects of the second and third chromosome homozygotes of the selection replicates on viability	182
48	Frequency of lethal second and third chromosomes in high and low selection replicates	184
49	Viability indices of second (S) and third (T) chromosome homozygotes of the selection replicates as well as interaction (I)	187

L I S T O F F I G U R E S

<u>Figure</u>		<u>Page</u>
1(a)	Selection response of the Oregon-R population (female data)	f 83
1(b)	Selection response of the Oregon-R population (male data)	f 83
1(c)	Selection response of the +3 population (female data)	f 84
1(d)	Selection response of the +3 population (male data)	f 84
1(e)	Selection response of the Cross population (female data)	f 85
1(f)	Selection response of the Cross population (male data)	f 85
1(g)	Average selection response of the Oregon-R, +3 and Cross populations (female data)	f 86
2	Divergence of selection response between high and low selection lines	f 90
3(a)	Phenotypic variance of individual replicates of Oregon-R (female data)	f 91
3(b)	Phenotypic variance of individual replicates of Oregon-R (male data)	f 91
3(c)	Phenotypic variance of individual replicates of +3 (female data)	f 92
3(d)	Phenotypic variance of individual replicates of +3 (male data)	f 92
3(e)	Phenotypic variance of individual replicates of Cross (female data)	f 93
3(f)	Phenotypic variance of individual replicates of Cross (male data)	f 93

f refers to following page.

FigurePage

4	Comparison of the mean phenotypic variances of high and low selection lines and controls of Oregon-R, +3 and Cross	f 94
5	Comparison of the coefficient of variation of the high and low selection lines and controls of the Oregon-R, +3 and Cross	f 95
6	Combined sexes realised heritability for high and low selection lines of Oregon-R, +3 and Cross	f 98
7	Comparisons of the two estimations of response per generation - regression coefficient and response/t - of Oregon-R, +3 and Cross selection lines (female data)	f 112
8	Comparison of standard errors of average regression coefficient and mean response of the Oregon-R, +3 and Cross selection lines (female data)	f 116
9	Confidence intervals of average response rate for individual replicates of high selection lines	f 117
10	Total response plotted against cumulated selection differential of high and low selection lines of the Oregon-R, +3 and Cross populations (female data)	f 126
11	Confidence intervals of realised heritabilities of individual replicates	f 131
12	Comparison of observed between replicates variance with expected drift variance (sexes combined)	f 140
13	F-ratio of selection lines (sexes combined)	f 143
14	Comparison of predicted responses with observed average response over fourteen selection generations	f 154
15	Effects of relaxing selection. Deviations of selected line from the control line	f 166