Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

i

DIFFERENCES BETWEEN ATTITUDES, ABILITY, PHYSICAL WELL-BEING AND SOCIAL INVOLVEMENT OF PEOPLE WITH PARKINSON'S DISEASE WHO JOIN THE PARKINSON'S SOCIETY AND THOSE WHO DO NOT JOIN.

A thesis presented in partial fulfilment of the requirements for the degree of Master of Arts in Psychology at Massey University.

Sharon Mary Humphries
1992

DCOW

This study is dedicated to James Sydney Henney, late of Atawhai Hospital, Napier, my first Parkinson's patient.

ACKNOWLEDGEMENTS

Special thanks to my supervisor Dr John Podd for his support and guidance, and to my husband Steven Humphries for assistance with the statistical analysis.

TABLE OF CONTENTS

Pag	•
Title	
Dedication	
Acknowledgements iii	
Table of Contents iv	
List of Tables vi	
List of Figures vii	
Abstract	
CHAPTER	
I INTRODUCTION	
II METHOD	
III RESULTS	

IV	Charact Leisure The Par	
	REFERENCES	145
	APPENDIX 1	Incidence of Parkinson's disease in the Manawatu: a brief survey157
	APPENDIX 2	Questionnaire 1
	APPENDIX 3	Psychological Adjustment to
		Illness scale

LIST OF TABLES

Table		
1	Age and sex of sample, comparing members and non-members.	71
2	Marital status and sex of sample, comparing members and non-members.	72
3	Household composition of subjects, comparing members and non-members.	73
4	Current work status of sample.	74
5	Main occupation of participants, comparing members and non-members.	75
6	Influence of Parkinson's disease on the decision to finish work for both members and non-members	76
7	Frequency of other types of illness in Parkinson's disease patients.	77
8	Distribution of tremor scores for members and non-members	79
9	Distribution of walking disability scores for both members and non-members.	81
10	Distribution of speech difficulties for members and non-members.	82
11	Dribbling scores comparing members and non-members.	83
12	Relationship of all handicaps to age, PAIS scores, and selected activities for all subjects.	86
13	Relationship of all handicaps to age, PAIS scores, and selected activities for all Parkinson's Society members.	88
14	Relationship of all handicaps to age, PAIS scores, and selected activities for all non-members.	89
15	Location of subjects' homes.	

LIST OF TABLES (CONT.)

16	current leisure time activities, and with the difference between time spent prior to illness and now for members and non-members.	94
17	Individual leisure activities before and after illness for members and non-members combined.	95
18	Individual leisure activities before and after illness for Parkinson's Society members.	96
19	Individual leisure activities before and after illness for Parkinson's Society non-members.	96
20	Activities outside the home both before and after illness for all subjects.	97
21	Activities outside the home both before and after illness for Society members.	97
22	Activities outside the home both before and after illness for Society non-members.	98
23	Group activities now and before the illness for all subjects.	99
24	Group activities now and before the illness for Parkinson's Society members.	99
25	Group activities now and before the illness for Parkinson's Society non-members.	100
26	Source from which members learnt about the existence of the Parkinson's Society.	103
27	Society activities found most helpful by members, and the PAIS scores of each group.	103
28	Reasons for non-attendance of Parkinson's Society meetings by members.	105
29	Reasons given by non-members of the Parkinson's Society for not wishing to join the Society.	106
30	Mean scores for each major subsection of the PAIS presented as a function of Parkinson's Society membership.	107

LIST OF FIGURES

Figure		Page
1	Location of the basal ganglia, consisting of the globus pallidus, the caudate nucleus and putamen.	9
2	Brain pathways involved in Parkinson's disease.	10
3	Comparison of MPTP, MPPT, 4PP and paraquat.	17
4	Comparison of a normal human brain, and one exposed to MPTP.	18
5	Decreasing response to levodopa over five years.	31
6	The incidence of dementia in relation to the stage of Parkinson's disease.	39

ABSTRACT

investigation was undertaken to compare demographic, physical disability, and some personality differences between members and non-members of the Parkinson's Disease Society. In addition, the leisure activities of subjects were investigated, and levels of activity before and after onset of illness were compared. Eighty-seven patients were interviewed using a structured interview, while the Psychological Adjustment to Illness Scale was used to measure differences in adjustment to the illness between the member and non-member groups. While few differences were found between members and non-members, a trend in the amount of leisure activities the two groups enjoyed was discovered. Whether these differences were there prior to joining the Society, or whether the Society membership mediated the differences could not be ascertained from a correlational study, and the implications of this are considered. Of the activities provided by the Parkinson's Disease Society, members appreciated the information contained in the newsletter the most.