Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

## THE GENETIC BASIS OF GROWTH, OESTROUS BEHAVIOUR AND FERTILITY IN ROMNEY MARSH EWES

A Thesis presented in partial fulfilment of the requirements for the degree of Doctor of Philosophy in Animal Science

at

Massey University

TANG SENG CH'ANG

1967

54

## ACKNOWLEDGMENTS

I wish to express my gratitude for the assistance received during the course of this study: to my colleagues who in one way or another, unknown to me have shouldered the burden which but for this Thesis, would have been my due: to the Massey sheep farm staff, both past and present, for their work in the care of the sheep flock studied herein and for their co-operation often extended beyond the call of duty; to the Massey Library staff for their ever ready willingness to help and to the Council of Massey University for the opportunity and facilities to undertake the present In addition, I wish to acknowledge my indebtedness work. and appreciation to Mr. Bruce Thatcher for his constant assistance in the collection of data and in many other ways: to Professor A.L. Rae for his encouragement, guidance and lasting counsel and to my wife, for making my work more presentable in her typing of this Thesis.

## TABLE OF CONTENTS

I.	INTRODUCTION	
II.	SOURCE OF DATA	3
	1. Management of experimental animals	3
	2. Data and data collection	3
	<ul> <li>(a) Live weight characters</li> <li>(b) Oestrous behaviour</li> <li>(c) Fertility of the ewe</li> </ul>	5 5 6
III.	METHOD OF ANALYSIS	8
	1. Estimation of environmental effects	10
	2. Interaction between sire and year in hogget characters	16
	3. Preliminary analysis of annual fertility of the ewe	18
	(a) Chi-square analysis	19
	(b) Weighted regression analysis (c) Least-squares regression analysis	22
		06
	4. Estimation of phenotypic and genetic parameters	20
	(a) Paternal nall-sib analysis (b) Covariance analysis between dam and daughter	30
	(i) Maternal environment and weaning weight (ii) Carryover maternal effect and	32
	post weaning characters	36
	(111) Estimation of heritability and genetic correlation	39
	(iv) Computation of covariance between	
	dam and daughter	41
	5. Construction of selection indices	43
IV.	RESULTS AND DISCUSSION	48
	1. Estimates of environmental effects	48
	(a) Interaction between age of dam and	1.9
	(b) Estimates of environmental effects on	40
	hogget characters	51
	fertility of the ewe	56
	Discussion	59
	2. Sire-year interaction in hogget characters	63

1

	3.	Preliminary results based on analysis of annual fertility of the ewe	65
		(a) Test of mutual independence by chi-square analysis	66
		(b) Weighted and least-squares regression of	
		of hogget oestrus	69
	4.	Estimates of phenotypic correlations	73
		(a) Hogget characters	73
		determination of number of hogget cestrus	76
		(c) Hogget characters and fertility of the ewe	79
	5.	Estimates of heritability and genetic correlation	83
		(a) Estimates of heritability	84
		<ul><li>(1) Hogget characters</li><li>(1) Fertility of the ewe</li></ul>	84 86
		Discussion	88
		(b) Estimates of genetic correlation	94
		(1) Paternal half-sib analysis	95
		(11) Estimates of covariance between dam and daughter	97
		(111) Regression of daughter on dam and	
		and daughter	98
		Discussion	102
		Discussion (Estimates of heritability and	
		genetic correlation)	107
	6.	The selection indices	111
		(a) Index 1 (I <sub>1</sub> )	112
		(b) Index 2 $(I_2)$	113
		(c) Index 3 (I <sub>3</sub> )	114
		(d) Properties of the selection indices	115
		Discussion	117
v.	AP	PLICATIONS	121
VI.	SUMMARY		
VII.	LI	TERATURE CITED	133