

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

THE EFFECT OF TEMPERATURE ON THE
GROWTH AND DEVELOPMENT OF FIVE
WHITE CLOVER (TRIFOLIUM REPENS L.) POPULATIONS

A thesis
presented in partial fulfilment
of the requirements for the Degree
of
Master in Science
at
Massey University

by
K.H. WIDDUP

1980

CONTENTS

CHAPTER	PAGE
SUMMARY	
1. INTRODUCTION	1
2. REVIEW OF LITERATURE	3
2.1 Physiological and Ecological characteristics of white clover	3
2.2 Adaptation of plants to the environment with particular reference to temperature	5
2.3 Distribution and adaptive variation in white clover	12
2.4 Growth processes in white clover	18
2.5 Cyanogenesis in white clover	24
2.6 Cold tolerance of white clover	26
2.7 Summary	34
OBJECTIVES	34
3. METHODS AND MATERIALS	35
3.1 Experimental	35
3.1.1 White clover populations	35
3.1.2 Establishment period	35
3.1.3 Controlled environment rooms	38
3.1.4 Frost conditions	40
3.1.5 Experimental Design	43
3.1.6 Methods of sampling	43
3.1.7 Morphological characters measured	45
3.1.8 Electrical conductance technique for evaluating injury after freezing	47
3.2 Statistical procedures	50
3.2.1 Curve fitting	51

3.2.2	Exponential equations	51
3.2.3	Comparison of Equations among Genotypes..	52
3.2.4	Estimation of points of Biological interest	53
3.2.5	Linear model	54
3.2.6	Pooled Analysis of Variance over the three environments	55
3.2.7	Heritability estimates	57
3.2.8	Correlation Coefficients	59
3.2.9	Adaptation analysis	59
4.	RESULTS	63
4.1	Curve fitting	63
4.2	Stolon growth characters	63
4.2.1.	Stem dry weight production	63
4.2.2	Leaf and petiole dry weight production ..	69
4.2.3	Total stolon dry weight production	78
4.2.4	Ratio of leaf to total dry weight	83
4.2.5	Leaf number per stolon	88
4.2.6	Leaf Area per stolon	93
4.2.7	Length of stolon	93
4.2.8	Stolon thickness	102
4.2.9	Production of secondary stolons	107
4.2.10	Pooled environments ANOVA	117
4.2.10.1	Dry weight per pot (g)	117
4.2.10.2	Total stolon dry weight (g)	120
4.2.10.3	Leaf Area per stolon (cm ²)	123
4.2.10.4	Secondary stolon production	126

CHAPTER	PAGE
4.3 Heritability estimates	129
4.4 Correlation coefficients	133
4.5 Electrical conductance technique of assessing frost injury	135
5. DISCUSSION	140
5.1 Development patterns of the stolon characters	140
5.2 Production of new stolon units	146
5.3 Adaptation analysis	149
5.4 Cold tolerance	152
CONCLUSIONS	155
ACKNOWLEDGEMENTS	159
REFERENCES	160
APPENDICES	180

FIGURES

FIGURE		PAGE
1.	Frosting time sequence	39
2.	Controlled growth room	41
3.	The pattern of sampling	44
4.	The regression lines in the adaptation analysis .	61
5.	Stem dry weight production	65
6.	Leaf dry weight production	70
7.	Petiole dry weight production	74
8.	Total stolon dry weight production	79
9.	Ratio of leaf to total dry weight	84
10.	Leaf Numbers	89
11.	Leaf Area	94
12.	Stolon length	98
13.	Stolon thickness	103
14.	Number of secondary stolons (first growth period)	109
15.	Number of secondary stolons (second growth period)	112
16.	Index of injury graphs	136
17.	Index of injury graphs	137
18.	Hardening	138

PLATES

PLATE

PAGE

1. View of the controlled growth room 42
2. View of the temperature gradient bar 48