Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A review of the nature of beef cattle industry in the Solomon Islands with emphasis on Soil Fertility factors influencing pasture production on selected farms

A thesis presented in partial fulfilment of the requirements for the Masters Degree in Soil Science at Massey University

Palmerston North

New Zealand



Simon Iro Sefa 2012

ABSTRACT

A general review of primary production in the Solomon Islands indicated that cattle grazing is mainly an activity involving smallholder farmers for cash income and consumption for their extended families. The review and a farm survey indicated that the productive capacity of pasture soils and many agricultural soils in Solomon Islands, continues to decline because poor, near-subsistence, farmers are unable, for economic reasons and lack of training, to provide land management strategies for crops and grazed pastures that maintain or improve soil fertility.

This thesis reports on three investigations undertaken to assess the fertility levels of some pasture soils in Solomon Islands. This knowledge is required to develop soil fertility management strategies to assist in sustaining the productivity of grazed pasture and the beef cattle industry in the country. The review indicated that most soils are developed from volcanic materials and a few from corals. Most land considered suitable for agricultural use has not been characterised and recorded. Increasingly, the soils require additional sources of nutrients as they only obtain nutrients from decomposed organic matter and weathering soil minerals.

Four farms (ASI, ILA, NAC, and STJT) were selected and surveyed focussing on examining their general background information, identification of pasture species, and evaluating the efficiency of record keeping practices. The pasture grass/legume species identified on the farms are T-grass, Carpet grass, Paragrass, White clover, Puero, Centro and Mimosa. Attempts to maintain soil fertility were based on traditional methods of using local waste materials as organic manures. The survey indicated that farmers are lacking in knowledge and did not value the importance of farm record keeping. Therefore, farm records were not available to provide sufficient information to construct a nutrient budget for each farm.

Soils and herbage samples were collected in different places within the study areas. Soils were collected at 0-7.5 cm and 7.5-15 cm depths. These samples were chemically analysed and used in a glasshouse trial to test the growth response of white clover (*T.Repens*) to phosphate (P) and potassium (K) and sulphur (S) fertilizer additions. Low soil P test values were common, however analysis of the field sampled herbage did not confirm P deficiency. In the glasshouse trial, however legume growth was highly responsive to soil type, initial soil P status and added P fertiliser. Legume growth was non-responsive to application of K and S.

i

Recommendations relating to farm record keeping, soils and herbage tests results, and alternative strategies to improve/maintain the soil fertility are discussed. Future research directions that should be taken to boost the production of pasture and beef cattle industry are also discussed.

ACKNOWLEDGEMENTS

I would like to take this opportunity to express my thanks and appreciation to the following people and organizations for their help in one way or the other towards completion of this thesis.

My Supervisors; Prof. Mike J. Hedley and Assoc. Prof. Marta Camps (Massey University, New Zealand) for their guidance, encouragements and useful ideas, I am very grateful.

The New Zealand Government for providing NZAID Scholarship to support my study at Massey University. God bless New Zealand.

The staff of NZAID and International Student Support Office for their guidance and encouragement during my study.

Mr. Lance Currie (Fertilizer and Lime Research Centre, Massey University, New Zealand), for the MAF import permit for soil and plant samples from Solomon Islands.

All staff and postgraduate students of the Soil and Earth Science Group, Massey University, for their assistance and friendship throughout the course of my study, including: Mrs Liza J. Haarhoff and Mrs. Denise Stewart for their assistance; Ross Wallace, Bob Toes, Ian Furket, Anja Moebis, Mike Bretherton for their assistance with laboratory work; Matthew Irwin for helping in creating maps using ArcGIS. Hill Laboratories for analysing the herbage samples.

Steve Ray, Lesley Taylor and Lindsay Sylva (Plant Growth Unit, Massey University) for their technical support in the glasshouse trial.

Sunlou Liuvaie (proof reading) for his useful comments since the beginning of my work.

James Hagi, Timothy Dauara, Jerry Thogele, Abram Hauiasi, Manase Tome and Collin Kokwasu for their time and allowing their farms for sampling and helping out in the survey.

Two female students (Linda and Rose) from Airafu Rural Training Centre, Moses Steva, William Ofai, Obed Maneara, Roland Sefa for their assistance in the field. Leni and Peter (friends), and David Suluia for their assistance in preparation and packaging of the samples. Hearly Aleve Atupule, Rickson Wate (Livestock Department, Agriculture Head Quarter), Rex Richard Ramoiau, Chris Sunata, Nelson Bofelo, Anisi (Agriculture Extension, Malaita)

and the Agriculture Research Department for allowing use of their office facilities and transport. Evalyn Siau for lending digging and cutting tools.

Noel Roposi and the Administration Section (Ministry of Agriculture, Solomon Islands) for effective correspondence from time to time. Ireen Nanau (Quarantine Department, Ministry of Agriculture, Solomon Islands) for her assistance in packaging of soils and herbage samples.

Nelson Sisele, Philistie Misinare, Jeffrey Sefa, Daniel Maekali, Paul Muaki, members of Christian Outreach Centre in Palmerston North and other mates for their help and time in one way or the other.

My three kids and their mother for their time and tremendous support throughout my study at Massey.

The Almighty God for His endless love and provision.

DEDICATION

This piece of work is dedicated to my brothers (Jeffrey, Moses and Junior), sister (Selina) and grandfather (Jeffrey Silas Fokao), particularly, my mother (Nathalyn) and father (Roland) who believed in me and dedicated their time for my education.

To my three children (Geotima, Junell and Natrisha) and their mother (Deborah) for being there for me throughout my study.

My uncle, Kinata for saving my life from drowning when I was a kid.

My late grandmother (Drucilar Thaorai) and grandfather (Jotham Ofai) who passed away some years back.

All my struggling extended family members and distant relatives who believe in their own efforts.

Tagio baita asia na uria liothaua kamolu fuaku. Foa la oe bia angi la oe, Arai lo e lua na i tara'ina. Nia kai adomi kolu ana si kade tala e ni u kainao ani kolu.

Tangoa God! Tangoa God! Tangoa God!



Table of Contents

ABSTR.	ACT.		i
ACKNO	WLE	DGEMENTS	iii
DEDICA	ATIO	N	v
Table o	f Con	tents	vii
CHAPTI	ER 1	INTRODUCTION TO THE RESEARCH	1
1.0	Back	ground to the establishment of grazed pastures in the Solomon Islands	1
1.1	Over	rall Research Study Hypothesis and Research Objectives	3
1.2	Scop	e and Limitations	4
1.3	Orga	nisation of the Thesis	4
CHAPTI	ER 2	SOLOMON ISLANDS	5
2.0	Chap	oter Overview	5
2.1	Geo	graphy	5
2.2	Gove	ernment	6
2.3	Рорі	ulation	6
2.4	Vege	etation	7
2.5	Clim	ate	7
2.6	Hum	nidity and Temperature	7
2.7	Spec	ific location of study	8
2.7.	1	Location	8
2.8	Prim	ary Industries	9
2.8.	1	Tuna fishing industry	10
2.8.	2	Tourism industry	12
2.8.	3	Forestry industry	12
2.8.	4	Minerals	13
2.8.	5	Crops and plantation agriculture	14

2.8.6	Livestock production	15
2.9	Conclusion	20
CHAPTE	R 3 General Review of Soil Fertility Principles	23
3.0	Introduction	23
3.1	Chapter Overview	23
3.2	Soil fertility and its importance	23
3.3	Sources of soil fertility	24
3.3.1	Soil Organic Matter (SOM)	25
3.3.2	2 Minerals	27
3.3.3	Atmospheric chemical reactions	29
3.3.4	Human activities	30
3.4	Chemical indicators of soil fertility	30
3.4.1	Soil pH	31
3.4.2	Cation exchange capacity	35
3.4.3	Phosphorus concentrations	37
3.4.4	Others	39
3.5	Importance of acidity and alkalinity in soil management	39
3.6	Sources of soil acidity and alkalinity	39
3.6.1	Sources of soil acidity	39
3.6.2	Sources of soil alkalinity	43
3.7	Processes and/or factors that decrease soil productivity	44
3.7.1	Nutrient stress	45
3.7.2	Soil acidity	45
3.7.3	Other factors	46
3.8	Soils and Soil fertility maintenance in the Solomons	46
3.8.1	Traditional methods to improve/maintain soil fertility	47
3.9	Fertilizer use	50

3.10 Pr	revious Research on pastures in Solomon Islands	51
3.10.1	Pasture under light/heavily shaded conditions	51
3.10.2	Light transmission, stocking rate and weed control	52
3.10.3	Soil nutrient content of some pasture soils	53
3.10.4	Determination of components of yield in "pasture/coconut system"	53
3.10.5	Pasture management practices	54
3.11 Co	onclusion	54
CHAPTER	4 General Research Methodology	57
4.0 In	troduction	57
4.1 CI	napter Overview	57
4.2 St	udy Areas	57
4.3 St	urveys of inputs/outputs productivity	58
4.4 Bo	oundary points marking, sampling, processing, packaging and shipping	59
4.5 Sa	ample analysis	59
4.5.1	Soil chemical analysis	60
4.5.2	Herbage chemical analysis	60
4.6 Sc	oil tests maps	60
4.7 'S	ubtractive nutrient' glasshouse trial	61
4.8 St	atistical analysis	63
CHAPTER	5 Survey of Land Use and Chemical Analysis of Soils and Herbages.	65
5.0 In	troduction	65
5.1 Cl	napter Overview	65
5.2 La	and use and management	66
5.2.1	General land use	66
5.2.2	Maps of soil and herbage sampling sites of the four farms	69
5.2.3	Outcome of field survey questionnaires of the four farms	70
5.2.4	Survey conclusions	73

5.3	Cur	rent soil fertility status	74
5.3.	.1	Soil analysis and soil maps of ILA farm	74
5.3.	.2	Soil analysis and soil maps of ASI farm	78
5.3.	.3	Soil analysis and soil maps of NAC farm	82
5.3.	.4	Soil analysis and soil maps of STJT farm	86
5.3.	.5	Summary table of main soil fertility status effects	90
5.3.	.6	Pasture analysis	90
5.3.	.7	Summary of plant analysis	92
5.4	Con	nclusions	93
CHAPT	ER 6	GLASSHOUSE TRIAL	95
6.0	Intr	oduction	95
6.1	Cha	pter Overview	95
6.2	Wh	ite clover dry matter yield	95
6.2.	.1	Main soil fertility status effects	95
6.3	Dry	matter yields of white clover grown in each pasture soil	98
6.4	Rela	ationship between soil Olsen P and added P at S ₁	. 100
6.5	Rela	ationship between soil Olsen P and white clover dry yield	. 101
6.6	Sun	nmary of glasshouse pot trial	.101
6.7	Con	nclusions	.102
CHAPT	ER 7	Conclusions and Implications for Future Work	.105
7.0	Intr	oduction	.105
7.1	Solo	omon Islands and its Agricultural Developments	. 105
7.2	Fiel	d survey	.106
7.3	Soil	fertility status	.106
7.4	Fut	ure Work	. 108
Refere	nces		.111
Append	lices		.121

LIST OF FIGURES

Figure 1	Map of Solomon Islands	6
Figure 2	Industry Contributions to National Provident Fund	10
Figure 3	The eight elements in the earth's crust	28
Figure 4	Influence of soil pH on nutrient availability	32
Figure 5	Nitrogen cycle in mixed agricultural systems	41
Figure 6	Sulphur cycle in orchard systems	41
Figure 7	Plates 1 to 6	62
Figure 8	Sampling points for herbage and soil samples on the areas that have effective pasture on the four farms. The samples for herbage (h) and soils (s) are collected from the sampling points as marked on the map	69
Figure 9	Frequency and range of soil test values (Olsen P, soil pH, exchangeable K, Ca, Mg and CEC) collected from pastures at the ILA farm	76
Figure 10	Maps indicating areas of differing soil pH and Olsen P values produced by Kriging the observed Soil pH and Olsen P values at 0-7.5 and 7.5-15 cm soil sampling depths at ILA farm	77
Figure 11	Frequency and range of soil test values (Olsen P, soil pH, exchangeable K, Ca, Mg and CEC) collected from pastures at the ASI farm	80
Figure 12	Maps indicating areas of differing soil pH and Olsen P values produced by Kriging the observed Soil pH and Olsen P values at 0-7.5 and 7.5-15 cm soil sampling depths at ASI farm.	81
Figure 13	Frequency and range of soil test values (Olsen P, soil pH, exchangeable K, Ca, Mg and CEC) collected from pastures at the NAC farm	84
Figure 14	Maps indicating areas of differing soil pH and Olsen P values produced by Kriging the observed Soil pH and Olsen P values at 0-7.5 and 7.5-15 cm soil sampling depths NAC farm.	85
Figure 15	Frequency and range of soil test values (Olsen P, soil pH, exchangeable K, Ca, Mg and CEC) collected from pastures at the STJT farm	88
Figure 16	Maps indicating areas of differing soil pH and Olsen P values produced by Kriging the observed Soil pH and Olsen P values at 0-7.5 and 7.5-15 cm soil sampling depths from the STJT farm	89
	•	

Figure 17	Graphs of relationship between herbage nutrient concentrations and soil test	
	values for legumes (\lozenge) and grasses (\square) at different (ILA, ASI, NAC & STJT) farm	
	(points are means of 4-5 samples)	92
Figure 18	Dry matter yield (g pot ⁻¹) of white clover (<i>Trifolium repens</i>) grown on pots of soils from four farms (ASI, ILA, NAC & STJT) fertilised with 3 different levels of monoclacium phosphate (P) and elemental sulphur (S) plus potassium applied in two different forms (KCl at the level of PO,100, SO,1 level and K2SO4 at the level of	
	P ₁₀₀ , S ₁ level).	97
Figure 19	The yield of white clover grown on pots of soil from four farms (ASI, ILA, NAC, STJT) fertilized with 3 rates of P and S and two forms of K fertilizers (see Table 10, Figure 18 and Appendix III for details of rates of fertilizer)	99
Figure 20	Effect on extractable Olsen P values of fertilising soils from 4 different farms with 3 levels of monocalcium phosphate at one level of elemental S° addition (S ₁ 22mgSkg ⁻¹ soil).	
Figure 21	Effects of Olsen P on DM yield of white clover growing in pots of soils from 4 different farms (ASI, ILA, NAC & STJT).	101

LIST OF TABLES

Table 1	Employment by Sectors	11
Table 2	Species and breeds of livestock in the Solomon Islands	16
Table 3	Average Mineral Composition of Igneous and Sedimentary Rocks	28
Table 4	Primary reasons for soil pH reduced nutrient availability of individual nutrients	33
Table 5	Cation Exchange Capacities of Soil Clays and Humus	36
Table 6	Examples of apatite minerals	38
Table 7	National Fertilizer imports for period 1984-1994 in Pacific	50
Table 8	Fertilizer imported by Solomon Islands Plantation Limited in tonnes	51
Table 9	A brief description of four study areas	58
Table 10	Experimental Design	61
Table 11	Available stock at ILA farm	66
Table 12	Available stock at ASI farm	67
Table 13	Available stock at NAC farm	68
Table 14	Available stock at STJT farm	69
Table 15	Information collected from the four farms	73
Table 16	Main soil fertility status of each farm	90
Table 17	Analysis of variance of white clover dry matter yield (For detailed description of treatments (Source of error), see Figure 18)	96
Table 18	Linear regression model of Phosphorus growth response (shown in Figure 18)	98

