

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

THE USE OF WHEY POWDER IN
MEAL MIXTURES FOR EARLY
WEANED PIGS

A Thesis Presented in Partial Fulfilment
of the Requirements for the Degree
of Master of Agricultural Science
in the University of New Zealand

by
C.M. Palmer
Massey Agricultural College
October 1961

REQUIEM

On Monday, when the sun is hot,
I wonder to myself a lot:-
"How is it true or is it not
That what is which and which is what?"

On Tuesday, when it hails and snows
The feeling on me grows and grows
That hardly anybody knows,
If those are these and these are those.

On Wednesday, when the sky is blue,
And I have nothing else to do,
I sometimes wonder if its true
That who is what and what is who.

On Thursday, when it starts to freeze
And hoar-frost twinkles on the trees
How very readily one sees
That these are whose - but whose are these?

On Friday

.....A.A. Milne

ACKNOWLEDGEMENTS

The author wishes to gratefully thank his supervisor, Mr. A.C. Dunkin for the constant assistance and advice given throughout this project.

Acknowledgement is due to several other members of the Massey College Staff. These include Dr. J.C. Hawke, Mr. G.M. Wallace and Miss E. Coxhead of the Biochemistry Department for advice on the Henneberg analysis, chromium oxide determinations and gross energy estimates; Dr. D. S. Flux for guidance on statistical method, experimental design and thesis presentation; Mr. R. Brown Manager of the Research Piggery (at the time of the trial) for his assistance; Mr. B.A. Reynolds for bacteriological examination of faecal samples and Miss M.G. Campbell and her library staff for assistance in obtaining literature.

Further acknowledgement is given for the help of Mr. A.C. Glenday, Applied Maths. Lab. D.S.I.R. in statistical method; the Dairy Research Institute for permission to use their dry matter ovens, and members of the Institute Staff for details of whey utilization and chemistry; Mr. H. de Langen of Ruakura Animal Research Station for demonstrating his method of chromium oxide analysis and Dr. J.C. Hutton, also of Ruakura for advice on the use of the Bomb Calorimeter.

Special thanks are due to Mrs. F. Puckey for typing this thesis.

INDEX

<u>Chapter</u>		<u>Page</u>
I	INTRODUCTION	
	1. General	1
	2. Scope of Study	2
II	REVIEW OF LITERATURE	
	PART I: THE NUTRITION OF THE YOUNG PIG.	4
	1. INTRODUCTION	4
	2. THE GROWTH CURVE AND FEED ENERGY RELATIONSHIP	4
	3. EARLY WEANING	7
	4. THE SPECIFIC NUTRITIVE REQUIREMENTS OF THE YOUNG PIG	11
	Limitations of Feeding Requirements	11
	a) Protein	12
	b) Carbohydrates	16
	c) Fats	18
	d) Minerals, vitamins and other growth factors	19
	5. THE USE OF WHEY POWDER IN MIXTURES FOR YOUNG PIGS	19
	a) Overseas	21
	i. As a replacement for other carbohydrates in the ration	21
	ii. As a replacement for carbohydrate and protein concentrates	23
	b) New Zealand	26
	1. VALUE OF WHEY POWDER FOR FATTENING PIGS	
	a) In an all meal ration	28
	b) As a supplement for fodder beet	29
	c) As a supplement for liquid whey	29
	d) As a supplement for skim milk	30
	2. USE OF WHEY POWDER IN EARLY WEANING MIXTURES.	30
	3. CONCLUSIONS	31

Chapter

Page

PART II: THE ESTIMATION OF APPARENT DIGESTIBILITY

1. INTRODUCTION	32
2. MEASUREMENT: TOTAL COLLECTION V INERT REFERENCE SUBSTANCE METHOD	33
3. THE USE OF CHROMIUM OXIDE IN SWINE DIGESTIBILITY STUDIES	34
a) General	34
b) Use	35
c) Excretion pattern and diurnal variation	37

PART III: THE HENNEBERG ANALYSIS OF FEEDS AND
OTHER CHEMICAL PROCEDURES INVOLVED
IN NUTRITION STUDIES.

1. HENNEBERG ANALYSIS AND ITS LIMITATIONS	43
2. THE ESTIMATION OF CHROMIUM OXIDE	44
3. GROSS ENERGY DATA	45

III EXPERIMENTAL

I. INTRODUCTION	47
II. MATERIALS AND METHODS	48
PART 1: PRELIMINARY TRIAL	49
1. ANIMALS USED	49
2. EXPERIMENTAL CONDITIONS AND TREATMENT	49
3. TECHNIQUES AND OBSERVATIONS	51
(a) Construction of pen apparatus	
i) Self feeders	51
ii) Drinking troughs	51
iii) Sleeping quarters	51
(b) Incorporation of Cr_2O_3 in the food	
i) Mixing in the food	53
ii) Problem of "settling out" of the indicator	53
(c) Sampling of feed and faeces	54

Chapter

Page

(d) Chemical analysis of samples	
i) Cr_2O_3	55
ii) Composition of feed and faeces	56
iii) Other analyses	56
(e) Recording data	56
(f) General	56

PART 2: MAIN TRIAL

1. ANIMALS USED AND EXPERIMENTAL DESIGN	57
2. EXPERIMENTAL CONDITIONS	58
3. EXPERIMENTAL FEED MIXTURES	58
(a) Up to 21 days of age	58
(b) 21-28 days of age	58
(c) After 28 days of age	60
4. INCORPORATION OF Cr_2O_3	61
5. FEEDING PROCEDURES	61
6. SAMPLING OF FAECES	62
7. GROWTH DATA	64
8. CHEMICAL ANALYSES	
(a) Proximate constituents	64
(b) Cr_2O_3	65
(c) Gross energy	65
9. REPLICATION OF CHEMICAL ANALYSES	65
10. CALCULATION OF APPARENT DIGESTIBILITY COEFFICIENTS	67
11. OBSERVATIONS	68
(a) Dung consistency and incidence of scouring	68
(b) Feeding habits	68
(c) Water consumption	68

III. STATISTICAL METHODS 70

IV RESULTS

PART I: EXPERIMENTAL CONDITIONS	73
1. ADAPTION TO EXPERIMENTAL CONDITIONS	73
2. SUITABILITY OF PEN APPARATUS	73
(a) Self feeders	74
(b) Water troughs	75
(c) Sleeping quarters	75

<u>Chapter</u>	<u>Page</u>
3. SUITABILITY OF AMBIENT AIR TEMPERATURES	75
PART II: USE OF CHROMIUM OXIDE	
1. INCORPORATION INTO FEED MIXTURES	76
(a) Preliminary trial	76
(b) Main trial	78
2. CHEMICAL ANALYSIS OF FEED AND FAECAL SAMPLES	
(a) Preliminary trial	78
(b) Main trial	82
PART III: SAMPLING AND COLLECTING TECHNIQUES	82
PART IV: OBSERVATIONS	83
1. DUNG CONSISTENCY AND INCIDENCE OF SCOURING	83
2. FEEDING HABITS	85
3. WATER CONSUMPTION	87
4. GENERAL	88
PART V: HENNEBERG ANALYSIS OF FEED AND FAECES	89
PART VI: GROWTH DATA	91
1. SEX	92
2. RATE OF GAIN	92
3. RELATIVE GROWTH RATE	95
PART VII: FEED CONVERSION EFFICIENCY	96
PART VIII: APPARENT COEFFICIENTS OF DIGESTIBILITY	99
(a) At 28 days of age	99
(b) At 42 days of age	100
(c) At 49 days of age	100
(d) At 56 days of age	101
PART IX: GROSS DIGESTIBLE ENERGY	103
V DISCUSSION AND CONCLUSIONS	106
I. ADAPTABILITY OF ANIMALS TO EXPERIMENTAL CONDITIONS	106
II. USE OF CHROMIUM OXIDE	106
1. Incorporation into the diet	107
2. Cr ₂ O ₃ analysis	108
III. OBSERVATIONS	111
1. Dung consistency and incidence of scouring	111
2. Feeding habits	113
3. Water consumption	114

<u>Chapter</u>	<u>Page</u>
IV. HENNEBERG ANALYSIS	115
1. Crude fibre	115
2. Nitrogen free extract	117
V. GROWTH	117
VI. FEED CONVERSION EFFICIENCY	118
VII. APPARENT COEFFICIENTS OF DIGESTIBILITY	120
VIII. GROSS DIGESTIBLE ENERGY	123
IX. GENERAL	123
1. Nutrition aspects	123
2. Managemental factors	124
3. Economic considerations	125
X. FUTURE RESEARCH FIELDS	126
1. Levels of whey powder	126
2. Physiology of whey powder digestion	127
3. Economic production of whey powder	127
4. Digestibility studies in pigs	127
VI SUMMARY	
BIBLIOGRAPHY	
APPENDICES	

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	Energy required from creep feed.	7
2	Summary of some baby pig protein requirement determinations.	15
3	Minimum crude protein requirements in meal mixtures containing fishmeal, soya bean meal, dried milk and cereals.	16
4	Henneberg analysis of unneutralised lactic casein whey powder.	19
5	Some data on constituents of unneutralised lactic casein whey powder.	20
6	Experimental feed mixtures used in early weaning trial, Massey College.	31
7	Comparison of digestion coefficients determined conventionally, with those derived from use of Cr_2O_3 - ratio method.	39
8	Composition of experimental diet for preliminary trial.	50
9	Composition of common starter ration (21-28 days of age).	59
10	Composition of experimental feed treatments (28-57 days).	60
11	Faecal samples selected for duplicate Henneberg analysis.	66
12	Concentration of Cr_2O_3 in feed samples: comparison of results obtained by two analytical methods.	81
13	Average daily water consumption (gals.) per pen over three 3-day observation periods.	87
14	Analysis of variance of data on daily water consumption.	88
15	Henneberg analysis of principal ingredients in experimental feed mixtures.	Facing Page 90
16	Henneberg and Cr_2O_3 analyses of experimental feed mixtures.	90

<u>Table</u>	<u>Page</u>
17	Average weekly weights (lbs) of pigs on the experimental feeds. 91
18	Statistical analysis of liveweight data for differences due to sex. 92
19	Analysis of variance of liveweight gains per pig, from 35 to 58 days of age. 93
20	Analysis of covariance and significance of regression where y = liveweight gains per pen from 35-58 days of age and x = initial liveweight per pen. Facing Page 94
21	Analysis of variance of liveweight per pig, at 58 days of age. Page 94
22	Analysis of covariance and significance of regression where y = final weight per pen at 58 days of age and x = 35 day weight per pen. Facing Page 95
23	Analysis of variance of relative growth rate (35-58 days of age). 95
24	Average weekly meal consumption per pen from 21-56 days; average meal consumption and food conversion efficiency (35-57 days of age). 96
25	Analysis of variance of feed conversion efficiencies (35-57 days of age). 97
26	Block means for the apparent digestibility coefficients at 28 days of age (collection period 1). Facing Page 99
27	Treatment means for the apparent digestibility coefficients at 42 days of age (collection period 2). 100
28	Treatment means for the apparent digestibility coefficients at 49 days of age (collection period 3). 101
29	Treatment means for the apparent digestibility coefficients at 56 days of age (collection period 4). 102

<u>Table</u>		<u>Page</u>
30	Average apparent digestibility coefficients for the five fractions at each faecal collection period.	102
31	Gross energy of faecal samples and gross digestible energy percentages of treatment comparisons at collection periods.	103
32	Gross energy; mean G.D.E % and G.D.E. of the experimental feed mixtures.	104
33	Analysis of variance of gross digestible energy % of feed treatments.	105

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1	Growth curves and feed intakes of early weaned pigs.	<u>Following Page</u> 5
2	Requirements for digestible energy from sow's milk and creep feed.	<u>Facing Page</u> 6
3	Development of the proteolytic enzyme systems.	12
4	Development of the amylolytic enzyme systems.	12
5	Variations in the percentage of Cr_2O_3 in dry matter of pig faeces.	40
6	Effect of the number of random samples of faeces collected, on the maximum error in the determination of the apparent digestibility coefficients.	40
7	Interior view of experimental fattening house, Massey College Piggery.	<u>Facing Page</u> 48
8	Exterior view of same.	48
9, 10 & 11	Individual pen payout	<u>Following Page</u> 51
12	Experimental plan - main trial.	56
13	Mean growth curves of animals on experimental feeds.	<u>Facing Page</u> 91
14	Food intake - age graph.	<u>Following Page</u> 97
15	Food intake - liveweight graph	97