

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

**Effect of differing forages on the early growth and behaviour development of
dairy heifers during pre- and post weaning periods**

A thesis presented in partial fulfilment of the requirements for the degree of

Doctor of Philosophy
in
Animal Science

At
Massey University
Palmerston North
New Zealand



Zaka Ullah

2017

Abstract

Ullah (2017). Effect of differing forages on the early growth and behaviour development of dairy heifers during pre- and post weaning periods.

PhD Thesis, Massey University, New Zealand

The objective of this study was to evaluate the effects of different forage diets fed to young calves on early growth, behaviour development and long term milk performance. In experiment 1, 60 calves were randomly allocated to one of three diets, fed starter diet with no forage (PS), PS with additional moist alfalfa (PSA) or PS with additional pasture hay (PSH). In experiment 2, 108 calves were randomly allocated to one of three diets, PSH, PS with low (LF) or high (HF) moist alfalfa based total mixed rations. In Experiment 1, greater dry matter intake and liveweights were observed in PSH followed by PSA and then PS during the pre- and post-weaning periods. Longer time eating and ruminating behaviours were observed in PSA and PSH than PS during pre- and post-weaning periods. In Experiment 2, greater dry matter intake and liveweights were observed in PSH than LF and HF diets during the pre- and post-weaning periods. Greater numbers of incidents of allo-grooming were observed in the HF and PSH diets and calves spent longer time eating than LF calves. During post-weaning period, HF and PSH fed calves spent more time lying than LF fed calves. After turning out to pasture, no behaviour differences were observed among treatments in both experiments. While monitoring long term performance, no differences were observed in animals from Experiment 1 in terms of liveweight, milk yield, protein or fat production. From Experiment 2, greater liveweight gains were observed in HF and PSH fed animals than LF fed animals till first lactation. During first lactation, greater milk yield was observed in HF fed animals than PSH or LF fed animals. Greater fat production was observed in LF fed animals than HF or PSH fed animals during third lactation. The effects of diets on the long term performance of the animals should be repeated with sufficient animal numbers per treatment.

Declaration

This thesis contains no material that has been accepted for a degree or diploma by the University or any other institution. To the best of my knowledge no material previously published or written by another person has been used, except where due acknowledgement has been made in text.

This thesis has been written with chapters formatted as papers for publication. Therefore, there is some repetition of chapter introductions or methods, each chapter contains a full discussion, with the final general discussion chapter providing a succinct discussion of key findings of this thesis. Each chapter has been formatted for the Journal of Dairy Science and each has a complete list of references. For each of the chapters my input was the greatest with the appropriate assistance of my co-supervisors, I designed and carried out the research, analysed the data and wrote the main content of the chapters contained in this thesis.

Acknowledgments

I would never ever have been able to finish my dissertation without the guidance and endless support of my chief supervisor Prof. Dr. Nicolas Lopez-Villalobos.

I would like to express my deepest gratitude to Dr. Nicolas Lopez-Villalobos, for his excellent research guidance, patience and continuous support.

I am grateful to my co-supervisors, Prof.Dr. Hugh Blair and Prof.Dr. Steve Morris for their continuous support, advice, scientific inputs and feedback.

Thank you to members of MAEC for the consideration of the animal ethics applications and Fiona Brown for her help with LIC records.

Most importantly, I do not have words to thank my parents and my brother Zia Ullah for their love and encouragement throughout my PhD.

I am extremely grateful to Higher Education Commission of Pakistan for the financially support of my PhD with a scholarship, Fibre Fresh Ltd, Reporoa NZ for the supply of alfalfa and calf starter.

Last, but not least I would like to say thanks to my friends, Mr. Shakeel ur Rehman & Dr. Hamid Irshad for their continuous support and encouragement.

Table of Contents

Abstract.....	i
Declaration.....	iii
Acknowledgments.....	v
Table of Contents.....	vii
List of Tables	xiii
List of Figures	xvii
List of Abbreviations.....	xix
Chapter 1	1
General Introduction	1
1.1. Introduction	3
1.2. References.....	6
Chapter 2	9
Review of literature	9
2.1. New Zealand dairy industry.....	11
2.2. Performance of heifers in New Zealand dairy herds	11
2.3. Long term effects of early nutrition and growth	15
2.4. Calf management in New Zealand.....	16
2.5. Effect of liquid feeds on development and behaviour of dairy calves.....	17
2.6. Effect of solid feed on development and behaviour of heifers.....	21
2.6.1. Cereal based starter feeds for developing heifer calves	21
2.6.2. Forages for developing heifer calves	22
2.7. Summary of the literature review and research concept.....	28
2.8. References.....	31
Chapter 3	45

Effect of offering a cereal-based starter with and without access to moist alfalfa or pasture hay on the dry matter intake, growth rate and stature development of dairy heifers pre- and post-weaning	45
Abstract.....	47
3.1. Introduction	48
3.2. Material and methods	50
3.2.1. Animals selection, allocation and management	50
3.2.2. Feeding, feed management and treatment diets.....	50
3.2.3. Measurement of feed intake, liveweight, stature and health	51
3.2.4. Chemical analysis	51
3.2.5. Statistical analysis.....	52
3.3. Results	53
3.3.1. Feeds and nutrient intake	53
3.3.2. Liveweight and liveweight gain.....	55
3.3.3. Stature	56
3.3.4. Feed conversion efficiency.....	57
3.4. Discussion.....	57
3.4.1. Effect of restricted milk supply on solid feed intake.....	57
3.4.2. Role of forage provision on dry matter and nutrient intake.....	58
3.4.3. Effect of forage provision on liveweight and liveweight gain	61
3.4.4. Effect of forage provision on stature development	62
3.4.5. Effect of forage provision on feed conversion efficiency of dairy calves	63
3.5. Conclusions	64
3.6. Future research.....	64
3.7. References.....	66
Chapter 4	71

Effect of varying the proportion of moist alfalfa forage supplementation on the growth of dairy heifers during pre- and post-weaning	71
Abstract.....	73
4.1. Introduction	74
4.2. Materials and methods.....	75
4.2.1. Animals, housing and feeding management	75
4.2.2. Feeding and management	76
4.2.3. Measurements of individual animal feed, nutrient intake and growth	78
4.2.4. Statistical analysis.....	78
4.3. Results	79
4.3.1. Dry matter and nutrient intake.....	79
4.3.2. Liveweight and liveweight gain.....	81
4.3.3. Stature	82
4.3.4. Feed conversion efficiency.....	82
4.4. Discussion.....	84
4.4.1. Dry matter intake.....	84
4.4.2. Liveweight and liveweight gain.....	86
4.4.3. Stature	88
4.4.4. Feed conversion efficiency.....	88
4.5. Conclusion	89
4.6. Future research.....	90
4.7. References.....	91
Chapter 5	95
The effect of offering differing forage diets separately or in differing proportions in a total mixed ration on the behaviour of dairy heifers during pre- and post-weaning periods.....	95
Abstract.....	97

5.1. Introduction	98
5.2. Material and methods	100
5.2.1. Animals	100
5.2.2. Calf management and milk diet feeding	101
5.2.3. Housing management.....	101
5.2.4. General health	102
5.2.5. Feeding and treatment diet management	102
5.2.6. Statistical analysis.....	106
5.3. Results.....	106
5.3.1. Experiment 1.....	106
5.3.2. Experiment 2.....	110
5.4. Discussion.....	113
5.4.1. Experiment 1	113
5.4.2. Experiment 2.....	115
5.5. Summary.....	118
5.6. Conclusions	118
5.7. Future Research	119
5.8. References.....	120
Chapter 6	127
Long term performance of dairy heifers fed different forage based diets during pre- and post-weaning periods	127
Abstract.....	129
6.1. Introduction	130
6.2. Material and methods	132
6.2.1. Animals	132
6.2.2. Treatment diets.....	133

6.2.3. Long term performance measurement.....	133
6.2.4. Statistical analysis.....	133
6.3. Results.....	136
6.3.1. Goodness of fit.....	136
6.4. Discussion.....	139
6.5. Conclusions	142
6.6. Future research.....	143
6.7. References.....	144
Chapter 7	151
General discussion	151
7.1. The role of forage provision on dry matter and nutrient intake	153
7.2. NDF intake	154
7.3. Liveweight gain	155
7.4. Effect of forage provision on stature development.....	157
7.5. Effect of forage provision on feed conversion efficiency	158
7.6. Effect of diet on calf behaviour	159
7.7. Later life performance	160
7.8. Conclusions	161
7.9. Further research	162
7.10. References.....	164

List of Tables

Table 2.1. Target liveweights and percentage of mature liveweights according to stage of development and age to be achieved by herd replacement dairy calves at different mature liveweights of New Zealand dairy cows.....	14
Table 2.2. National herd loss (%) of cows according to age during the 2003 to 2013 production seasons in New Zealand.....	14
Table 2.3. Effect of restricted milk supply (~10% of liveweight) on starter intake, liveweight gain, stature and behaviour of dairy calves.....	18
Table 2.4. Effect of forage provision on rumen development, intake, liveweight gain and behaviour of dairy calves.	24
Table 2.5. Effects of offering forages and concentrate on growth of dairy calves.....	26
Table 3.1. Chemical compositions of starter, moist alfalfa and pasture hay (\pm SD) fed to dairy calves during pre- and post-weaning.....	52
Table 3.2. Nutrient intake (LSM \pm SE) of dairy calves fed starter without any forage (PS), moist alfalfa (PSA) or pasture hay (PSH) pre- and post-weaning	53
Table 3.3. Liveweight (LSM \pm SE) and daily liveweight gain (LSM \pm SE) of dairy calves fed calf starter with no forage (PS), moist alfalfa (PSA) or pasture hay (PSH) pre- and post-weaning.....	55
Table 3.4. Stature (LSM \pm SE) measurements (hip width, hip height, and last rib girth) of dairy calves fed starter with with no forage (PS), moist alfalfa (PSA) or pasture hay (PSH) pre- and post-weaning.....	56
Table 3.5. Feed conversion efficiency (LSM \pm SE) of dairy calves fed starter with no forage (PS), moist alfalfa (PSA) or pasture hay (PSH) pre- and post-weaning.....	57
Table 4.1. Chemical composition (\pm SD) of total mixed rations fed to dairy calves with low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	77
Table 4.2. Nutrient intake (LSM \pm SE) of dairy calves fed low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	80

Table 4.3. Liveweight and liveweight gain (LSM±SE) of dairy calves fed low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	81
Table 4.4. Stature (LSM±SE) of dairy calves fed low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	83
Table 4.5. Feed conversion efficiency (LSM±SE) of dairy calves fed low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	84
Table 5.1. Chemical compositions of starter, moist alfalfa and pasture hay (±SD) fed to dairy calves pre- and post-weaning.....	103
Table 5.2. Chemical composition (±SD) of total mixed rations fed to dairy calves with low (LF) or high (HF) proportions of moist alfalfa, or starter with pasture hay (PSH) pre- and post-weaning.....	104
Table 5.3. Description of behaviour of dairy calves observed.....	105
Table 5.4. Description of behaviour of dairy calves recorded as individual incidences over a period 30 mins directly before and following milk feeding.....	105
Table 5.5. Behaviour (time spent) observed during the pre-weaning period in dairy calves fed starter alone (PS), starter with moist alfalfa (PSA), and starter with pasture hay (PSH) in Experiment 1.....	108
Table 5.6. Behaviour (time spent) observed during the post-weaning period in housed dairy calves fed starter with no additional forage (PS), starter with moist alfalfa (PSA) and pasture hay (PSH) in Experiment 1.....	109
Table 5.7. Behaviour (time spent) observed during the post-weaning period in dairy calves at pasture fed starter with no additional forage (PS), starter with moist alfalfa (PSA) and pasture hay (PSH) in Experiment 1.....	109
Table 5.8. Behaviour (time spent) observed during the pre-weaning period in dairy calves fed moist alfalfa total mixed rations low moist alfalfa (LF) and high in moist alfalfa (HF) content and starter with pasture hay (PSH) in Experiment 2.....	110
Table 5.9. Behaviours (time spent) observed during the post-weaning period in housed dairy calves fed moist alfalfa total mixed rations low in forage (LF) and	

high in forage (HF) content and starter with pasture hay (PSH) in Experiment 2.....	112
Table 5.10. Behaviours (time spent) observed after turning out to pasture in dairy calves fed moist alfalfa total mixed rations low moist alfalfa (LF), high moist alfalfa (HF) content, or starter with pasture hay (PSH).....	113
Table 6.1. Growth and lactation variables presented as least square means of dairy cows during first and subsequent lactations fed starter with no forage (PS), moist alfalfa (PSA) or pasture hay (PSH) during pre- and post-weaning.....	137
Table 6.2. Growth and lactation variables presented as least square means of dairy cows during first and subsequent lactations fed low (LF), high (HF) moist alfalfa based TMRs or starter with pasture hay (PSH) during pre- and post-weaning.....	139

List of Figures

Figure 2.1. Target liveweights by age, compared to actual liveweights of 105,000 heifers in New Zealand born between 2006 and 2010 (adapted from McNaughton and Lopdell, 2012).....	13
Figure 5.1. Number of sucking incidences/day observed during the pre-weaning period in housed calves fed starter with no additional forage (PS), moist alfalfa (PSA) and pasture hay (PSH) in Experiment 1	107
Figure 5.2. Number of sucking bouts/day observed during the pre-weaning period in housed calves fed starter with no additional forage (PS), moist alfalfa (PSA) and pasture hay (PSH) in Experiment 1.....	107
Figure 5.3. Number of incidences (cross sucking, sucking nominate object/day) observed during the pre-weaning period in calves fed moist alfalfa total mixed rations low moist alfalfa (LF) and high in moist alfalfa (HF) content and starter with pasture hay (PSH) in Experiment 2.....	111
Figure 5.4. Number of bouts/day observed during the pre-weaning period in calves fed moist alfalfa total mixed rations low moist alfalfa (LF) and high in moist alfalfa (HF) content and starter with pasture hay (PSH) in Experiment 1.....	111
Figure 6.1. Growth curves of calves fed starter with no forage (PS), moist alfalfa (PSA) or pasture hay (PSH) during pre- and post-weaning modelled with the Gompertz equation.....	136
Figure 6.2. Growth curves of calves fed low (LF), or high (HF) moist alfalfa based TMRs or starter with pasture hay (PSH) during pre- and post-weaning modelled with the Gompertz equation.....	138

List of Abbreviations

ADF: Acid detergent fibre (%DM)

ADG: Average daily gain for animal at a given age (g or kg/day)

CP: Crude protein (%DM)

DE: Digestible energy (Mcal)

DIM: Days in milk

DM: Dry matter

DMI: Dry matter intake (kg/day)

FCE: Feed conversion efficiency

HF: High fibre

HH: Hip height

HW: Hip width

LF: Low fibre

LRG: Last rib girth

LWT: liveweight

ME: Metabolizable energy

MR: Milk replacer

MUEC: Massey University Ethics Committee

MW: Mature weight (kg)

NDF: Neutral detergent fibre (%DM)

PSH: Starter and pasture hay

PW: Production Worth

TDN: Total digestible nutrients (% DM)

TMR: Total mixed ration

WM: Whole milk

VFA: Volatile fatty acid

