

Copyright is owned by the Author of the thesis. Permission is given for a copy to be downloaded by an individual for the purpose of research and private study only. The thesis may not be reproduced elsewhere without the permission of the Author.

A RADIOLOGICAL STUDY OF THE
PATTERNS OF CONTRACTION AND DIGESTA MOVEMENT
IN THE
ALIMENTARY TRACT OF THE SHEEP.

*A thesis presented in partial fulfilment
of the requirements for the degree of
DOCTOR OF PHILOSOPHY
in
Veterinary Science at Massey University.*

Robert Sharp Wyburn
B.V.M.S. D.V.R. M.R.C.V.S. M.A.C.V.Sc.

September 1981

TABLE OF CONTENTS

Volume I

	Page
Chapter I THE FUNCTIONAL ANATOMY OF THE DIGESTIVE TRACT	1
1:1 ANATOMY AND EMBRYOLOGY	1
1:1:1 The Oesophagus and Stomach	1
1:1:2 The Small Intestine	5
1:1:3 The Large Intestine	5
1:2 MECHANICAL FUNCTION OF THE ALIMENTARY TRACT	6
1:2:1 The Oesophagus and Stomach	6
1:2:2 The Small Intestine	8
1:2:3 The Large Intestine	9
1:3 THE INNERVATION	9
1:3:1 The Oesophagus and Stomach	9
1:3:2 The Small Intestine	11
1:3:3 The Large Intestine	12
Chapter II RADIOGRAPHIC TECHNIQUES	13
2:1 THE PROPERTIES OF X-RAYS	13
2:2 CONTRAST AGENTS	15
2:3 THE APPARATUS	16
2:4 DISCUSSION ON THE USE OF RADIOLOGY AS A MEANS OF INVESTIGATING ALIMENTARY TRACT FUNCTION	22

	Page
Chapter III THE RETICULO-RUMEN	25
3:1 LITERATURE REVIEW	25
3:2 MATERIALS AND METHODS	32
3:2:1 The reticulo-rumen contractions and movement of digesta in the reticulo-rumen and the changes that occur in both between the replete and fasted state in sheep in which there has been no surgical interference	39
3:2:2 Details of the contractions of the reticulum, the reticulo-ruminal fold, the cranial sac of the rumen and the cranial pillar	40
3:2:3 Details of the contractions of the cranial and caudal pillars and the dorsal rumen sac	42
3:2:4 Details of the contractions of the ventral rumen	43
3:2:5 Illustration of the contraction sequence of the reticulo-rumen in the replete sheep	44
3:2:6 The movement of digesta within the reticulo-rumen and the effects of different diets	44
3:2:7 The effects of abomasal distension on the contractions of the reticulo-rumen	46
3:2:8 The effects of partial exteriorisation of the reticulum and rumen fistulation on the contractions of the reticulo-rumen	47

	Page
3:3 RESULTS	47
3:3:1 The reticulo-rumen contractions and movement of digesta in the reticulo-rumen and the changes that occur in both between the replete and fasted state in sheep in which there has been no surgical interference	47
3:3:2 Details of the contractions of the reticulum, the reticulo-ruminal fold, the cranial sac of the rumen and the cranial pillar	55
3:3:3 Details of the contractions of the cranial and caudal pillars and the dorsal rumen sac	59
3:3:4 Details of the contractions of the ventral rumen	62
3:3:5 Illustration of the contraction sequence of the reticulo-rumen in the replete sheep	67
3:3:6 The movement of digesta within the reticulo-rumen and the effects of different diets	68
3:3:7 The effects of abomasal distension on the contractions of the reticulo-rumen	71
3:3:8 The effects of partial exteriorisation of the reticulum and rumen fistulation on the contractions of the reticulo-rumen	74
3:4 DISCUSSION	74

Volume II

	Page
Chapter IV THE OMASUM AND ABOMASUM	84
4:1 LITERATURE REVIEW	84
4:2 MATERIALS AND METHODS	88
4:2:1 The Omasum	88
4:2:2 The Abomasum	89
4:3 RESULTS	94
4:3:1 The Omasum	94
4:3:2 The Abomasum	96
4:4 DISCUSSION	103
Chapter V MOTILITY OF THE SMALL INTESTINE	108
5:1 LITERATURE REVIEW	108
5:2 MATERIALS AND METHODS	115
5:2:1 Radiological observation of the digesta movements in the normal small intestine	126
5:2:2 Radiological observations of the effects on digesta movement caused by insertion of cannulae in the small intestine	126
5:2:3 Measurement of the volume and length of boluses in the duodenum and proximal jejunum	127

	Page	
5:2:4	Experimental initiation of contractions of the small intestine by the introduction of digesta into the lumen	127
5:2:5	Recording of myoelectrical potentials in the wall of the proximal jejunum	128
5:2:6	Simultaneous radiological observations and electrical recordings for correlation of digesta movements with myoelectrical activity	128
5:2:7	Observation of the effects on the myoelectrical activity of the small intestine of removal of digesta or the introduction of digesta	128
5:3	RESULTS	129
5:3:1	Radiological observations of digesta movement in the normal small intestine	129
5:3:2	Radiological observations of the effects on digesta movement caused by the insertion of cannulae in the small intestine	132
5:3:3	Measurement of the volume and length of boluses in the duodenum and proximal jejunum	134
5:3:4	Experimental initiation of contractions of the small intestine by the introduction of digesta into the lumen	136
5:3:5	Recording of myoelectrical potentials in the wall of the proximal jejunum	136
5:3:6	Simultaneous radiological observations and electrical recordings for correlation of digesta movements with myoelectrical activity	142

	Page
5:3:7 Observation of the effects on the myoelectrical activity of the small intestine of removal of digesta or the introduction of digesta	144
5:4 DISCUSSION	145
Chapter VI GENERAL CONCLUSIONS AND SUGGESTIONS FOR FURTHER RESEARCH	153
REFERENCES	159
APPENDIX 1 Anaesthesia	186
APPENDIX 2 Estimation of the volume of gas in the abomasal gas cap	187
APPENDIX 3 Details of myoelectrical observations on sheep 30 and 34	189

LIST OF PLATES

		Between Pages
Plate 1	The vis ceral (right) side of a sheep's stomach after it has been inflated	1 - 2
Plate 2	The parietal (left) side of same preparation as plate 1	1 - 2
Plate 3	The x-ray installation at Massey University	18 - 19
Plate 4	The x-ray installation at the Rowett Research Institute	18 - 19
Plate 5	A recording of the signal of reticular contraction	38 - 39
Plate 6	A series of spot-films taken of a reticulum contraction followed by a cranial sac contraction	48 - 49
Plate 7	A radiograph taken immediately after dosing the sheep with 50 ml of barium sulphate	53 - 54
Plate 8	A series of spot-films taken of the movement of markers of the reticulo-ruminal fold and cranial pillar	56 - 57
Plate 9	A series of spot-films taken of the movement of the caudal pillar	61 - 62
Plate 10	A series of spot-films taken of the movement of the caudal pillar should eructation be going to take place	61 - 62
Plate 11	A radiograph of reticulum and cranial rumen taken in the resting phase between contractions	67 - 68
Plate 12	A radiograph of reticulum and cranial rumen taken at the commencement of a reticulum contraction	67 - 68

Plate 13	A radiograph of reticulum and cranial rumen taken 1 second after the start of a reticulum contraction	67 - 68
Plate 14	A radiograph of reticulum and cranial rumen taken 2 seconds after the start of a reticulum contraction	67 - 68
Plate 15	A radiograph of reticulum and cranial rumen taken 4 seconds after the start of a reticulum contraction	67 - 68
Plate 16	A radiograph of reticulum and cranial rumen taken 6 seconds after the start of a reticulum contraction	67 - 68
Plate 17	A radiograph of reticulum and cranial rumen taken 10 seconds after the start of a reticulum contraction	67 - 68
Plate 18	A radiograph of reticulum and cranial rumen taken 10 seconds after the start of a reticulum contraction in a sheep with no rumen fistula	67 - 68
Plate 19	A radiograph of reticulum and cranial rumen taken 20 seconds after the start of a reticulum contraction	67 - 68
Plate 20	A radiograph of caudal rumen taken 30 seconds after the start of a reticulum contraction	67 - 68
Plate 21	A radiograph of caudal rumen taken 35 seconds after the start of a reticulum contraction	67 - 68
Plate 22	A radiograph of caudal rumen taken 37 seconds after the start of a reticulum contraction	67 - 68
Plate 23	A radiograph of reticulum and cranial rumen taken 40 seconds after the start of a reticulum contraction	67 - 68

Plate 24	A radiograph of caudal rumen taken at the commencement of a reticulum contraction	67 - 68
Plate 25	A radiograph of caudal rumen taken 10 seconds after the start of a reticulum contraction	67 - 68
Plate 26	A radiograph of caudal rumen taken 12 seconds after the start of a reticulum contraction	67 - 68
Plate 27	A radiograph of caudal rumen taken 14 seconds after the start of a reticulum contraction	67 - 68
Plate 28	A radiograph of caudal rumen taken 15 seconds after the start of a reticulum contraction	67 - 68
Plate 29	A radiograph of caudal rumen taken 20 seconds after the start of a reticulum contraction	67 - 68
Plate 30	A radiograph of caudal rumen taken 25 seconds after the start of a reticulum contraction	67 - 68
Plate 31	A radiograph of caudal rumen taken 27 seconds after the start of a reticulum contraction	67 - 68
Plate 32	A radiograph of caudal rumen taken 30 seconds after the start of a reticulum contraction	67 - 68
Plate 33	A radiograph of caudal rumen taken 35 seconds after the start of a reticulum contraction	67 - 68
Plate 34	A radiograph of caudal rumen taken 37 seconds after the start of a reticulum contraction	67 - 68

Plate 35	A radiograph of caudal rumen taken 45 seconds after the start of a reticulum contraction	67 - 68
Plate 36	A radiograph of caudal rumen taken 35 seconds after the start of a reticulum contraction during a sequence that culminated in eructation	67 - 68
Plate 37	A radiograph taken of caudal rumen 36 seconds after the start of a reticulum contraction during a sequence that culminated in eructation	67 - 68
Plate 38	A radiograph taken of caudal rumen 37 seconds after the start of a reticulum contraction during a sequence that culminated in eructation	67 - 68
Plate 39	A radiograph taken of the rumen 37 seconds after the start of a reticulum contraction during a sequence that culminated in eructation	67 - 68
Plate 40	Abomasal distension with gas and milk following bottle-feeding	71 - 72
Plate 41	Plain lateral radiograph of the abdomen	96 - 97
Plate 42	Lateral radiograph of the abdomen with the abomasum outlined with barium sulphate	96 - 97
Plate 43	Radiograph showing rings of peristaltic contractions on the pyloric antrum	97 - 98
Plate 44	Stationary contractions on the greater curvature of the body of the abomasum	98 - 99
Plate 45	Contractions on the lesser curvature of the fundic region	98 - 99
Plate 46	Lateral radiograph of the abdomen of sheep 21 taken immediately after bottle-feeding with 50 ml of BaSO_4 mixed with 500 ml of milk	102 - 103

		Between Pages
Plate 47	Lateral radiograph of the abdomen of sheep 21 taken the day after Plate 46	102 - 103
Plate 48	Lateral radiograph of the abdomen of sheep 21 7 days after Plate 46	102 - 103
Plate 49	The right flank of sheep 31 photographed during a recording session	118 - 119
Plate 50	Duodenal and abomasal catheters	118 - 119
Plate 51	"Ash type" re-entrant cannula	118 - 119
Plate 52	Two types of T cannulae used in the small intestine	118 - 119
Plate 53	The electrodes which were implanted in the wall of the small intestine	120 - 121
Plate 54	The harness of electrodes and leads as it was prepared to implant in the sheep	120 - 121
Plate 55	The duodenum and orad jejunum of sheep 35 after removal from the animal <u>postmortem</u>	120 - 121
Plate 56	The duodenum and orad jejunum of sheep 32 after removal from the animal <u>postmortem</u>	120 - 121
Plate 57	The duodenum and orad jejunum of sheep 33 after removal <u>postmortem</u> and breaking down of the mesenteric attachment	120 - 121
Plate 58	The duodenum and orad jejunum of sheep 32 after removal <u>postmortem</u> and breaking down of the mesenteric attachment	120 - 121
Plate 59	The connection of the external end of the electrode leads onto a circuit board	123 - 124

Plate 60	The connection between a circuit board and a socket edge-connector	123 - 124
Plate 61	A lateral radiograph of sheep 32 showing a balloon, filled with contrast media, just inside the T cannula	125 - 126
Plate 62	Site of exit of the T cannula from the abdominal cavity	125 - 126
Plate 63	Site of insertion of T cannula after removal <u>postmortem</u>	125 - 126
Plate 64	Site of insertion of T cannula and resultant adhesion to the abdominal wall after removal <u>postmortem</u>	125 - 126
Plate 65	Site of insertion of T cannula after removal <u>postmortem</u> with the lumen opened	125 - 126
Plate 66	An electrode in place in the jejunal wall <u>postmortem</u> (sheep 32)	126 - 127
Plate 67	An electrode in place in the jejunal wall <u>postmortem</u> (sheep 33)	126 - 127
Plate 68	An electrode in place in the jejunal wall <u>postmortem</u> (sheep 32)	126 - 127
Plate 69	An electrode in place in the jejunal wall <u>postmortem</u> (sheep 33)	126 - 127
Plate 70	A series of spot-films taken at 1 second intervals illustrates the migration of a bolus from the ascending duodenum to its eventual fragmentation in the jejunum	130 - 131
Plate 71	A radiograph showing the leading edge of a migrating pattern of bolus movement in the terminal ileum	132 - 133
Plate 72	Electromyogram from an electrode on the jejunum during the quiescent phase	138 - 139

Plate 73	Electromyogram from an electrode on the jejunum during ISA phase	138 - 139
Plate 74	Electromyogram from an electrode on the jejunum during RSA phase	139 - 140
Plate 75	Electromyogram from an electrode on the jejunum as RSA phase becomes established	139 - 140
Plate 76	Electromyograms from six electrodes on the jejunum showing RSA phase migrating across all electrodes	139 - 140
Plate 77	Electromyograms from six electrodes on the jejunum showing RSA phase starting up between electrodes 1 and 2	139 - 140
Plate 78	Electromyograms from six electrodes on the jejunum showing RSA phase migrating across all electrodes at an increased speed when compared with Plate 76	139 - 140
Plate 79	Electromyograms from six electrodes on the jejunum showing RAMS	142 - 143
Plate 80	Electromyograms from six electrodes on the jejunum showing RAMS; the paper speed increased to 5 mm/second	142 - 143
Plate 81	Electromyograms from six electrodes on the jejunum when the T cannula was open showing the effect on RAMS	144 - 145
Plate 82	Electromyograms from six electrodes on the jejunum when the T cannula was open showing the effect on RSA phase	144 - 145
Plate 84	Electromyograms from six electrodes on the jejunum when the T cannula was open and a balloon inflated aborad showing the effect on the RSA phase	145 - 146

Plate 85 Electromyograms from six electrodes
on the jejunum when the T cannula
was open and digesta introduced
aborad showing the effect on the RSA
phase

145 - 146

LIST OF FIGURES

		Between Pages
Figure 1	A series of drawings giving, in detail, the movements and changes in shape of the reticulum and cranial rumen	56 - 57
Figure 2	The movements of the reticulo-ruminal fold, the cranial pillar and caudal pillar presented as a diagrammatic representation of plots taken from projected radiographic cine-film	56 - 57
Figure 3	A series of drawings giving, in detail the movements and changes in shape of the caudal rumen	61 - 62
Figure 4	The movement of digesta within the reticulo-rumen	68 - 69
Figure 5	The effect of three diets on the mean time (minutes) taken for the radio-opaque marker to reach the numbered positions	70 - 71
Figure 6	A series of drawings of the reticulo-rumen representing the events that occur during a contraction sequence	75 - 76
Figure 7	The change in shape of the omasum as the reticulum contracts	96 - 97
Figure 8	Diagrammatic representation of rings of contractions approaching the pylorus	98 - 99
Figure 9	Depiction of the relationship between abomasal pyloric antral activity, onward passage of a bolus from the duodenal bulb and rhythmic segmental activity in the jejunum	101 - 102

Figure 10	Depiction of the relationship between abomasal pyloric antral activity, onward passage of a bolus from the duodenal bulb and rhythmic segmental activity in the jejunum	101 - 102
Figure 11	Depiction of the relationship between abomasal pyloric antral activity, onward passage of a bolus from the duodenal bulb and rhythmic segmental activity in the jejunum	101 - 102
Figure 12	Drawings taken from video-tape recording of the abomasal function of sheep 23	103 - 104
Figure 13	Depiction of the relationship between abomasal pyloric antral activity, onward passage of a bolus from the duodenal bulb and rhythmic segmental activity in the jejunum	103 - 104
Figure 14	A diagram derived from radiographic cine-film of bolus movement in the jejunum	131 - 132
Figure 15	A diagram derived from radiographic cine-film of bolus movement in the ileum	131 - 132
Figure 16	A diagram derived from radiographic cine-film of bolus movement in the jejunum	132 - 133
Figure 17	A diagrammatic representation of the effect of 3 different treatments on the RSA phase of sheep 30	144 - 145
Figure 18	A diagrammatic representation of the effect of 3 different treatments on the RSA phase of sheep 32	144 - 145
Figure 19	A diagrammatic representation of the effect of 3 different treatments on the RSA phase of sheep 33	144 - 145

- Figure 20 A diagrammatic representation of the effect of 3 different treatments on the RSA phase of sheep 34 144 - 145
- Figure 21 A diagram illustrating the relationship between the wavelength of the slow wave and the propulsion of a bolus by RAMS 149 - 150
- Figure 22 A diagram illustrating the relationship between the wavelength of the slow wave and the propulsion of boluses by ISA in the jejunum 150 - 151
- Figure 23 A diagram illustrating the relationship between the wavelength of the slow wave and the propulsion of boluses by ISA in the ileum 150 - 151
- Figure 24 A diagram illustrating the relationship between the wavelength of the slow wave and propulsion of boluses by RSA 150 - 151

LIST OF TABLES

		Page
Table I	Details of animals used for investigation of reticulo-ruminal contractions and digesta movement	35
Table II	Timing of events in the reticulum and cranial rumen	58
Table III	Timing of reticular contractions during rumination	60
Table IV	The relationship between cranial pillar contractions	63
Table V	Time of caudal pillar contractions	64
Table VI	A comparison of the mean time in seconds between the events in Tables IV, V in the replete and fasted sheep 26 and 27	65
Table VII	The effect of three diets on the mean time (minutes) taken for the radio-opaque marker to reach the numbered positions	Between Pages 70 - 71
Table VIII	Effects of abomasal distension on reticulo-rumen motility	72
Table IX	Sheep used to investigate abomasal function	90
Table X	Treatments of sheep to affect abomasal motility	95
Table XI	Time taken for 7 peristaltic waves to reach the pylorus in Soay and other breeds of sheep under a variety of conditions	100
Table XII	Analysis of variance from Table XI	101
Table XIII	Sheep used for the investigation of the motility of the small intestine	117
Table XIV	Distances between electrodes and cannula	121
Table XV	The volume of rapidly aborad migrating boluses in the proximal small intestine	135

		Page
Table XVI	The length of rapidly aborad migrating boluses in the duodenum	137
Table XVII	Slow wave frequency	139
Table XVIII	Time for an RSA phase of an MMC to migrate between successive electrodes	140
Table XIX	The speed of migration of the RSA phase of an MMC between electrodes	140
Table XX	Time for the RSA phase of an MMC to pass an electrode	141
Table XXI	Time taken for a RAMS to migrate between electrodes	143
Table XXII	The speed of migration of a RAMS between successive electrodes	143
Table XXIII	Estimation of the volume of gas in the abomasal gas cap	188